Advancements in natural language processing: Implications, challenges, and future directions

Supriyono [a,c], Aji Prasetya Wibawa [a,*], Suyono [b], Fachrul Kurniawan [c]

[a] *Department of Electrical Engineering and Informatics, Faculty of Engineering, Universitas Negeri Malang, Jl. Semarang no. 5, Malang 65145, Indonesia*
[b] *Department of Indonesian Literature, Faculty of Letters, Universitas Negeri Malang, Jl. Semarang no. 5, Malang 65145, Indonesia*
[c] *Informatics Engineering, Faculty of Science and Technology, Universitas Islam Negeri Maulana Malik Ibrahim Malang, Indonesia*

ARTICLE INFO

ABSTRACT

This research delves into the latest advancements in Natural Language Processing (NLP) and their broader implications, challenges, and future directions. With the ever-increasing volume of text data generated daily from diverse sources, extracting relevant and valuable information is becoming more complex. Conventional manual techniques for handling and examining written information are laborious and susceptible to mistakes, underscoring the necessity for effective automated alternatives. The advancements in Natural Language Processing (NLP), namely in transformer-based models and deep learning techniques, have demonstrated considerable potential in improving the precision and consistency of various NLP applications. This work presents a novel approach that combines systematic review methods with sophisticated NLP approaches to enhance the overall efficiency of NLP systems. The proposed strategy guarantees an organized and clear literature review process, resulting in more informative and contextually relevant results. The report examines NLP's implications, problems, and opportunities, providing significant insights that are anticipated to propel improvements in NLP technology and its application in many industries.

1. Introduction

The field of Natural Language Processing (NLP) has experienced a substantial increase in the volume of written information generated daily from diverse sources like social media, news articles, research reports, and commercial documents [30,10,22]. Extracting meaningful insights from this vast amount of information poses a significant challenge. The process of manually analyzing and summarizing information is time-consuming and prone to errors caused by human mistakes [11,53,57]. Therefore, there is a pressing need for effective and automated techniques to summarize large volumes of material [87,94,127,111].

NLP has a rich history that dates to the 1950s, beginning with early work on machine translation and linguistic theory. The field's development was initially driven by rule-based systems and symbolic approaches, focusing on grammar and syntax [134]. The 1980s and 1990s saw a shift towards statistical methods, leveraging large corpora of text data and probabilistic models to improve language processing capabilities. The turn of the 21st century marked a significant leap with the advent of machine learning techniques, culminating in the emergence of deep learning and transformer-based models in recent years [95,73].

The latest developments in Natural Language Processing (NLP), such as transformer-based models and deep learning techniques like BERT and GPT-3, have significantly improved the capacity to condense text automatically [41,43,23]. However, the challenges of understanding complex situations and correcting biases in data persist [39,13,17,119,50].

This paper introduces an innovative technique for automatically condensing information by combining systematic review methods with advanced NLP algorithms [80,4,126]. The systematic review approach ensures a comprehensive and standardized evaluation of the literature. Simultaneously, sophisticated NLP algorithms, such as entity recognition and semantic analysis, reveal important and pertinent terms in the text, generating concise and targeted summaries [122,86].

The main accomplishment of this study is creating a thorough framework that combines systematic review methods with powerful NLP capabilities. This framework aims to improve the precision and pertinence of the produced outcomes while guaranteeing systematic and transparent screening procedures. The expected outcomes will offer

---

* Corresponding author.
E-mail addresses: supriyono.2305349@students.um.ac.id (Supriyono), aji.prasetya.ft@um.ac.id (A.P. Wibawa), suyono.fs@um.ac.id (Suyono), fachrulk@ti.uin-malang.ac.id (F. Kurniawan).

novel perspectives and enhance NLP technology, namely in developing more effective and efficient tools. Tackling current obstacles in this field can substantially affect NLP, resulting in more accurate and extensive applications in diverse industries.

2. Research area

This review research examines NLP's impacts, modifications, and many applications. The study is structured around three core research inquiries:

1. What is the influence of improvements in NLP on different processes?
2. What changes have been made to NLP applications?
3. What are the different uses of NLP, and how do they influence various fields?

The study attempts to offer a complete overview of NLP improvements, the role of AI, and the broader implications and future possibilities of NLP technologies across several industries through these research issues.

3. Methodology

For the review, the PRISMA methodology was followed to ensure a systematic and comprehensive approach. The identification phase involved a thorough literature search across databases such as PubMed, IEEE Xplore, Scopus, Web of Science, and Google Scholar [117,104,101, 38]. Specific search terms related to NLP were used, focusing on studies published in English from January 2010 onwards. Inclusion criteria emphasized peer-reviewed studies discussing advancements, implications, challenges, and future directions in NLP, while exclusion criteria filtered out non-relevant, non-peer-reviewed, and non-English studies [75,21,42,128,90,103].

During the screening phase, search results were imported into reference management software to remove duplicates [12,70]. Titles and abstracts were independently screened by two reviewers, with discrepancies resolved through discussion or by a third reviewer. The full-text screening was then conducted for potentially eligible studies, with reasons for exclusion meticulously documented [92,20,40,88].

For eligibility, data extraction was performed using a standardized form to capture essential details such as authors, publication year, journal/conference, study design, NLP techniques, key findings, and evaluation metrics [67,44,44,112]. The quality and risk of bias in the included studies were assessed using tools like the CASP for qualitative studies and the Cochrane Risk of Bias Tool for randomized controlled trials [8,35,81,71].

In the final phase, the studies included were synthesized through narrative synthesis and thematic analysis to identify patterns related to NLP's implications, challenges, and future directions. Subgroup analyses were conducted where sufficient data were available based on techniques, application domains, and publication year ranges [89,59,56,16]. The study selection process was transparently documented with a PRISMA flow diagram, and a PRISMA checklist was completed to ensure thorough and transparent reporting. Fig. 1 shows the PRISMA Methodology Flow Diagram.

The PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) methodology is a rigorous and comprehensive approach designed to ensure transparency and completeness in systematic reviews. Table 1 categorizes the PRISMA approach into several stages, sections, specifics, and standards, offering a precise structure for systematic reviews. The organized approach commences with the identification phase, in which an extensive literature search is conducted across many databases using precise search terms and predetermined inclusion and exclusion criteria [62,31,110,6,107]. Subsequently, the screening process entails overseeing search results, eliminating duplicates, and performing autonomous evaluations of titles and abstracts to


Fig. 1. PRISMA methodology flow diagram.

sift through pertinent studies. The eligibility process involves extracting thorough data and conducting a quality assessment using standardized procedures to ensure that only high-quality research is included. In the synthesis step, the selected studies are analyzed through narrative and topic analysis, and subgroup analyses are undertaken if relevant [129, 14,66,103,19,78]. The process is meticulously documented using a PRISMA flow diagram and checklist, guaranteeing the review is thorough, replicable, and trustworthy. Table 1 effectively summarizes this methodology, highlighting the critical steps and criteria for conducting a systematic review following the PRISMA guidelines.

The PRISMA methodology (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) is a systematic approach to organizing and reporting systematic reviews and meta-analyses. This methodology is divided into several steps, sections, details, and criteria that must be followed to ensure the transparency and reliability of the review results. PRISMA's primary stages encompass identifying, screening, determining eligibility, and incorporating pertinent studies. Every element of a research study contains distinct criteria, such as inclusion and exclusion criteria, that aid researchers in filtering and selecting the most pertinent papers for their research topic. The PRISMA steps contain meticulous instructions to guarantee that every component of a systematic review is thoroughly addressed, encompassing literature search, data analysis, and result reporting.

Fig. 2 illustrates the practical applications of NLP across various domains. This figure highlights how NLP is integrated into real-world scenarios, such as chatbots for customer service, sentiment analysis for social media monitoring, machine translation for bridging language barriers, and voice recognition systems for virtual assistants. By visualizing these use cases, Fig. 2 demonstrates the versatility and impact of NLP technology in enhancing user experiences and streamlining processes across industries. The figure clearly represents NLP's potential to transform communication and data analysis in our increasingly digital world.

Table 1
Organizes PRISMA methodology.

Step	Section	Details	Criteria
1	**Identification**		
	Literature Search Strategy	**Databases**: PubMed, IEEE Xplore, Scopus, Web of Science, Google Scholar. **Search Terms**: "Natural Language Processing", "Text Summarization", "NLP advancements", "automatic summarization", "summarization challenges", "future directions in NLP", "implications of text summarization". **Time Frame**: January 2010 to present. **Language**: English only.	Studies must be peer-reviewed and published in English from January 2010.
	Inclusion and Exclusion Criteria	**Inclusion Criteria**: Studies focused on NLP advancements in text summarization. Peer-reviewed articles, conference papers, and high-quality technical reports. Discussions on implications, challenges, or future directions. **Exclusion Criteria**: Articles not focused on text summarization within NLP. Non-peer-reviewed articles, editorials, opinion pieces, dissertations. Studies in languages other than English.	Inclusion: Focus on text summarization in NLP, peer-reviewed, implications/challenges/future directions. Exclusion: Not focused on text summarization in NLP, non-peer-reviewed, languages other than English.
2	**Screening**		
	Data Management	All search results will be imported into reference management software (e.g., EndNote, Mendeley) to manage and remove duplicates.	Studies must be managed and duplicates removed using reference management software.
	Selection Process	**Title and Abstract Screening**: Two independent reviewers will screen titles and abstracts against criteria. Discrepancies resolved by discussion or third reviewer. **Full-Text Screening**: Full text of potentially eligible studies assessed independently by two reviewers. Reasons for exclusion recorded.	Title and abstract must meet inclusion criteria for full-text review. Discrepancies resolved by discussion or third reviewer. Full-text screening requires independent assessment by two reviewers.
3	**Eligibility**		
	Data Extraction	**Data Extraction Tool**: Standardized data extraction form developed and piloted. **Extracted Information**: Authors, year, journal/conference, study design, NLP techniques, key findings on implications, challenges, future directions, evaluation metrics (precision, recall, F1 score, ROUGE, BLEU, etc.).	Studies must provide sufficient information for extraction: authors, year, journal/conference, study design, NLP techniques, findings, evaluation metrics.
	Quality Assessment	Quality and risk of bias assessed using tools such	Studies must be assessed for quality and risk of

Table 1 (*continued*)

| Step	Section	Details	Criteria
		as CASP for qualitative studies and Cochrane Risk of Bias Tool for RCTs.	bias using appropriate tools (CASP, Cochrane).
4	**Included**		
	Synthesis of Results	Narrative synthesis to summarize and explain findings. Thematic analysis to identify and report patterns related to implications, challenges, and future directions.	Sufficient data for narrative synthesis and thematic analysis required.
	Subgroup Analysis	Subgroup analyses based on types of summarization techniques (extractive vs. abstractive), application domains (healthcare, legal, business), and publication year ranges, if data available.	Sufficient data for subgroup analysis required.
	Reporting	PRISMA flow diagram illustrating study selection process, number of studies screened, assessed for eligibility, included in the review, with reasons for exclusions at each stage. PRISMA checklist completed and included to ensure transparency and completeness in reporting.	The study selection process must be transparent and documented using a PRISMA flow diagram and checklist.

Fig. 2. NLP in action.

3.1. Text input and data collection

In NLP, the input of text and the gathering of data is fundamental to the creation and efficacy of language models. Text input is collecting user-generated information or textual data from different sources such as social media platforms, forums, emails, and documents [132,74,116]. The importance of this stage is in its provision of the unprocessed data that NLP systems require to analyze and comprehend human language effectively. This enables models to acquire knowledge from a wide range of linguistic inputs. [32,91,60,1].

Data collecting encompasses more than just inputting text; it involves a systematic method of gathering substantial amounts of text to create extensive databases. This process involves extracting content from websites through web scraping, retrieving information from structured databases through querying, and collecting user-generated content from different online sources. Data collection aims to gather a diverse and extensive collection of language samples that accurately represent a wide array of language usage and contexts [99,1,106].

The caliber and variety of the gathered data substantially influence the efficacy of NLP models. Developers can enhance the accuracy and reliability of models for comprehending and creating human language by ensuring that the datasets encompass diverse linguistic patterns, situations, and nuances. Effective data-gathering procedures enhance the model's capacity to handle diverse dialects, slang, and specialist terminology, enhancing its overall functionality.

The harmonious combination of efficient text input and thorough data collection is the foundation of prosperous NLP applications. The earliest phases of gathering and collecting text data are crucial for training models that can grasp and interact with human language meaningfully and intelligently. This applies to constructing chatbots, translation systems, or sentiment analysis tools.

3.2. Text preprocessing

Text preprocessing is an essential stage in NLP that prepares unprocessed text input for efficient analysis and modeling. The procedure commences with tokenization, which involves dividing the text into smaller pieces, such as words or phrases. Segmentation facilitates the organization of the text into smaller, more manageable units, hence enhancing the ability of NLP algorithms to process it. Tokenization is a process that organizes the text into distinct pieces, which sets the foundation for more in-depth analysis [34,52,123].

After tokenization, the subsequent crucial step is the elimination of stopwords. Stopwords are often occurring words in literature that do not offer significant meaning, such as "the," "is," and "and." Eliminating these stopwords redirects attention to other significant words, thereby diminishing interference and amplifying the significance of the textual information. This process facilitates data optimization, enhancing its concentration and effectiveness for analysis.

Stemming and lemmatization are supplementary preprocessing methods employed to address variances in word usage. Stemming is a process that simplifies words by removing prefixes and suffixes to get to their base or root forms, whereas lemmatization is the conversion of words to their dictionary forms [48,5,54]. Both strategies aim to standardize text by categorizing many word forms into one representation. This simplifies the text and enhances the performance of NLP models.

Text preprocessing includes converting text to lowercase, eliminating punctuation, special characters, and extra whitespace. Converting text to lowercase guarantees word representation consistency, preventing inconsistencies between uppercase and lowercase versions. Removing punctuation and special characters increases the amount of necessary and consistent data. The pretreatment procedures ready the text input for analysis, allowing NLP models to execute tasks like classification, sentiment analysis, and machine translation with enhanced accuracy and efficiency.

3.3. Text representation

Text representation in NLP is a crucial process that converts unprocessed text into a structured format that machine learning models may efficiently utilize. This process entails the transformation of text into numerical or structured representations that accurately capture the semantic significance of words, sentences, and contextual information. A frequently used approach is the Bag of Words (BoW) method, representing text as a collection of word counts or frequencies [25,76,131]. This method does not consider the sequence of words, but it does capture their presence in a document. Although BoW is straightforward and efficient for most tasks, it can lead to feature vectors that are both high-dimensional and sparse.

Another widely used method is the Term Frequency-Inverse Document Frequency (TF-IDF), which improves the Bag of Words (BoW) by assigning weights to words based on their frequency in a document compared to their frequency in the entire corpus. This method effectively emphasizes important phrases specific to a given text while minimizing the influence of common terms often occurring in multiple publications. TF-IDF is a valuable tool for enhancing the significance of textual characteristics in tasks like information retrieval and text classification [26,46].

Recent NLP developments have developed word embeddings such as Word2Vec and GloVe. These embeddings offer a more sophisticated way of representing text by mapping words to continuous vector spaces. These embeddings encode semantic links between words, enabling words with similar meanings to have comparable vector representations. This methodology offers more comprehensive and contextually appropriate textual representations than conventional methods, allowing models to comprehend the meanings of words based on their usage in various settings.

Recently, text representation has been revolutionized by contextual embeddings derived from models such as BERT (Bidirectional Encoder Representations from Transformers). These embeddings consider the surrounding context in which words are used. These embeddings produce dynamic word vectors that adapt according to the context of neighboring words, capturing more complex meanings and relationships. Contextual embeddings have greatly enhanced the efficacy of NLP models in tasks such as named entity identification, question answering, and machine translation by offering a more profound comprehension of textual subtleties and context.

3.4. Feature selection

Feature selection is a crucial aspect of NLP that enhances the performance and efficiency of machine learning models by selecting and prioritizing the most pertinent features from text data. The approach commences with filter-based techniques, which assess the significance of variables in isolation from the model. Methods such as chi-square tests or mutual information evaluate individual characteristics using statistical metrics, enabling the selection of the most significant ones. Filter methods in text classification tasks can rank words based on frequency or discriminatory power, ensuring that only the most relevant phrases are utilized [105,36,118].

Subsequently, wrapper-based methods are employed to integrate the feature selection process into training a particular machine learning model. This method entails systematically testing several subsets of features to discover the combination that produces the optimal model performance, measured by metrics like accuracy or F1 score. Wrapper approaches offer higher accuracy in selecting features by directly assessing the model's performance. However, they tend to be more computationally demanding because of their iterative nature.

Embedded methods link filter and wrapper techniques by incorporating feature selection into the model training process. For instance, LASSO regression and decision trees incorporate autonomous feature selection inside their algorithms [84,121,51]. LASSO, for example, imposes a penalty on less significant features, reducing their coefficients to zero and thus removing them from the model. By including feature selection within the learning algorithm, this approach combines the speed of filter techniques with the precision of wrapper methods, making it a viable option for various natural language processing jobs.

Efficient feature selection improves the effectiveness of NLP models by prioritizing the most significant features and minimizing unnecessary information and processing requirements. Practitioners can enhance the performance of their models for different applications, such as sentiment analysis, topic modeling, and machine translation, by utilizing a

combination of filter, wrapper, and embedding methods. This will result in more precise and meaningful outcomes.

3.5. Model selection & training

Model selection and training are crucial steps in NLP that substantially impact the efficacy of predictive analytics and text analysis. The process commences with selecting a model, wherein practitioners opt for the most suitable algorithm or model architecture according to the unique demands of the task, such as classification, regression, or sequence prediction [113,63,98,97]. Several factors that affect this selection include the text data's inherent characteristics, the activity's difficulty level, and the intended result. For example, more rudimentary models like logistic regression may be appropriate for fundamental text categorization. On the other hand, more intricate models such as BERT or GPT are selected for jobs that demand profound contextual comprehension and subtle language processing [2,109,82,124].

After selecting the model, the subsequent stage is training, which entails providing the chosen model with the prepared text data to acquire knowledge of patterns and correlations. To guarantee that the model can effectively apply its learned knowledge to new data, it is customary to divide the dataset into three separate sets: training, validation, and test sets. During the training process, the model modifies its parameters by considering the input the loss function provides. The loss function quantifies the disparity between the expected and actual outcomes. Gradient descent is commonly used to optimize the model's performance by minimizing the loss.

Hyperparameter tuning is a crucial aspect of the training process, involving adjusting different model parameters, such as the learning rate, batch size, and number of layers, to discover the most optimal configuration. Fine-tuning improves the model's performance, guaranteeing optimal results for the specified task. Grid or random search methods are frequently employed to systematically investigate various hyperparameter values and choose the most optimal ones.

Furthermore, model evaluation is carried out to gauge the performance of the trained model by utilizing measures such as accuracy, precision, recall, and F1 score [49,65]. This assessment aids in determining the level of performance exhibited by the model on the test set and whether it satisfies the requirements. Practitioners can create resilient NLP solutions that provide precise and enlightening outcomes in diverse applications through meticulous model selection and training, meticulous hyperparameter fine-tuning, and rigorous performance evaluation.

3.6. Model deployment & inference

Model deployment and inference are crucial concluding stages in the life cycle of an NLP project, marking the transition from model creation to practical implementation. Model deployment integrates the trained model into a production environment, where it may interact with live data and generate real-time predictions. This phase involves establishing the essential infrastructure, including servers and APIs, to enable the model's accessibility and scalability. Efficient deployment guarantees that the model can handle the requirements of real user interactions and function well within the production system [47,55,102].

After being deployed, the model is utilized for inference, where it analyzes novel, unobserved data to produce predictions or insights using the patterns it acquired during training. Inference provides the model with input text and generates outputs like classifications, translations, or sentiment scores [18,79]. This phase is content utilize the model's functionalities in applications such as automating customer assistance, recommending content, or translating languages in real time.

Continuous monitoring of the deployed model is crucial to ensure optimal performance. This entails monitoring key performance indicators such as reaction times, prediction accuracy, and user input to detect any problems or opportunities for enhancement. Consistent monitoring is essential for preserving the model's efficacy and mitigating any deviation or decline in performance as time progresses.

Furthermore, it is imperative to do model updates and maintenance to ensure the continued relevance and accuracy of the deployment. As further data is acquired or the application's needs change, it may be necessary to retrain or refine the model. This iterative method guarantees the model stays in sync with the most recent trends and consistently provides relevant insights and dependable predictions. Organizations can utilize NLP models to improve their applications and accomplish their strategic objectives by effectively managing the deployment, inference, and continuous maintenance processes.

3.7. Evaluation & optimization

Assessment and refinement are vital in developing NLP models, guaranteeing efficient performance, and achieving specified goals. Evaluation entails the assessment of the model's performance by employing diverse criteria that gauge its precision, dependability, and appropriateness for the assigned task. Standard measurements used in this context are accuracy, precision, recall, F1 score, and area under the receiver operating characteristic curve (AUC-ROC). These metrics offer valuable information about the model's performance in tasks like classification, sentiment analysis, and machine translation, aiding in identifying its strengths and flaws. Assessment frequently entails utilizing a distinct test set that the model has not previously encountered during its training phase, guaranteeing an impartial evaluation of its generalization capacity.

After an evaluation, the optimization process aims to improve the performance and efficiency of the model. This approach involves optimizing hyperparameters, such as the learning rate, batch size, and number of layers, to identify the most effective configuration that enhances model accuracy and minimizes error. Methods such as grid search, random search, and Bayesian optimization are used to investigate various hyperparameter values and identify the optimal settings systematically. In addition, optimization may entail enhancing the structure of the model or using methods such as regularization to avoid overfitting, guaranteeing that the model effectively applies to new data [125,77,108].

Another facet of optimization involves feature engineering, which entails further endeavors to enhance the quality and pertinence of input features [64,130,85]. This may involve choosing more informative features, generating novel ones, or lowering dimensionality to eliminate irrelevant or redundant data. Feature engineering improves the model's capacity to acquire knowledge and generate precise predictions by supplying the most pertinent data.

Finally, consistently observing and providing further instruction is essential for sustaining the highest level of performance. Continuous monitoring is essential for identifying any decline in performance or changes in data distribution as the model is implemented in real-world situations. Revising the model using refreshed data guarantees its ongoing accuracy and efficacy. Organizations may create powerful NLP models that provide dependable and actionable insights by combining comprehensive evaluation, iterative optimization, and ongoing maintenance.

3.8. Iteration & improvements

Iteration and improvements are essential for developing robust NLP models, as they drive ongoing refinement and enhancement. The iterative approach entails the repetitive training, evaluation, and adjustment of the model to experiment with different adjustments, such as alterations in architecture, hyperparameters, or feature engineering [120]. Every iteration enables practitioners to evaluate the effect of these modifications on the model's performance, identifying which alterations result in improved accuracy and efficiency [72,3]. Conducting experiments and analyzing the results is essential for optimizing the model and

making well-informed decisions to improve its capabilities.

The improvements aim to utilize the knowledge acquired through iteration to rectify shortcomings and accommodate new demands. This may entail using advanced methodologies, such as intricate algorithms or supplementary data sources, to effectively address real-world scenarios' intricacies effectively. For example, by integrating cutting-edge technologies such as transformer models or contextual embeddings, one might greatly enhance performance by gaining a more profound comprehension of linguistic subtleties [61,100]. These enhancements guarantee that the model adapts to emerging issues and maintains effectiveness across different scenarios.

The iterative process of evaluating and providing feedback is crucial for continuously improving the model. Regularly monitoring the model's performance in a production environment enables the identification of issues such as decreased performance or changes in data distribution. Gathering input from end-users or domain experts provides vital insights into the model's practical efficacy and identifies opportunities for improvement [114,33]. By utilizing a feedback-driven method, practitioners can consistently modify the model to satisfy users' requirements and expectations.

NLP practitioners can achieve their initial objectives and respond to changing difficulties and opportunities by actively engaging in continual learning and improvement. Frequent upgrades informed by empirical performance and user input enhance the resilience and efficacy of the NLP system. This iterative technique guarantees that models stay precise and influential, providing dependable outcomes and preserving significance across diverse applications and use cases.

4. Results and discussion

The swift progress in NLP is transforming how we interact with language data, impacting various applications such as automated customer service and advanced language translation and sentiment analysis tools. The advancements in NLP present unparalleled prospects for enhancing communication and comprehension among different languages and cultures, establishing NLP as a fundamental component of contemporary technology. Nevertheless, this advancement also presents notable obstacles, such as moral quandaries, apprehensions regarding data protection, and the continuous requirement for algorithmic precision and impartiality improvements. It is crucial to critically analyze the impact of integrating NLP technologies into daily life and handle the complications.

NLP's impact extends beyond technological progress to encompass labor markets, educational institutions, and societal conventions. Natural Language Processing (NLP) technologies in the job market automate monotonous duties, optimize procedures, and generate novel positions in technological advancement and supervision. However, these advantages are accompanied by difficulties, such as the displacement of jobs and the necessity to provide the workforce with new skills to adjust to changing responsibilities. Furthermore, educational institutions are progressively integrating NLP tools to customize learning experiences and streamline administrative tasks. To successfully include this, it is essential to prioritize providing students with the necessary abilities in digital literacy, critical thinking, and problem-solving. This will ensure their readiness for a future that heavily relies on NLP.

The NLP significantly impacts communication patterns, privacy considerations, and ethical standards, redefining societal norms. Incorporating NLP into daily encounters raises concerns regarding data security, possible algorithmic prejudice, and the equilibrium between technical progress and human engagement. To tackle these challenges, it is necessary to create thorough ethical frameworks and policies that can direct the appropriate implementation of NLP technologies. Comprehending and controlling these interactions is essential to optimize the advantages of NLP while reducing any potential adverse effects.

When dealing with the intricate field of NLP, stakeholders must concentrate on the convergence of ethical, social, and economic aspects

to fully exploit the technology's capabilities. Effective collaboration among governments, corporate leaders, and academic researchers will play a crucial role in shaping the future of NLP. This collaboration will help to promote the beneficial impacts of NLP while also addressing the inherent hazards associated with it. By engaging in deliberate and insightful discussions and employing strategic planning, we may guarantee the continuous advancement of NLP that amplifies human abilities and propels significant progress in diverse fields.

4.1. Natural language processing impacts on text summarization

NLP has become integral to Artificial Intelligence (AI), enabling machines to understand, process, and produce human language. Its vast and diverse applications range from language understanding to text analysis, translation, generation, and human-computer interaction. NLP techniques have significantly improved the efficiency and accuracy of various tasks, such as information retrieval, sentiment analysis, and language translation. These advancements have transformed how humans interact with machines, leading to more intuitive and effective communication.

One of the most notable impacts of NLP advancements is the improvement in virtual assistants like Siri, Alexa, and Google Assistant, which rely heavily on NLP to understand user queries and provide relevant responses. This capability has made it easier for users to access information and perform tasks using natural language without complex commands or interfaces. Additionally, NLP has enhanced customer service experiences through chatbots that understand customer queries, provide relevant information, and solve simple issues without human intervention. This leads to faster response times and improved customer satisfaction rates.

Moreover, NLP has enabled businesses to analyze large volumes of text data, such as customer reviews and social media comments, to gain valuable insights into customer sentiment and preferences. This information can be used to improve products and services, tailor marketing strategies, and enhance overall customer experiences. The advancements in NLP have profoundly impacted various industries, from healthcare to finance to marketing. As NLP continues to evolve, we expect to see even more innovative applications that further improve human-machine interactions and drive new business opportunities.

Text Summarization is a fundamental aspect of NLP that aims to automatically produce concise and coherent summaries of large or complex text sources. It encompasses two main approaches: abstract summarization, which involves creating new sentences to capture the core of the text, and extractive summarization, which selects and matches segments of existing text to form a summary. Text Summarization has diverse applications in fields such as news, research, web search, NLP, and social media analysis, simplifying information consumption and aiding decision-making by highlighting important content for users. The advancement of Text Summarization techniques has significantly impacted various industries and applications, making it a vital tool for processing text, extracting valuable information, and enhancing communication and decision-making processes.

Table 2 shows a detailed analysis titled NLP Text Summarization Insights, which is now enhanced with an additional column for opportunities. This revised table comprehensively analyzes multiple facets of NLP-based text summarization, encompassing its efficacy, precision, applications, and methodologies. The recently incorporated section for opportunities illuminates possible domains for additional growth and ingenuity. It demonstrates how progress in NLP can result in improved and precise methods for summarizing text, investigating novel uses in various industries, and tackling existing constraints. The table provides useful insights into potential areas for improvement and development in the field, ultimately boosting the effectiveness and application of text summarizing technology. This complete perspective enables stakeholders to understand the present condition of NLP text summarizing and provides guidance for future research and development endeavors.

Table 2

NLP text summarization insights.

Aspect	Description	Weaknesses	Opportunities
Efficiency [115,7]	NLP techniques enhance the efficiency of text summarization by quickly processing large volumes of data, allowing users to obtain critical insights rapidly.	Processing large datasets can be computationally expensive, requiring significant resources and time.	Automation can increase productivity, freeing time for more strategic tasks.
Accuracy [29, 24]	The use of advanced NLP algorithms improves the accuracy of summaries, ensuring that the most relevant information is highlighted while maintaining coherence.	Maintaining high accuracy across diverse languages and contexts remains challenging.	Algorithm improvements can lead to more precise language models and better contextual understanding.
Applications [69,58,15]	Text summarization is applied in various fields such as news, research, legal, and business, aiding information consumption and decision-making.	Contextual nuances can be lost, leading to oversimplified or inaccurate summaries.	They are expanding use cases into new industries and domains as NLP technology evolves and becomes more robust.
Approaches [9,45]	Include extractive summarization, which selects crucial sentences, and abstractive summarization, which generates new sentences to summarize content.	Abstractive summarization is complex and may introduce inaccuracies or lose original meaning.	They are developing hybrid models that combine extractive and abstractive techniques for more balanced summaries.
Challenges [27,83]	Ensuring the summaries are coherent and contextually accurate remains challenging, requiring continuous improvement in NLP models.	High dependency on training data quality; biased or poor-quality data can affect output.	Collaboration between academia and industry can lead to advancements in solving these challenges.
Future Directions [28,37]	The integration of machine learning and deep learning promises to enhance text summarization capabilities further, increasing the precision and utility of summaries.	The rapid evolution of techniques can lead to a gap between cutting-edge research and practical applications.	Leveraging AI advancements to create more interactive and intelligent summarization tools tailored to user needs.
Impact on Industries [93,133,96]	NLP-driven text summarization tools transform industries by providing quick, actionable insights from large text datasets, improving productivity and decision-making.	Over-reliance on automated tools might require more attention to the need for human oversight in critical analyses, with opportunities for creating new business models and services based on enhanced data analytics and summarization.	NLP-driven text summarization tools transform industries by providing quick, actionable insights from large text datasets, improving productivity and decision-making.

4.2. Transforming text summarization through artificial intelligence

The swift progression of artificial intelligence (AI) has been greatly shaped by advancements in machine learning (ML), specifically in the field of deep learning. Deep learning, a subset of machine learning (ML), has significantly improved the capabilities of artificial intelligence (AI). This advancement has led to significant progress in challenging tasks, including image recognition, NLP, and speech recognition. The NLP has significantly revolutionized how humans communicate with computers by creating chatbots, virtual assistants, and language translation systems. Technologies such as the Generative Pretrained Transformer (GPT) have advanced text production and comprehension capabilities, showcasing AI's revolutionary power in diverse applications.

Computer vision is a crucial field in the growth of AI, as it enables robots to analyze and comprehend visual data. The field of object recognition and anomaly detection has made substantial advancements, mostly using AI-powered medical imaging systems. These systems improve the accuracy of illness detection, even in difficult cases such as cancer. Furthermore, reinforcement learning has proven indispensable in teaching AI agents to make decisions using input from the actual environment. This technique has many applications, including gaming, robotics, and autonomous cars. These breakthroughs demonstrate the adaptability and usefulness of AI in several fields.

Notwithstanding these remarkable advancements, ethical considerations remain crucial while utilizing AI. Addressing bias, misinformation, and privacy concerns is crucial, which highlights the necessity for well-defined principles and standards to ensure the responsible use of AI systems. Moreover, the convergence of AI and quantum computing presents fresh prospects for addressing intricate difficulties and expediting machine learning procedures. The rising contributions of AI to sustainability, education, and robotics demonstrate its significant potential for good influence. Nevertheless, it is crucial to acknowledge and tackle the ethical and social consequences to optimize the advantages of AI while mitigating any downsides.

Table 3 displays the assigned priority scores for key AI subjects and Text Summarization, highlighting areas that require more investigation. The significant importance of ML and substantial breakthroughs in deep learning, along with the influence of computer vision and reinforcement learning and their applications in education and robotics, highlight their role in determining the future of AI. Moreover, the remarkable achievements in NLP transformation and contributions to sustainability underscore their pivotal position in advancing AI innovation and tackling societal concerns. While ethical considerations and the junction with quantum computing may not be prioritized, they are essential for assuring AI technologies' responsible and efficient utilization.

Table 3 provides a comprehensive overview of the importance of various AI topics, reflecting their impact on the advancement of artificial intelligence. The Advancements in Machine Learning (ML) and Deep Learning are highlighted with a high importance score of 9, underscoring their critical role in driving innovation within AI. These technologies have empowered AI systems to perform complex tasks such as image recognition and advanced data analysis, laying the groundwork for significant technological progress.

Similarly, Transformation with NLP is rated 8, illustrating its

Table 3

Exploration of key AI and text summarization.

Topic	Importance (Out of 10)
Advancements in ML and Deep Learning	9
Transformation with NLP	8
Impact of Computer Vision and Reinforcement Learning	9
Text Summarization and AI	8
Ethical Considerations	7
Intersection with Quantum Computing	6
Contributions to Sustainability	7
Applications in Education and Robotics	8

essential contribution to improving human-computer interactions. NLP has revolutionized the way AI handles language, enhancing capabilities in text generation, translation, and automated communication. Technologies like Generative Pretrained Transformers (GPT) exemplify this transformative effect, making NLP a cornerstone of modern AI applications.

The Impact of Computer Vision and Reinforcement Learning, also scoring 9, showcases their profound influence on AI development. Computer vision has advanced the ability of AI to process and understand visual data, leading to innovations in medical imaging and object recognition. Concurrently, reinforcement learning has been instrumental in training AI systems to make decisions based on real-world feedback, with applications spanning gaming, robotics, and autonomous vehicles.

The inclusion of Text Summarization and AI, with a score of 8, emphasizes the significance of efficiently condensing large volumes of information. AI-driven text summarization tools are crucial in fields such as news media, research, and business analytics, where they facilitate the extraction of key insights from extensive texts.

Ethical Considerations in AI, rated 7, highlights the importance of addressing moral issues like bias, misinformation, and privacy. Responsible and ethical use of AI technologies is vital to ensure they positively impact society while mitigating potential risks.

The Intersection with Quantum Computing, scoring 6, represents an emerging frontier where quantum computing could enhance AI capabilities and solve complex problems. Although still in its developmental stages, this area holds promise for future breakthroughs.

Finally, the Contributions to Sustainability and Applications in Education and Robotics, scoring 7 and 8 respectively, reflect AI's role in promoting sustainable practices and advancing educational and robotic technologies. AI is making strides in improving energy efficiency and personalizing learning experiences, while robotics applications are transforming automation and efficiency across various sectors.

4.3. NLP advancements

NLP has many applications across different fields. Search engines like Google, Bing, and Yahoo utilize NLP to understand and process user queries, indexing and ranking search results to provide the most relevant information. Sentiment analysis determines the sentiment or emotion in text, like product reviews or social media posts, helping businesses understand customer feedback. Chatbots and virtual assistants, including Siri, Alexa, Google Assistant, and Cortana, leverage NLP to comprehend and respond to user inquiries in natural language. Machine translation services like Google Translate, DeepL, and Microsoft Translator use NLP to translate text between languages.

Text classification categorizes text into predefined groups, which is useful in spam email filtering, document classification, and automatic tagging. Information extraction identifies and extracts critical information from text, such as in Named Entity Recognition (NER). Text summarization tools generate concise summaries of lengthy documents, which benefit news articles and reports. Plagiarism detection systems like Turnitin and Grammarly use NLP to detect copied content in academic documents and other materials. In the medical field, NLP helps analyze medical records and research for information extraction and disease classification, aiding in automatic medical assistants and medical record analysis.

Market and financial analysis utilize NLP to analyze financial news, market reports, and social media to predict market trends. Recommendation systems on platforms like Netflix, Amazon, and YouTube use NLP to understand user preferences and offer better recommendations. Fake news detection tools employ NLP to detect and classify false information. Language learning applications such as Duolingo use NLP to assist users in learning new languages with tailored exercises and feedback. Cybersecurity analysis leverages NLP to analyze logs and communications to detect security threats and malicious activities. These

applications demonstrate the extensive capabilities and benefits of NLP in various domains.

Table 4 displays a range of NLP applications, explanations, and examples. NLP applications utilize natural language processing techniques to accomplish specific goals in many fields. Every program is briefly described, emphasizing its primary objective and functionality. Moreover, concrete instances demonstrate the practical use of these technologies in real-life situations. This table offers a thorough and inclusive summary, allowing readers to grasp the extensive influence of NLP in diverse industries and applications.

The assortment of applications from Table 4, including diverse NLP Applications, is elaborated upon in Table 5. This table demonstrates the potential for creating more sophisticated and efficient solutions by combining applications numbered 1 through 14. Each combination exemplifies the symbiotic relationship between various NLP technologies and methodologies to improve capabilities and efficiency in natural language processing. Table 4 offers a thorough perspective on the inventive methods by which these applications might be combined to fulfill special requirements in different fields.

NLP has dominated contemporary technology, finding utility in

Table 4
NLP applications.

No.	Application	Description	Example
1	Search Engines	Using NLP to understand and process user queries, as well as index and rank search results.	Google, Bing, Yahoo
2	Sentiment Analysis	Determining sentiment or emotion in text, such as product reviews and social media posts.	Sentiment analysis on Twitter, product reviews on Amazon
3	Chatbots and Virtual Assistants	Understanding and responding to user questions in natural language.	Siri, Alexa, Google Assistant, Cortana
4	Machine Translation	Translating text from one language to another.	Google Translate, DeepL, Microsoft Translator
5	Text Classification	Categorizing text into predefined categories.	Spam email filtering, document classification, automatic tagging
6	Information Extraction	Recognizing and extracting important information from text.	Named Entity Recognition (NER)
7	Text Summarization	Generating a summary of a long document.	Automatic summarization tools for news articles or reports
8	Plagiarism Detection	Detecting plagiarism in academic documents and other content.	Turnitin, Grammarly
9	Medical Language Processing	Analyzing medical records and research for information extraction and disease classification.	Automatic medical assistants, medical record analysis
10	Market and Financial Analysis	Analyzing financial news, market reports, and social media to predict market trends.	Market sentiment analysis, financial trend prediction
11	Recommendation Systems	Understanding user preferences to provide better recommendations.	Netflix, Amazon, YouTube
12	Fake News Detection	Detecting and classifying fake news or hoaxes.	Hoax detection tools, fake news analysis
13	Language Learning	Helping users learn new languages with tailored exercises and feedback.	Duolingo
14	Cybersecurity Analysis	Analyzing logs and communications to detect security threats and malicious activities.	Cyber threat detection, security log analysis

Table 5
Displays novel amalgamations.

Aps	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2	A_{21}	X	X	X	X	X	X	X	X	X	X	X	X	X
3	A_{31}	A_{32}	X	X	X	X	X	X	X	X	X	X	X	X
4	A_{41}	A_{42}	A_{43}	X	X	X	X	X	X	X	X	X	X	X
5	A_{51}	A_{52}	A_{53}	A_{54}	X	X	X	X	X	X	X	X	X	X
6	A_{61}	A_{62}	A_{63}	A_{64}	A_{65}	X	X	X	X	X	X	X	X	X
7	A_{71}	A_{72}	A_{73}	A_{74}	A_{75}	A_{76}	X	X	X	X	X	X	X	X
8	A_{81}	A_{82}	A_{83}	A_{84}	A_{85}	A_{86}	A_{87}	X	X	X	X	X	X	X
9	A_{91}	A_{92}	A_{93}	A_{94}	A_{95}	A_{96}	A_{97}	A_{98}	X	X	X	X	X	X
10	A_{101}	A_{102}	A_{103}	A_{104}	A_{105}	A_{106}	A_{107}	A_{108}	A_{109}	X	X	X	X	X
11	A_{111}	A_{112}	A_{113}	A_{114}	A_{115}	A_{116}	A_{117}	A_{118}	A_{119}	A_{1110}	X	X	X	X
12	A_{121}	A_{122}	A_{123}	A_{124}	A_{125}	A_{126}	A_{127}	A_{128}	A_{129}	A_{1111}	A_{1211}	X	X	X
13	A_{131}	A_{132}	A_{133}	A_{134}	A_{135}	A_{136}	A_{137}	A_{138}	A_{139}	A_{1112}	A_{1311}	A_{1312}	X	X
14	A_{141}	A_{142}	A_{143}	A_{144}	A_{145}	A_{146}	A_{147}	A_{148}	A_{149}	A_{1113}	A_{1411}	A_{1414}	A_{1413}	X

various domains such as chatbots, virtual assistants, machine translation, and sentiment analysis. The green category, representing a shining example of achievement, demonstrates the substantial convergence of various applications in the present environment. This success story demonstrates that specific NLP technologies have been successfully incorporated into several areas without any difficulty. Sentiment analysis is an essential element of emotionally intelligent chatbots, which improve customer care tools. Virtual assistants often utilize machine translation to serve a worldwide customer base. The green-marked applications demonstrate the successful integration of NLP technologies, where several tools are combined harmoniously to improve functionality and user experience.

In contrast, the yellow category acts as a guiding light of motivation, emphasizing areas where the incorporation of NLP applications is still in the early stages but encouraging continued progress. For example, although text categorization is commonly employed, its incorporation into more sophisticated sentiment analysis or machine translation systems is rare. The yellow-marked areas are fertile grounds for innovation, presenting great prospects for researchers and developers to pioneer new applications that bridge these gaps and provide more complete solutions. By prioritizing these points of convergence, the science of NLP can further broaden its scope and influence by integrating technologies that function autonomously.

Conversely, applications highlighted in blue indicate the domains where NLP technology still requires efficient integration. These challenges encompass intricate processes such as combining deep semantic comprehension with real-time speech recognition or blending natural language creation with advanced predictive analytics. The obstacles in these blue domains are substantial, frequently arising from the intricate technicalities or constraints of existing algorithms and data processing skills. As the area of NLP progresses, it is essential to tackle these issues to advance the field and enable the development of new applications that can work in a more complex and contextually aware manner.

The green, yellow, and blue categories also function as a compass, guiding the overall state of NLP research and development. The green areas exemplify the industry's notable advancements, demonstrating the potential that may be achieved via the successful integration of technologies. The presence of yellow areas serves as a reminder that there is still a significant amount of effort required to integrate various components of NLP, providing a clear path for future advancements. Although more difficult, the blue sections symbolize the forefront of NLP, where advancements could result in revolutionary alterations in how machines comprehend and engage with human language. These advancements can completely transform the sector, enhancing the language processing abilities of machines to be more complex and contextually aware.

As the discipline of NLP advances, the boundaries between these color-coded regions may change. The items shown in blue now may change to yellow or green due to advancements in algorithms, increased data availability, and the ongoing growth in CPU power needed for sophisticated language processing jobs. To ensure the field's continued evolution, it is crucial to have a comprehensive grasp of the current state of NLP applications and to concentrate research efforts on these specific areas. This will enable the development of more sophisticated, integrated, and efficient language processing technologies for everyday use.

NLP can be integrated in diverse and inventive manners to develop more robust and adaptable applications. Integrating search engines with sentiment analysis enables systems to comprehend user queries and assess the sentiment of search results. This may be seen in the example of Google providing product reviews with either positive or negative feelings. Integrating search engines with chatbots allows users to retrieve information using natural language inquiries. This is demonstrated via website chatbots that aid users in locating products or obtaining specialized information. By combining sentiment analysis with chatbots, the system can assess user chats' emotional tone to deliver more suitable responses, hence improving customer support experiences. Table 6 displays the applications of NLP when combined with other technologies.

4.3.1. Sentiment search

Combining search engine technology with sentiment analysis allows NLP to understand and address user requests. By employing this integrated method, the system can examine emotional sentiment in search results, providing a more sophisticated and user-focused experience. By comprehending the subtle distinctions in language, the search engine can furnish pertinent information and discernment into the emotional tone conveyed in the content.

An illustrative instance of this technology is how Google shows product evaluations. The search engine identifies and emphasizes the attitude of the reviews, categorizing them as good, negative, or neutral when a user searches for a product. For example, an individual looking for a new smartphone can promptly access a summary of client feedback organized by sentiment. This feature enables customers to make well-informed selections without needing to read through every review.

The name "Sentiment Search" accurately conveys the fundamental nature of this groundbreaking tool. The system highlights its dual

Table 6

NLP combined applications.

No.	Combined Applications	Description	Example	Application Title
1	Search Engine + Sentiment Analysis	Using NLP to understand user queries and analyze the sentiment of search results.	Google displaying product reviews with positive/ negative sentiment in search results	Sentiment Search
2	Search Engine + Chatbot	Integrating a chatbot to help users find information using natural language queries.	Website chatbot helping users find products or specific information	Search Bot
3	Sentiment Analysis + Chatbot	Chatbot analyzing the sentiment of user conversations to provide more appropriate responses.	Customer service chatbot detecting user sentiment to provide tailored service	Sentiment Response Bot
4	Search Engine + Virtual Assistant	Virtual assistant using web search to answer user questions with relevant context.	Siri or Google Assistant searching the web to answer user questions	Search Assistant
5	Sentiment Analysis + Virtual Assistant	Virtual assistant analyzing user sentiment to tailor interactions and responses.	Alexa or Google Assistant detecting user mood from conversations	Sentiment Assistant
6	Search Engine + Sentiment Analysis + Chatbot/ Virtual Assistant	Combining all features where a virtual assistant or chatbot uses search and sentiment analysis to provide appropriate answers and interactions.	Google Assistant answering user questions with search results and sentiment analysis to tailor responses	Smart Sentiment Search Assistant
7	Search Engine + Sentiment Analysis + Chatbots + Virtual Assistants + Machine Translation	Integrating search engines, sentiment analysis, chatbots, virtual assistants, and machine translation to provide multilingual support with emotionally aware responses and interactions.	A virtual assistant that can search, translate content, and respond empathetically to users in different languages	Global Sentiment Assistant
8	Search Engines + Sentiment Analysis + Chatbots + Virtual Assistants + Machine Translation + Text Classification	Integrating search engines, sentiment analysis, chatbots, virtual assistants, machine translation, and text classification to provide comprehensive multilingual support with sentiment-aware, categorized, and contextually relevant responses.	A global customer support system that can search for information, translate content, classify text into categories, analyze sentiment, and interact through chatbots and virtual assistants to provide a complete, tailored experience in multiple languages.	Global Multilingual Support System

capability by simultaneously running a conventional search and undertaking sentiment analysis. This strategy improves the search experience by offering extra levels of understanding and context, thus facilitating consumers' instant comprehension of the general agreement over a product or topic.

The main advantage of integrating search engine capabilities with sentiment analysis is the enhanced user experience. Users can efficiently determine the general sentiment of search results, which helps them make decisions more easily, saving time and effort. This is especially advantageous in the field of e-commerce, as the ability to comprehend the sentiment expressed in product reviews can substantially influence purchasing choices. Furthermore, it can be utilized in diverse domains like news aggregation, where comprehending public attitudes on current occurrences is vital.

In the future, combining search engines and sentiment analysis shows great promise for further advancement. With the advancement of NLP technologies, these systems will further enhance their ability to comprehend and analyze intricate linguistic subtleties. This has the potential to result in search experiences that are more individualized and precise, wherein the system may anticipate user preferences and offer customized recommendations based on patterns in sentiment. In summary, Sentiment Search is a notable advancement in developing more intelligent search systems that are responsive to user needs.

4.3.2. Search bot

Incorporating search engine technology into a chatbot entails utilizing sophisticated NLP techniques to assist users in locating information through conversational inquiries. This combination capitalizes on the advantages of both technologies, enabling users to engage with the system more intuitively and anthropomorphically. Users can ask inquiries naturally instead of inputting keywords into a search field. The chatbot can understand these queries and providing pertinent information.

An illustrative instance of this integration can be observed on numerous contemporary websites, where chatbots aid consumers in locating products or obtaining specialized information. For example, on an e-commerce platform, a chatbot could assist users in finding a certain product, verifying its availability, or suggesting recommendations tailored to their tastes. This feature improves user experience by creating a more dynamic and customized search process.

The application's moniker "Search Bot" succinctly captures the fundamental nature of this technology. The text emphasizes the chatbot's ability to do both search functions and engage in conversations using natural language. Search Bot revolutionizes the conventional search engine encounter by converting it into an interactive conversation, simplifying and enhancing the process of finding desired information for users, and eliminating the need to comb through countless search results manually.

The main advantage of incorporating a search engine into a chatbot is the enhanced user experience. The chatbot's ability to process natural language queries enables it to comprehend context and intent more accurately, resulting in more pertinent and exact responses. This minimizes the time and energy users must allocate to locating information, enhancing the whole experience by making it more enjoyable and productive. This system is very advantageous in customer service, as providing prompt and precise solutions to consumer requests is essential.

In addition, integrating search engines with chatbots can greatly improve accessibility. Individuals facing challenges in using conventional search engines, such as those with impairments or poor technical proficiency, can gain advantages from the user-friendly and easy-to-use conversational queries. Moreover, this connection can facilitate multilingual interactions, enabling users to converse in their desired language and obtain precise search outcomes. With the ongoing advancement of these technologies, we may anticipate the emergence of even more groundbreaking applications that enhance digital interactions, making

them more seamless and accessible to a wider range of people.

4.3.3. Sentiment response bot

The combination of sentiment analysis and chatbot technology enables the development of systems capable of comprehending and reacting to the emotional aspect of user chats. Through sentiment analysis of a user's messages, the chatbot may generate contextually relevant and emotionally suitable responses. This improves engagement by creating the perception that the chatbot is more understanding and attentive to the user's emotions.

An example of a practical implementation of this technology can be observed in customer care chatbots that utilize sentiment analysis to deliver customized assistance. For example, when a user exhibits displeasure or unhappiness, the chatbot can identify this and respond with increased empathy, potentially escalating the matter to a human agent. On the other hand, if the user is experiencing happiness or contentment, the chatbot can reply in a manner that strengthens this good emotion. This feature facilitates the efficient management of client emotions and enhances overall user happiness.

The moniker "Sentiment Response Bot" accurately encapsulates the fundamental nature of this application. The statement emphasizes the chatbot's proficiency in evaluating sentiment and adapting its replies accordingly. The Sentiment Response Bot enhances conventional chatbot interactions by incorporating an emotional intelligence component, resulting in more authentic and human-like exchanges.

Combining sentiment analysis with chatbots provides a notable benefit in improving user experience. By comprehending and addressing user emotions, chatbots can provide:

1. More individualized and pertinent conversations.
2. Enhancing customer satisfaction and results in customer service.
3. Marketing.
4. Any situation where user involvement is crucial.

Chatbots become more proficient at fulfilling user requirements and resolving problems by properly identifying and responding to sentiment. This integration can provide significant progress beyond customer service. An example of a Sentiment Response Bot would be able to provide sympathetic replies and customized resources to assist users with their emotional well-being in mental health support. The bot can adjust its feedback and encouragement based on the student's feelings in educational situations. The advancement of sentiment analysis and chatbot technology holds the potential to produce more adaptable, intelligent, and user-friendly solutions in several industries.

4.3.4. Search assistant

The combination of search engine technology and a virtual assistant result in a potent tool that can provide users with precise answers to their questions by utilizing relevant information from the internet. Using extensive web resources, virtual assistants can deliver precise and contextually relevant solutions. Users can engage with the assistant using natural language, resulting in a smooth and intuitive experience.

An illustrative instance of this technology can be observed in virtual assistants such as Siri or Google Assistant, which employ web search to respond to user inquiries. The virtual assistant does a web search to find the most pertinent information in response to a user's question and then presents it succinctly and comprehensibly. For example, when a user inquiry about the weather, the assistant can offer an elaborate forecast by accessing information from reliable weather sources.

The application's title, "Search Assistant," accurately conveys the fundamental nature of this technology. It emphasizes the virtual assistant's responsibility to perform online searches to offer well-informed responses. The Search Assistant revolutionizes user interaction with search engines by including conversational capabilities, enhancing the efficiency and user-friendliness of the search process.

The main advantage of integrating a search engine with a virtual

assistant is the improved user experience. Users can effortlessly acquire prompt and accurate responses to their inquiries without needing laborious examination of search outcomes. Introducing this feature reduces the time and energy required, making the virtual assistant an invaluable tool for various routine tasks, such as retrieving information, setting reminders, or providing directions. The assistant's proficiency in comprehending natural language queries enhances the efficiency of the conversation.

Furthermore, incorporating search engines with virtual assistants expands the potential for more sophisticated applications. In professional environments, a Search Assistant can assist staff in locating papers or data, enhancing productivity. Students utilize the assistant to promptly get information pertinent to their academic pursuits within educational settings. The advancement of virtual assistant technology promises increased convenience and efficiency for consumers in diverse industries as it becomes more intelligent and varied.

4.3.5. Sentiment assistant

The integration of sentiment analysis with virtual assistant technology enables the development of systems capable of comprehending and reacting to the emotional aspect of user interactions. Through sentiment analysis of a user's speech or text, the virtual assistant can customize its responses to align with the user's emotional state and requirements more effectively. This combination improves the user experience by creating more tailored and emotionally intelligent interactions.

This technology can be applied in virtual assistants such as Alexa or Google Assistant, which can discern the user's emotional state based on their talks. For example, when a user experiences frustration or distress, the assistant can identify these emotions and respond with greater empathy by providing comforting words or suggesting solutions to alleviate the user's worries. On the other hand, if the user is optimistic, the assistant can respond similarly, resulting in a more captivating and pleasurable connection.

The application's moniker "Sentiment Assistant" accurately characterizes this groundbreaking technology. The virtual assistant's capacity to analyze sentiment and adapt interactions is emphasized. The Sentiment Assistant enhances conventional virtual assistant interactions by incorporating an emotional intelligence component, creating a more authentic and human-like conversational experience.

Integrating sentiment analysis with virtual assistants greatly improves the user experience. The assistant can offer more suitable and encouraging interactions by comprehending and reacting to human emotions. This enhances customer happiness and fosters a more robust connection between the user and the technology. Within the realm of customer service, a Sentiment Assistant can defuse difficult situations by identifying dissatisfaction and providing empathetic responses, resulting in improved problem-solving outcomes.

Moreover, this integration has the potential to bring about significant enhancements in a diverse range of applications. A Sentiment Assistant in the healthcare field could offer emotional solace to patients by identifying indications of discomfort and providing consoling replies. Within the realm of education, it has the potential to customize feedback and motivation according to a student's emotional condition, so cultivating a more nurturing and encouraging learning atmosphere. The advancement of sentiment analysis and virtual assistant technology holds the potential to produce more adaptive, intelligent, and user-friendly solutions in several sectors.

4.3.6. Smart sentiment search assistant

Combining search engine technology with sentiment analysis and chatbot or virtual assistant capabilities yields a robust and versatile solution. This combination enables the virtual assistant or chatbot to access information from the internet and comprehend and react to the emotional sentiment of user interactions. By integrating these characteristics, the system may deliver more precise, contextually suitable, and emotionally fitting responses, improving the user experience.

An exemplary demonstration of this sophisticated integration can be observed in Google Assistant, which can respond to user inquiries by doing online searches and evaluating the emotional tone underlying the user's requests. For example, when a user inquiry about nearby eateries, the assistant can furnish a compilation of choices while simultaneously discerning the user's level of enthusiasm or anxiety. According to this feeling, the assistant can customize its responses by recommending calm and tranquil locations if the user appears anxious or vibrant and popular venues if the user is enthusiastic.

The program title "Smart Sentiment Search Assistant" accurately captures the fundamental nature of this technology. The assistant's proficiency in doing intelligent searches, evaluating sentiment, and delivering customized interactions is emphasized. The system's name aptly represents its all-encompassing approach to comprehending and addressing user requirements, enhancing interactions with a sense of naturalness and customization.

Integrating search engine capabilities, sentiment analysis, and virtual assistant functionality greatly enhances user experience. This integration offers users expedient and accurate responses, taking into account their emotional state. As a result, it minimizes the effort needed to locate pertinent information and enhances interactions by being more attuned to their emotions. This strategy has the potential to result in increased satisfaction and improved problem-solving in customer service situations. Moreover, the incorporation of these technologies creates opportunities for sophisticated applications. An example of a Smart Sentiment Search Assistant could be a system that provides medical information and emotional support in the healthcare field. This system would be able to identify distress and provide consoling responses. Education may support students by offering pertinent knowledge and adjusting its support based on their emotional state. As these technologies advance, their capacity to develop increasingly intelligent, adaptable, and user-friendly systems will grow, offering enhanced convenience and efficiency in diverse domains.

4.3.7. Global sentiment assistant

The Global Sentiment Assistant is a very advanced system that combines search engine technology, sentiment analysis, chatbots, virtual assistants, and machine translation to provide users with a comprehensive and multilingual experience. By integrating these functionalities, the application obtains and delivers pertinent information and considers the user's emotional condition while assisting in several languages. This facilitates more prompt and compassionate exchanges, augmenting user contentment worldwide by concurrently attending to informational and emotional requirements.

The Global Sentiment Assistant utilizes Natural Language Processing (NLP) techniques to assess user input for sentiment and intent. It also incorporates machine translation models to support several languages to provide this capability. Chatbots and virtual assistants are interactive interfaces handling user inquiries and providing customized responses depending on sentiment and linguistic context. Future upgrades may involve progress in deep learning techniques to enhance the precision of sentiment analysis and enhancements in translation models to manage intricate cultural and emotional subtleties better.

Present trends suggest an increasing fascination with AI technologies that provide interactions in multiple languages and can understand and respond to emotions. Several applications and platforms prioritize improving user experience by offering personalization features and language support. Nevertheless, there are still substantial areas for improvement in reliably evaluating sentiment across languages and capturing more profound emotional context. Several current systems require assistance with cultural variances in language and emotional nuances, which can restrict the efficacy of genuinely compassionate global interactions.

To address these limitations, further strengthening the integration of cultural data and training models will be necessary to enhance our understanding of emotional nuances in different languages. Further

investigation is required to enhance the proficiency of machine translation in efficiently dealing with cultural and emotional situations. The Global Sentiment Assistant can enhance its capabilities by addressing these disparities, enabling it to provide more impactful and versatile user experiences. This will allow it to better cater to the diverse requirements of a global audience, adopting a comprehensive and adaptable approach.

4.3.8. Global multilingual support system

Integrating advanced technologies like search engines, sentiment analysis, chatbots, virtual assistants, machine translation, and text classification paves the way for a highly sophisticated and comprehensive multilingual support system. This integration delivers sentiment-aware, categorized, and contextually relevant responses to users, ensuring that each interaction is accurate and emotionally attuned to the user's needs. By combining these elements, organizations can create a more responsive and personalized experience, addressing the complexities of global customer interactions with higher efficiency and empathy.

The efficiency of this system is its hallmark. Search engines swiftly retrieve precise information, while sentiment analysis accurately gauges the emotional tone of user interactions. Chatbots and virtual assistants respond in a relevant and empathetic manner, guided by the insights drawn from sentiment analysis. Machine translation minimizes language barriers, allowing for fluid communication across different languages, and text classification organizes the content into easily navigable categories, further enhancing the user experience.

Such a system is precious in a global customer support context. Businesses can leverage this technology to offer consistent, high-quality service regardless of the user's location or language. The system's ability to search for information, translate content, classify text, analyze sentiment, and interact through chatbots and virtual assistants provides a tailored experience. This holistic approach improves customer satisfaction and streamlines operations, reducing the need for multiple isolated systems and manual interventions.

Looking ahead, integrating these technologies into a Global Multilingual Support System marks a significant leap forward in how businesses can manage customer support on a global scale. As NLP technologies evolve, these systems will become even more intuitive and capable of handling complex, nuanced interactions. Future developments include:

a. Real-time emotion recognition.
b. Predictive analytics for proactive customer service.
c. More advanced machine learning models that can further personalize responses.

These advancements will enhance the quality of customer interactions, foster stronger relationships, and drive business success in an increasingly interconnected world.

4.4. The advancements impacts

The progress in NLP is substantially impacting labor markets since it automates jobs that humans previously carried out. Implementing automation in different industries has enhanced efficiency, as sophisticated algorithms now handle repetitive and tedious jobs. Customer service roles, such as those involving customer support, are progressively substituted by chatbots powered by NLP, diminishing human involvement's necessity. Nevertheless, this transition also presents difficulties as new technologies replace numerous occupations. To lessen the negative effects, there is an increasing demand for reskilling and upskilling initiatives that can assist employees in transitioning to new positions that entail creating, administering, and supervising NLP technology. Furthermore, the progress in NLP is generating fresh employment prospects in domains such as AI development, data science, and technical assistance, where there is a significant need for specialized

expertise in these technologies.

NLP technologies are being utilized in the education industry to transform learning and administrative tasks. Natural Language Processing (NLP) enables personalized learning by utilizing student data to provide customized educational content and feedback. This not only improves the learning experience but also facilitates the identification of areas where individual students may want further support. In addition, NLP is being utilized to optimize administrative processes such as grading, content management, and student evaluations. By implementing automation in these activities, educators may allocate more time to instructing and actively interacting with students, enhancing the overall standard of education.

NLP breakthroughs are also reshaping the societal standards of communication and interaction. The pervasive integration of chatbots, virtual assistants, and automated customer care systems has revolutionized how individuals engage with technology and communicate. These technologies have established new standards for immediate and effective communication in personal and professional contexts. Nevertheless, this transition has sparked apprehensions over privacy and ethics, namely, with the protection of data and the possibility of algorithmic prejudice. With the increasing integration of NLP into daily life, it is imperative to establish thorough ethical frameworks and standards to guarantee responsible usage of these technologies. This entails striking a harmonious equilibrium between technology advancement and the safeguarding of significant human engagement, guaranteeing that the advantages of NLP are not achieved at the expense of individual privacy or impartiality.

The document highlights the significance of cooperation among governments, corporations, and academics in influencing the trajectory of NLP in the future. Through collaboration, these key actors can ensure that the progress in NLP is utilized to benefit society, improving efficiency and well-being while also tackling the ethical and social dilemmas that arise from rapid technical breakthroughs. Consistent communication and careful strategizing are crucial for effectively incorporating NLP into many areas of society to optimize its advantages and minimize possible adverse effects.

Table 7 presents a thorough map of NLP breakthroughs' main features and effects on employment markets, educational institutions, and social standards. NLP is revolutionizing the labor market by automating repetitive operations that people have carried out historically. This automation greatly improves efficiency in numerous industries. However, this change also brings the disadvantage of job displacement, which means that the workforce needs to acquire new skills and knowledge to adapt to new positions in technological development and supervision. Furthermore, these breakthroughs are concurrently generating fresh prospects in domains such as AI development, data science, and technical assistance.

NLP technologies are being used in education systems to provide customized learning experiences that cater to the specific needs of each student. This approach improves student engagement and enhances learning outcomes. In addition, implementing automated systems for administrative chores such as grading and content management liberates educators' time, enabling them to dedicate more attention to teaching and engaging with students, thus enhancing the overall quality of education.

NLP is also influencing how societal standards are being transformed, especially in communication patterns. The pervasive utilization of chatbots and virtual assistants has established a novel benchmark of immediate, automated replies, altering how individuals engage with technology and one another. Nevertheless, this transition has generated noteworthy apprehensions regarding privacy and ethics, namely concerning the security of data and the possibility of algorithmic prejudice. With the increasing integration of NLP technologies into daily life, there is a rising demand for thorough ethical frameworks and standards to guarantee their responsible utilization, uphold public confidence, and assure impartiality. This table concisely summarizes the profound

Table 7
NLP impacts mapping.

Sector	Characteristics	Impacts
Job Markets	- Automation of repetitive tasks - Displacement of traditional roles - Creation of new roles in technology development and oversight	- Increases efficiency in various industries. - Necessitates reskilling and upskilling of the workforce. - Opens new job opportunities in AI development, data science, and technical support.
Education Systems	- Personalized learning experiences	- Enhances student engagement and learning outcomes through tailored educational content.
	- Automation of administrative tasks	- Frees up educators' time, allowing them to focus more on teaching and student interaction.
	- Use of NLP tools in grading and content management	- Improves efficiency in handling educational tasks and administrative functions.
Societal Norms	- Changing communication patterns	- Alters how people interact with technology and each other, setting new expectations for communication efficiency.
	- Increased use of chatbots and virtual assistants	- Creates a shift towards instant, automated customer service, reducing the need for human interaction.
	- Privacy and ethical concerns	- Raises issues around data security, algorithmic bias, and the balance between technological advancement and human interaction.
	- Need for ethical frameworks and policies	- Ensures responsible use of NLP technologies, maintaining public trust, and ensuring fairness.

impacts of NLP on several crucial domains, emphasizing the potential benefits and difficulties that come with these breakthroughs.

4.5. Limitations

The progress in NLP has greatly enhanced text summarizing methods; nevertheless, the difficulty of comprehending context remains a persistent obstacle. While models like transformers have improved our capacity to comprehend context, they still require assistance with complex words and subtle nuances. The challenge of comprehending nuanced contextual components can necessitate more brief or precise summaries that accurately reflect the original source material. Consequently, the efficiency of text summarizing methods might be degraded, particularly when handling lengthy or intricate documents where retaining coherence and relevance is essential.

The effectiveness of NLP-based text summarization depends significantly on substantial amounts of meticulously labeled data of superior quality. Creating large datasets requires a significant number of resources and time, which poses difficulties for the scalability and adaptability of summarization systems. The effectiveness of summarization models is closely correlated with the variety and excellence of the training data, which can restrict their ability to be used in many areas or languages. The deployment of summarization algorithms without major modification is complicated by the need for significant knowledge in creating domain-specific datasets.

The integration of ethical considerations presents substantial obstacles in NLP-based text summarization. Models trained on data that is biased or unverified have the potential to spread disinformation and strengthen existing biases, which undermine the trustworthiness of the summaries they produce. The importance of this matter is especially crucial in delicate domains like journalism and scholarly investigation, where the precision and honesty of data hold utmost significance. To address these ethical concerns, it is necessary to continuously audit and improve the training data and establish strong validation processes to

guarantee fair and impartial summary results.

The complex computational and resource requirements of advanced NLP models provide further text summarization constraints. High-performance models frequently necessitate significant computational capacity and memory, which can impede their broad use, especially in environments with limited resources. The exorbitant expenses linked to the training and implementation of these models can restrict their availability, especially for smaller enterprises or individual users. This difficulty underscores the necessity for ongoing investigation into more effective algorithms and hardware solutions to render advanced summarizing techniques more feasible and accessible.

The problem of achieving accuracy and processing economy is crucial in NLP-based text summarization. Although advanced models can attain high levels of accuracy, this is generally accompanied by longer processing times and more resource consumption. The trade-off is substantial for real-time processing applications like news aggregators or live content feeds. Striking the right balance between producing summaries of excellent quality and ensuring efficient performance is crucial for practical applications. Continued research is necessary to enhance models to attain accuracy and efficiency without compromising.

Interpretability and transparency are important considerations in text summarization using NLP. As the complexity of models increases, it becomes more difficult to comprehend the process by which they generate summaries and to guarantee that their outputs can be easily explained. The absence of transparency can erode confidence and responsibility, especially when consumers need to understand the reasoning behind the generated summaries. Improving the comprehensibility of NLP models is essential for ethical utilization, guaranteeing that users can make well-informed choices based on the offered summaries. To properly address these concerns, it is vital to continue increasing the model's transparency and explain ability.

4.6. Future research

The advancements in NLP have significantly improved text summarization techniques; nonetheless, the challenge of understanding context continues to be a persistent barrier. Although models such as transformers have enhanced our ability to understand context, they still need help with intricate vocabulary and nuanced nuances. Understanding intricate contextual elements may require concise and accurate descriptions that faithfully represent the source information. As a result, the effectiveness of text summarization approaches may decrease, especially when dealing with long or complex publications where maintaining coherence and relevance is crucial.

The efficacy of NLP-driven text summarization relies heavily on large quantities of carefully annotated data of exceptional quality. Generating extensive datasets necessitates substantial resources and time, presenting challenges to summarize systems' scalability and adaptability. The efficacy of summarization models is strongly linked to the diversity and quality of the training data, which can limit their applicability in other domains or languages. Deploying summarization techniques without substantial change is challenging due to the requirement for extensive expertise in constructing domain-specific datasets.

NLP-based text summarizing encounters significant challenges when incorporating ethical considerations. Models trained on biased or unverified data can disseminate false information and reinforce preexisting biases, compromising the summaries' reliability. The significance of this issue is particularly critical in sensitive fields such as journalism and scholarly research, where data accuracy and integrity are paramount. To tackle these ethical challenges, it is imperative to consistently examine and enhance the training data and build robust validation procedures to ensure equitable and unbiased summary outcomes.

The intricate computational and resource demands of sophisticated NLP models impose additional limitations on text summarization. High-performance models can require substantial processing resources and

memory, hindering widespread use, particularly in resource-constrained contexts. The high costs associated with training and deploying these models can limit their accessibility, particularly for smaller businesses or individual users. This challenge highlights the need for continuous research into better algorithms and hardware solutions to make advanced summarizing approaches more practical and available.

The issue of attaining precision and operational efficiency is essential in NLP-driven text summarization. While advanced models can achieve great levels of accuracy, they typically need longer processing periods and consume more resources. The trade-off is significant for real-time processing applications like news aggregators or live content feeds. Achieving a harmonious equilibrium between generating high-quality summaries and guaranteeing optimal efficiency is essential for practical implementations. Further research is required to improve models to achieve accuracy and efficiency without compromising.

Interpretability and transparency are crucial factors when employing NLP for text summarization. As models become more complicated, it becomes increasingly challenging to understand how they generate summaries and ensure that their outputs can be explained, especially in AI-based conversational Agents and text-based emotion detection [68]. Lack of transparency can undermine trust and accountability, particularly when consumers require a clear understanding of the rationale behind the generated summary. Enhancing the intelligibility of NLP models is crucial for ethical usage, ensuring that users can make educated decisions based on the provided summaries. To effectively address these concerns, further enhancing the transparency and explain ability of the model is crucial.

5. Conclusion

Ultimately, this study presents an innovative framework that combines the PRISMA approach and NLP technology to improve the efficiency of automated text summarization. The framework efficiently tackles the difficulty of extracting pertinent information from extensive amounts of text data by integrating PRISMA's systematic and transparent methodology with the analytical capabilities of NLP. This integration enhances the precision and pertinence of the summaries and guarantees a consistent and thorough approach to reviewing the literature. The study showcases the efficacy of this strategy in identifying crucial phrases and generating informative summaries, surpassing the constraints of earlier summarization algorithms.

PRISMA guarantees a comprehensive and impartial examination of the literature, while NLP identifies the most significant terms, offering equitable and comprehensive summaries. This strategy is especially efficient in managing extensive datasets when manual summarization may be less feasible. Moreover, the research offers significant knowledge on the consequences, difficulties, and future paths in NLP-based text summarization, highlighting the necessity for ongoing enhancement in contextual comprehension and bias reduction. The framework establishes a novel benchmark for text summarizing approaches and creates more research and advancement opportunities.

This research significantly enhances NLP technology by optimizing the efficacy and efficiency of text summarizing tools. The improved precision and pertinence of summaries produced by this technique guarantees that users can efficiently and dependably obtain crucial information from lengthy textual sources. As NLP progresses, the architecture outlined in this document is expected to drive advancements in automated text summarization. It will tackle existing obstacles and take advantage of emerging possibilities.

Ethics approval and consent to participate

Not applicable.

Funding

This research did not receive any funding, so the funding section does not apply to this manuscript.

Availability of data and material

This study utilizes data about NLP and text summarization from sources such as Google Scholar, SAGE, Emerald, Springer Nature, Elsevier (Science Direct), Wiley Blackwell, Taylor & Francis, and Inderscience publishers.

CRediT authorship contribution statement

Supriyono: Writing – review & editing, Writing – original draft, Resources, Methodology, Formal analysis, Conceptualization. **Aji Prasetya Wibawa:** Validation, Supervision, Methodology, Conceptualization. **Suyono:** Validation, Supervision, Investigation. **Fachrul Kurniawan:** Visualization, Resources, Formal analysis.

Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

Aji Prasetya Wibawa reports was provided by State University of Malang. If there are other authors, they declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

First and foremost, we thank the Creator for granting us the ability and knowledge to pursue our studies. We also extend our thanks to the anonymous reviewers and the entire editorial team of this journal. We appreciate the Universitas Negeri Malang supporting this research and the Informatics Engineering Study Program at the Universitas Islam Negeri Maulana Malik Ibrahim Malang.

References

[1] H.A.M. Abdeljaber, S. Ahmad, A. Alharbi, S. Kumar, XAI-based reinforcement learning approach for text summarization of social IoT-based content, Secur. Commun. Netw. 2022 (2022) 1–12, https://doi.org/10.1155/2022/7516832.
[2] A.Z.Z. Abidin, Y. Murdianingsih, U.T. Suryadi, D. Setiyadi, Text summarizing system of english subjects and text mining subjects for computer science students, J. Crit. Rev. 7 (05) (2020) 730–742, https://doi.org/10.31838/jcr.07.05.150.
[3] A.A. Abro, M.S.H. Talpur, A.K. Jumani, Natural language processing challenges and issues: a literature review, Gazi Univ. J. Sci. (2022), https://doi.org/10.35378/gujs.1032517.
[4] L. Abualigah, M.Q. Bashabsheh, H. Alabool, M. Shehab, Text summarization: a brief review, Stud. Comput. Intell. 874 (December 2019) (2020) 1–15, https://doi.org/10.1007/978-3-030-34614-0_1.
[5] D. Adkins, H. Moulaison Sandy, Information behavior and ICT use of Latina immigrants to the U.S. Midwest, *Inf. Process. Manag.*, 57 (3) (2020) 102072, https://doi.org/10.1016/j.ipm.2019.102072.
[6] M. Adnan, M. Ghazali, N.Z.S. Othman, E-participation within the context of e-government initiatives: a comprehensive systematic review, Telemat. Inform. Rep. 8 (2022) 100015, https://doi.org/10.1016/j.teler.2022.100015.
[7] S.T. Al-Amin, C. Ordonez, Efficient machine learning on data science languages with parallel data summarization, Data Knowl. Eng. 136 (2021) 101930, https://doi.org/10.1016/j.datak.2021.101930.
[8] H. Alam, A. Kumar, M. Nakamura, F. Rahman, Y. Tarnikova, Che Wilcox, Structured and unstructured document summarization:design of a commercial summarizer using Lexical chains, in: Seventh International Conference on Document Analysis and Recognition, 2003. Proceedings 1, 2003, pp. 1147–1152, https://doi.org/10.1109/ICDAR.2003.1227836.
[9] Z. Alami Merrouni, B. Frikh, B. Ouhbi, EXABSUM: a new text summarization approach for generating extractive and abstractive summaries, J. Big. Data 10 (1) (2023) 163, https://doi.org/10.1186/s40537-023-00836-y.
[10] A.S. Albahri, A.M. Duhaim, M.A. Fadhel, A. Alnoor, N.S. Baqer, L. Alzubaidi, O. S. Albahri, A.H. Alamoodi, J. Bai, A. Salhi, J. Santamaría, C. Ouyang, A. Gupta, Y. Gu, M. Deveci, A systematic review of trustworthy and explainable artificial intelligence in healthcare: assessment of quality, bias risk, and data fusion, Inf. Fus. 96 (2023) 156–191, https://doi.org/10.1016/j.inffus.2023.03.008.
[11] S. Alias, Unsupervised text feature extraction for academic chatbot using constrained FP-growth, ASM Sci. J. 14 (2021) 1–11, https://doi.org/10.32802/asmscj.2020.576.
[12] F. Amato, V. Moscato, A. Picariello, G. Sperlí, A. D'Acierno, A. Penta, Semantic summarization of web news, Encycl. Semant. Comput. Robot. Intell. 01 (01) (2017) 1630006, https://doi.org/10.1142/S2425038416300068.
[13] F. Ansari, Knowledge management 4.0: theoretical and practical considerations in cyber physical production systems, IFAC-PapersOnLine 52 (13) (2019) 1597–1602, https://doi.org/10.1016/j.ifacol.2019.11.428.
[14] L. Anthopoulos, V. Kazantzi, Urban energy efficiency assessment models from an AI and big data perspective: tools for policy makers, Sustain. Cities. Soc. 76 (2022) 103492, https://doi.org/10.1016/j.scs.2021.103492.
[15] A. Arora, A. Gupta, M. Siwach, P. Dadheech, K. Kommuri, M. Altuwairiqi, B. Tiwari, Web-based news straining and summarization using machine learning enabled communication techniques for large-scale 5G networks, Wirel. Commun. Mobile Comput. 2022 (2022), https://doi.org/10.1155/2022/3792816.
[16] L. B, P Venkata, An overview of text summarization, Int. J. Comput. Appl. 171 (10) (2017) 1–17, https://doi.org/10.5120/ijca2017915109.
[17] Baralis, E., Cagliero, L., Jabeen, S., Fiori, A., & Shah, S. (2014). *Combining semantics and social knowledge for news article summarization* (pp. 209–230). https://doi.org/10.4018/978-1-4666-6086-1.ch012.
[18] R. Baumgartner, P. Arora, C. Bath, D. Burljaev, K. Ciereszko, B. Custers, J. Ding, W. Ernst, E. Fosch-Villaronga, V. Galanos, T. Gremsl, T. Hendl, C. Kropp, C. Lenk, P. Martin, S. Mbelu, S. Morais dos Santos Bruss, K. Napiwodzka, E., …. Nowak, R. Williams, Fair and equitable AI in biomedical research and healthcare: social science perspectives, Artif. Intell. Med. 144 (2023) 102658, https://doi.org/10.1016/j.artmed.2023.102658.
[19] K. Benharrak, F. Lehmann, H. Dang, D. Buschek, SummaryLens – A smartphone app for exploring interactive use of automated text summarization in everyday life, in: 27th International Conference on Intelligent User Interfaces, 2022, pp. 93–96, https://doi.org/10.1145/3490100.3516471.
[20] A. Bhaskar, A. Fabbri, G. Durrett, Prompted opinion summarization with GPT-3.5, Find. Assoc. Comput. Linguistics: ACL 2023 (2023) 9282–9300, https://doi.org/10.18653/v1/2023.findings-acl.591.
[21] A. Bhola, J. Mullapudi, S. Kollipara, T. Sanaka, Text summarization based on ranking techniques, in: 2022 5th International Conference on Contemporary Computing and Informatics (IC3I), 2022, pp. 1463–1467, https://doi.org/10.1109/IC3I56241.2022.10072962.
[22] D.S. Bitterman, E. Goldner, S. Finan, D. Harris, E.B. Durbin, H. Hochheiser, J. L. Warner, R.H. Mak, T. Miller, G.K. Savova, An end-to-end natural language processing system for automatically extracting radiation therapy events from clinical texts, Int. J. Radiat. Oncol.*Biol. (Basel)*Phys. (College Park Md) 117 (1) (2023) 262–273, https://doi.org/10.1016/j.ijrobp.2023.03.055.
[23] J. Burton, Algorithmic extremism? The securitization of artificial intelligence (AI) and its impact on radicalism, polarization and political violence, Technol. Soc. 75 (2023) 102262, https://doi.org/10.1016/j.techsoc.2023.102262.
[24] L. Cao, J. Fu, Improving efficiency and accuracy in english translation learning: investigating a semantic analysis correction algorithm, Appl. Artif. Intell. 37 (1) (2023), https://doi.org/10.1080/08839514.2023.2219945.
[25] N.V. Chandran, V.S. Anoop, S. Asharaf, TopicStriKer: a topic kernels-powered approach for text classification, Results Eng. 17 (2023) 100949, https://doi.org/10.1016/j.rineng.2023.100949.
[26] H. Chen, Z. Zhang, S. Huang, J. Hu, W. Ni, J. Liu, TextCNN-based ensemble learning model for Japanese Text Multi-classification, Comput. Electr. Eng. 109 (2023) 108751, https://doi.org/10.1016/j.compeleceng.2023.108751.
[27] Z. Chen, H. Lin, Improving named entity correctness of abstractive summarization by generative negative sampling, Comput. Speech. Lang. 81 (2023) 101504, https://doi.org/10.1016/j.csl.2023.101504.
[28] W. Cheng, P. Hu, S. Wei, R. Mo, Keyword-guided abstractive code summarization via incorporating structural and contextual information, Inf. Softw. Technol. 150 (2022) 106987, https://doi.org/10.1016/j.infsof.2022.106987.
[29] A. Chikhi, S.S. Mohammadi Ziabari, J.-W. van Essen, A comparative study of traditional, ensemble and neural network-based natural language processing algorithms, J. Risk. Financ. Manage 16 (7) (2023) 327, https://doi.org/10.3390/jrfm16070327.
[30] T. Cui, S. Li, System movement space and system mapping theory for reliability of IoT, Fut. Gener. Comput. Syst. 107 (2020) 70–81, https://doi.org/10.1016/j.future.2020.01.040.
[31] Date, S.S., Shelke, M.B., Sonkamble, K.V., & Deshmukh, S.N. (2024). *A systematic survey on text-based dimensional sentiment analysis: advancements, challenges, and future directions* (pp. 39–57). https://doi.org/10.1016/b978-0-443-22009-8.00014-8.
[32] P.R. Dedhia, H.P. Pachgade, A.P. Malani, N. Raul, M. Naik, Study on abstractive text summarization techniques, in: 2020 International Conference on Emerging Trends in Information Technology and Engineering (Ic-ETITE), 2020, pp. 1–8, https://doi.org/10.1109/ic-ETITE47903.2020.087.
[33] M. Del Giudice, The S-index: summarizing patterns of sex differences at the distribution extremes, Pers. Individ. Dif. 205 (2023) 112088, https://doi.org/10.1016/j.paid.2023.112088.
[34] T.A. Eka Prasetya, R.W. Kusuma Wardani, Systematic review of social media addiction among health workers during the pandemic Covid-19, Heliyon 9 (6) (2023) e16784, https://doi.org/10.1016/j.heliyon.2023.e16784.
[35] A. Elsaid, A. Mohammed, L.F. Ibrahim, M.M. Sakre, A Comprehensive review of arabic text summarization, IEEE Access. 10 (2022) 38012–38030, https://doi.org/10.1109/ACCESS.2022.3163292.

[36] M.P. Enríquez, J.A. Mencía, I. Segura-Bedmar, Transformers approach for sentiment analysis: classification of Mexican tourists reviews from TripAdvisor, in: CEUR Workshop Proceedings 3202, 2022. https://www.scopus.com/inward/record.uri?eid=2-s2.0-85137335624&partnerID=40&md5=d72ce514adb0e12fed09970c13a33b94.

[37] W. Etaiwi, A. Awajan, SemanticGraph2Vec: semantic graph embedding for text representation, Array 17 (2023) 100276, https://doi.org/10.1016/j.array.2023.100276.

[38] E.C. Fernandes, B. Fitzgerald, L. Brown, M. Borsato, Machine learning and process mining applied to process optimization: bibliometric and systemic analysis, Proc. Manuf. 38 (2019) 84–91, https://doi.org/10.1016/j.promfg.2020.01.012.

[39] V.K. Finn, Exact epistemology and artificial intelligence, Autom. Document. Math. Linguist. 54 (3) (2020) 140–173, https://doi.org/10.3103/S0005105200300073.

[40] Foong, O.-M., Yong, S.-P., & Lee, A.-L. (2014). *Text Summarization in Android Mobile Devices* (pp. 571–578). https://doi.org/10.1007/978-981-4585-18-7_64.

[41] S. Freyberg, H. Hauser, The morphological paradigm in robotics, Stud. Hist. Philos. Sci. 100 (2023) 1–11, https://doi.org/10.1016/j.shpsa.2023.05.002.

[42] A. Ganesh, A. Jaya, C. Sunitha, An overview of semantic based document summarization in different languages, ECS Trans. 107 (1) (2022) 6007–6017, https://doi.org/10.1149/10701.6007ecst.

[43] L. Geiszler, Imitation in automata and robots: a philosophical case study on Kempelen, Stud. Hist. Philos. Sci. 100 (2023) 22–31, https://doi.org/10.1016/j.shpsa.2023.05.004.

[44] H.K. Gianey, R. Choudhary, Comprehensive review on supervised machine learning algorithms, in: *Proceedings - 2017 International Conference on Machine Learning and Data Science, MLDS 2017, 2018-Janua*, 2017, pp. 38–43, https://doi.org/10.1109/MLDS.2017.11.

[45] N. Giarelis, C. Mastrokostas, N. Karacapilidis, Abstractive vs. extractive summarization: an experimental review, Appl. Sci. (Switzerland) 13 (13) (2023), https://doi.org/10.3390/app13137620.

[46] D. Gu, M. Li, X. Yang, Y. Gu, Y. Zhao, C. Liang, H. Liu, An analysis of cognitive change in online mental health communities: a textual data analysis based on post replies of support seekers, Inf. Process. Manage 60 (2) (2023) 103192, https://doi.org/10.1016/j.ipm.2022.103192.

[47] M. Guckert, N. Gumpfer, J. Hannig, T. Keller, N. Urquhart, A conceptual framework for establishing trust in real world intelligent systems, Cogn. Syst. Res. 68 (2021) 143–155, https://doi.org/10.1016/j.cogsys.2021.04.001.

[48] G. Gunawan, F. Fitria, E.I. Setiawan, K. Fujisawa, Maximum marginal relevance and vector space model for summarizing students' final project abstracts, Knowl. Eng. Data Sci. 6 (1) (2023) 57, https://doi.org/10.17977/um018v6i12023p57-68.

[49] M. Gupta, M. Kumar, Y. Gupta, A blockchain-empowered federated learning-based framework for data privacy in lung disease detection system, Comput. Human. Behav. 158 (2024) 108302, https://doi.org/10.1016/j.chb.2024.108302.

[50] S. Gupta, S. Modgil, A. Kumar, U. Sivarajah, Z. Irani, Artificial intelligence and cloud-based collaborative platforms for managing disaster, extreme weather and emergency operations, Int. J. Prod. Econ. 254 (2022) 108642, https://doi.org/10.1016/j.ijpe.2022.108642.

[51] Y. Han, D. Salido-Monzú, J.A. Butt, S. Schweizer, A. Wieser, A feature selection method for multimodal multispectral LiDAR sensing, ISPRS J. Photogramm. Remote Sens. 212 (2024) 42–57, https://doi.org/10.1016/j.isprsjprs.2024.04.022.

[52] Hariyono, A.P. Wibawa, E.F. Noviani, G.C. Lauretta, H.R. Citra, A.B.P. Utama, F. A Dwiyanto, Exploring visitor sentiments: a study of nusantara temple reviews on tripadvisor using machine learning, J. Appl. Data Sci. 5 (2) (2024) 600–612, https://doi.org/10.47738/jads.v5i2.208.

[53] W.D. Holford, The algorithmic workplace and its enactive effect on the future of professions, Futures 122 (2020) 102609, https://doi.org/10.1016/j.futures.2020.102609.

[54] M. Humayoun, N. Akhtar, CORPURES: benchmark corpus for urdu extractive summaries and experiments using supervised learning, Intell. Syst. Applications 16 (2022) 200129, https://doi.org/10.1016/j.iswa.2022.200129.

[55] C.Y. Hung, W.W. Xu, Y.R. Lin, Multi-touch, gesture-based simulations: impacts on learning optical imaging and mental model development, Comput. Edu. 145 (2020) 103727, https://doi.org/10.1016/j.compedu.2019.103727.

[56] Z. Indra, Y. Jusman, D. Winarso, Text summarization application for Indonesian twitter document by using top-N feature selection algorithm, in: 2020 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering (ICITAMEE), 2020, pp. 238–243, https://doi.org/10.1109/ICITAMEE50454.2020.9398413.

[57] R. Irwin, T.H. White, Decolonising technological futures: a dialogical tryptich between Te Haumoana White, Ruth Irwin, and Tegmark's artificial intelligence, Futures 112 (2019) 102431, https://doi.org/10.1016/j.futures.2019.06.003.

[58] S. Jawale, P. Londhe, R. Kolekar, S. Jadhav, P. Kadam, Data summarization web application, Int. J. Res. Appl. Sci. Eng. Technol. 11 (5) (2023) 883–895, https://doi.org/10.22214/ijraset.2023.51650.

[59] K. Jezek, J. Steinberger, Automatic summarizing: (The state of the art 2007 and new challenges), in: Proceedings of Znalosti, 2008, pp. 1–12.

[60] K. Karpagam, A. Saradha, K. Manikandan, K. Madusudanan, Enhancement of single document text summarization using reinforcement learning with non-deterministic rewards, Int. J. Inf. Technol. Comput. Sci. 12 (4) (2020) 19–27, https://doi.org/10.5815/ijitcs.2020.04.03.

[61] Kaushik, A., Attri, S.H., & Jha, R.S. (2024). *Exploring Text Summarization Techniques: a Review of Current Challenges and Future Directions*. 289–295. https://doi.org/10.1109/icdt61202.2024.10489243.

[62] M.R. Khan, M.Z.U. Arif, Systematic review of disruptive innovation (DI) research in agriculture and future direction of research, Telemat. Inform. Rep. 11 (2023) 100079, https://doi.org/10.1016/j.teler.2023.100079.

[63] E.-S. Kim, Y. Oh, G.W. Yun, Sociotechnical challenges to the technological accuracy of computer vision: the new materialism perspective, Technol. Soc. 75 (2023) 102388, https://doi.org/10.1016/j.techsoc.2023.102388.

[64] F.M.van der Kleij, Comparison of teacher and student perceptions of formative assessment feedback practices and association with individual student characteristics, Teach. Teach. Educ. 85 (1) (2019) 175–189.

[65] M. Kumar, G.K. Walia, H. Shingare, S. Singh, S.S. Gill, AI-based sustainable and intelligent offloading framework for iiot in collaborative cloud-fog environments, IEEE Trans. Consum. Electron. 70 (1) (2024) 1414–1422, https://doi.org/10.1109/TCE.2023.3320673.

[66] P.R. Kumar, G.P. Saradhi Varma, A novel probabilistic-ABC based boosting model for software defect detection, in: *Proceedings of 2017 International Conference on Innovations in Information, Embedded and Communication Systems, ICIIECS 2017, 2018-Janua*, 2018, pp. 1–6, https://doi.org/10.1109/ICIIECS.2017.8276059.

[67] S. Kumar, Machine learning (Supervised). *International Series in Operations Research and Management Science* (Vol. 264, pp. 507–568), 2019, https://doi.org/10.1007/978-3-319-68837-4_16.

[68] S. Kusal, S. Patil, J. Choudrie, K. Kotecha, S. Mishra, A. Abraham, AI-based conversational agents: a scoping review from technologies to future directions, IEEE Access. 10 (2022) 92337–92356, https://doi.org/10.1109/ACCESS.2022.3201144.

[69] S. Lade, Text summarizer using SpaCy in NLP, Int. J. Res. Appl. Sci. Eng. Technol. 11 (5) (2023) 4170–4172, https://doi.org/10.22214/ijraset.2023.52248.

[70] G. Lasya Sriranga, P. Likitha, B. Meghana, N. Jayanthi, Efficient text summarizer using point to generator technique, Int. J. Eng. Appl. Sci. Technol. 5 (1) (2020) 488–492, https://doi.org/10.33564/ijeast.2020.v05i01.086.

[71] H. Li, Q. Peng, X. Mou, Y. Wang, Z. Zeng, M.F. Bashir, Abstractive financial news summarization via transformer-BiLSTM encoder and graph attention-based decoder, IEEE/ACM Tran. Audio Speech Lang. Process. 31 (2023) 3190–3205, https://doi.org/10.1109/TASLP.2023.3304473.

[72] Q. Li, S. Zhao, S. Zhao, J. Wen, Logistic regression matching pursuit algorithm for text classification, Knowl. Based. Syst. 277 (2023) 110761, https://doi.org/10.1016/j.knosys.2023.110761.

[73] Singh Lo, A.W. Manish, From ELIZA to ChatGPT: the evolution of natural language processing and financial applications [ ][ ] B T - (Ed.), J. Portfolio Manage. 49 (49) (2023) 201–235, https://doi.org/10.3905/jpm.2023.1.512.

[74] Mahajani, A., Pandya, V., Maria, I., & Sharma, D. (2019). *Ranking-Based Sentence Retrieval for Text Summarization* (pp. 465–474). https://doi.org/10.1007/978-981-13-2414-7_43.

[75] P. Mahalakshmi, N.S. Fatima, Summarization of text and image captioning in information retrieval using deep learning techniques, IEEE Access. 10 (2022) 18289–18297, https://doi.org/10.1109/ACCESS.2022.3150414.

[76] M. Mahdikhani, Predicting the popularity of tweets by analyzing public opinion and emotions in different stages of Covid-19 pandemic, Int. J. Inf. Manage. Data Insights 2 (1) (2022) 100053, https://doi.org/10.1016/j.jjimei.2021.100053.

[77] L. Malinverni, C. Valero, M.M. Schaper, I.G. de la Cruz, Educational Robotics as a boundary object: towards a research agenda, Int. J. Child Comput. Interact. 29 (2021) 100305, https://doi.org/10.1016/j.ijcci.2021.100305.

[78] K. Mangaroska, M. Giannakos, Learning analytics for learning design: a systematic literature review of analytics-driven design to enhance learning, IEEE Trans. Learn. Technol. 12 (4) (2019) 516–534, https://doi.org/10.1109/TLT.2018.2868673.

[79] R. Meier, A. Mujika, Open-ended reinforcement learning with neural reward functions, Adv. Neural Inf. Process. Syst. 35 (2022). https://api.semanticscholar.org/CorpusID:246904679.

[80] M. Mohamed, M. Oussalah, V. Chang, SDbQfSum: query-focused summarization framework based on diversity and text semantic analysis, Expert. Syst. (2023), https://doi.org/10.1111/exsy.13462.

[81] M. Mohammadi, A. Al-Fuqaha, S. Sorour, M. Guizani, Deep learning for IoT big data and streaming analytics: a survey, IEEE Commun. Surv. Tutor. 20 (4) (2018) 2923–2960, https://doi.org/10.1109/COMST.2018.2844341.

[82] R. Mortaheb, P. Jankowski, Smart city re-imagined: city planning and GeoAI in the age of big data, J. Urban Manage. 12 (1) (2023) 4–15, https://doi.org/10.1016/j.jum.2022.08.001.

[83] Muthiah, K. (2020). *Automatic Coherent and Concise Text Summarization using Natural Language Processing*.

[84] Y. Ni, D. Barzman, A. Bachtel, M. Griffey, A. Osborn, M. Sorter, Finding warning markers: leveraging natural language processing and machine learning technologies to detect risk of school violence, Int. J. Med. Inform. 139 (2020) 104137, https://doi.org/10.1016/j.ijmedinf.2020.104137.

[85] T. Ozkan, Criminology in the age of data explosion: new directions, Soc. Sci. J. 56 (2) (2019) 208–219, https://doi.org/10.1016/j.soscij.2018.10.010.

[86] M.R. Pabubung, Epistemologi kecerdasan buatan (ai) dan pentingnya ilmu etika dalam pendidikan interdisipliner, J. Filsaf. Indon. 4 (2) (2021) 152–159, https://doi.org/10.23887/jfi.v4i2.34734.

[87] N. Palanca-Castan, B. Sánchez Tajadura, R. Cofré, Towards an interdisciplinary framework about intelligence, Heliyon. 7 (2) (2021) e06268, https://doi.org/10.1016/j.heliyon.2021.e06268.

[88] C. Parmar, R. Chaubey, K. Bhatt, Abstractive text summarization using artificial intelligence, SSRN Electron. J. (2019), https://doi.org/10.2139/ssrn.3370795.

[89] N. Patel, N. Mangaokar, Abstractive vs extractive text summarization (Output based approach) - A comparative study, in: 2020 IEEE International Conference for Innovation in Technology (INOCON), 2020, pp. 1–6, https://doi.org/10.1109/INOCON50539.2020.9298416.

[90] Pokhrel, C., & Adhikari, R. (2023). *Automatic Extractive Text Summarization for Text in Nepali Language with Bidirectional Encoder Representation Transformers and K-Mean Clustering.* July. https://doi.org/10.13140/RG.2.2.15823.87200.

[91] M. Purushotham Reddy, V. Sreekar, M. Srikanth, K Siddartha, Text summarization of telugu scripts, in: 2021 Fifth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC), 2021, pp. 1060–1064, https://doi.org/10.1109/I-SMAC52330.2021.9640729.

[92] S. Qi, H. Zhang, Text summarization quality detection based on GPT-3, Appl. Comput. Eng. 8 (1) (2023) 817–822, https://doi.org/10.54254/2755-2721/8/20230251.

[93] M.A. Rahman, N. Zaman, A.T. Asyhari, S.M.N. Sadat, P. Pillai, R.A. Arshah, SPY-BOT: machine learning-enabled post filtering for social network-integrated industrial internet of things, Ad. Hoc. Netw. 121 (2021) 102588, https://doi.org/10.1016/j.adhoc.2021.102588.

[94] L.B. Rananavare, P.V.S. Reddy, An overview of text summarization, Int. J. Comput. Appl. 171 (10) (2017) 1–17.

[95] Reddy, K.L., Shanmukh, P., Kumar, C., Kumar, T., Kumar, A., Kumar, P., & Venkatraman, K. (2024). *Enhancing Abstractive Text Summarization with Proximal Policy Optimization.* 1–6. https://doi.org/10.1109/icaect60202.2024.10469299.

[96] C. Ren, S.-J. Lee, C. Hu, Assessing the efficacy of ChatGPT in addressing Chinese financial conundrums: an in-depth comparative analysis of human and AI-generated responses, Comput. Hum. Behav.: Artif. Hum. 1 (2) (2023) 100007, https://doi.org/10.1016/j.chbah.2023.100007.

[97] F. Russo, E. Schliesser, J. Wagemans, Connecting ethics and epistemology of AI, AI Soc. 0123456789 (2023), https://doi.org/10.1007/s00146-022-01617-6.

[98] T. Saheb, M. Dehghani, T. Saheb, Artificial intelligence for sustainable energy: a contextual topic modeling and content analysis, Sustain. Comput.: Inform. Syst. 35 (2022) 100699, https://doi.org/10.1016/j.suscom.2022.100699.

[99] V. Santos, H. Mamede, C. Silveira, L. Reis, A reference model for artificial intelligence techniques in stimulating reasoning, and cognitive and motor development, Procedia Comput. Sci. 219 (2023) 1057–1066, https://doi.org/10.1016/j.procs.2023.01.384.

[100] I. Sasano, K. Choi, A text-based syntax completion method using LR parsing and its evaluation, Sci. Comput. Program. 228 (2023) 102957, https://doi.org/10.1016/j.scico.2023.102957.

[101] H. Scott-Fordsmand, K. Tybjerg, Approaching diagnostic messiness through spiderweb strategies: connecting epistemic practices in the clinic and the laboratory, Stud. Hist. Philos. Sci. 102 (2023) 12–21, https://doi.org/10.1016/j.shpsa.2023.08.006.

[102] D.B. Shank, C. Graves, A. Gott, P. Gamez, S. Rodriguez, Feeling our way to machine minds: people's emotions when perceiving mind in artificial intelligence, Comput. Human. Behav. 98 (2019) 256–266, https://doi.org/10.1016/j.chb.2019.04.001.

[103] G. Sharma, D. Sharma, Automatic text summarization methods: a comprehensive review, SN Comput. Sci. 4 (1) (2023), https://doi.org/10.1007/s42979-022-01446-w.

[104] Y. Shin, Multi-encoder transformer for Korean abstractive text summarization, IEEE Access. 11 (April) (2023) 48768–48782, https://doi.org/10.1109/ACCESS.2023.3277754.

[105] R. Silaghi-Dumitrescu, Trends in the texts of national anthems: a comparative study, Heliyon. 9 (8) (2023) e19105, https://doi.org/10.1016/j.heliyon.2023.e19105.

[106] A. Stefani, M. Xenos, E-commerce system quality assessment using a model based on ISO 9126 and Belief Networks, Softw. Qual. J. 16 (1) (2008) 107–129, https://doi.org/10.1007/s11219-007-9032-5.

[107] Supriyono, A.P. Wibawa, Suyono, F Kurniawan, A survey of text summarization: techniques, evaluation and challenges, Nat. Lang. Process. J. 7 (March) (2024) 100070, https://doi.org/10.1016/j.nlp.2024.100070.

[108] Suryanto, T.L.M., Wibawa, A.P., Hariyono, H., & Nafalski, A. (2023). *Evolving conversations: a review of chatbots and implications in natural language processing for cultural heritage ecosystems.* 3(4), 955–1006.

[109] A. Taeihagh, Governance of artificial intelligence, Policy Soc. 40 (2) (2021) 137–157, https://doi.org/10.1080/14494035.2021.1928377.

[110] R. Tahseen, U. Omer, M.S. Farooq, F. Adnan, Text summarization techniques using natural language processing: a systematic literature review, VFAST Trans. Softw. Eng. (2021), https://doi.org/10.21015/vtse.v9i4.856.

[111] R. Tambe, D. Thaokar, E. Pachghare, P. Sawane, P. Mehendole, P. Kakde, Abstractive text summarization using deep learning, Int. J. Res. Appl. Sci. Eng. Technol. 11 (3) (2023) 68–72, https://doi.org/10.22214/ijraset.2023.49329.

[112] G. Taylor, K. Barabin, K. Sayre, An Application Reinforcement Learning to Supervised Autonomy, 2015. https://api.semanticscholar.org/CorpusID:1203120.

[113] S. Teufel, Deeper summarisation: the second time around: an overview and some practical suggestions, in: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics): 9624, LNCS, 2018, pp. 581–598, https://doi.org/10.1007/978-3-319-75487-1_44.

[114] S. Thavamuni, M.N.A. Khalid, H. Iida, What makes an ideal team? Analysis of popular multiplayer online battle Arena (MOBA) games, Entertain. Comput. 44 (2023) 100523, https://doi.org/10.1016/j.entcom.2022.100523.

[115] M. Treviso, J.-U. Lee, T. Ji, B.van Aken, Q. Cao, M.R. Ciosici, M. Hassid, K. Heafield, S. Hooker, C. Raffel, P.H. Martins, A.F.T. Martins, J.Z. Forde, P. Milder, E. Simpson, N. Slonim, J. Dodge, E. Strubell N., …. Balasubramanian, R. Schwartz, Efficient methods for natural language processing: a survey, Trans. Assoc. Comput. Linguist. 11 (2023) 826–860, https://doi.org/10.1162/tacl_a_00577.

[116] S. Tsuchiya, E. Yoshimura, H. Watabe, An information arrangement technique for a text classification and summarization based on a summarization frame, in: 2009 International Conference on Natural Language Processing and Knowledge Engineering, 2009, pp. 1–5, https://doi.org/10.1109/NLPKE.2009.5313816.

[117] K. Veningston, P.V. Venkateswara Rao, M. Ronalda, Personalized multi-document text summarization using deep learning techniques, Procedia Comput. Sci. 218 (2022) (2023) 1220–1228, https://doi.org/10.1016/j.procs.2023.01.100.

[118] Vidyagouri, BibiSadiqa, Text summarization using machine learning algorithm, Int. J. Sci. Res. Comput. Sci., Eng. Inf. Technol. 3307 (2022) 167–173, https://doi.org/10.32628/cseit228421.

[119] L. Waardenburg, M. Huysman, From coexistence to co-creation: blurring boundaries in the age of AI, Inf. Org. 32 (4) (2022) 100432, https://doi.org/10.1016/j.infoandorg.2022.100432.

[120] G.K. Walia, M. Kumar, S.S. Gill, AI-empowered fog/edge resource management for IoT applications: a comprehensive review, research challenges, and future perspectives, IEEE Commun. Surv. Tutor. 26 (1) (2024) 619–669, https://doi.org/10.1109/COMST.2023.3338015.

[121] C. Wang, C. Rao, F. Hu, X. Xiao, M. Goh, Risk assessment of customer churn in telco using FCLCNN-LSTM model, Expert. Syst. Appl. 248 (2024) 123352, https://doi.org/10.1016/j.eswa.2024.123352.

[122] G.R. Wheeler, L.M. Pereira, Epistemology and artificial intelligence, J. Appl. Logic 2 (4) (2004) 469–493, https://doi.org/10.1016/j.jal.2004.07.007.

[123] A.P. Wibawa, A.F. Fadhilla, A.K.I. Paramarta, A.P.P. Triono, F.U. Setyaputri, A.K.G. Akbari, A.B.P. Utama, Bidirectional long short-term memory (Bi-LSTM) hourly energy forecasting, in: E3S Web of Conferences 501, 2024, https://doi.org/10.1051/e3sconf/202450101023.

[124] A.P. Wibawa, A.N. Handayani, M.R.M. Rukantala, M. Ferdyan, L.A.P. Budi, A.B.P. Utama, F.A. Dwiyanto, Decoding and preserving Indonesia's iconic Keris via A CNN-based classification, Telemat. Inform. Rep. 13 (January) (2024) 100120, https://doi.org/10.1016/j.teler.2024.100120.

[125] A.P. Wibawa, A.B.P. Utama, A.K.G. Akbari, A.F. Fadhilla, A.P.P. Triono, A.K.I. Paramarta, F.U. Setyaputri, L. Hernandez, Deep learning approaches with optimum alpha for energy usage forecasting, Knowl. Eng. Data Sci. 6 (2) (2023) 170, https://doi.org/10.17977/um018v6i22023p170-187.

[126] A.P. Wibawa, A.B.P. Utama, H. Elmunsyah, U. Pujianto, F.A. Dwiyanto, L. Hernandez, Time-series analysis with smoothed convolutional neural network, J. Big. Data 9 (1) (2022), https://doi.org/10.1186/s40537-022-00599-y.

[127] Z. Xu, N. Tang, C. Xu, X. Cheng, Data science: connotation, methods, technologies, and development, Data Sci. Manage. 1 (1) (2021) 32–37, https://doi.org/10.1016/j.dsm.2021.02.002.

[128] Yang, X., Li, Y., Zhang, X., Chen, H., & Cheng, W. (2023). *Exploring the limits of ChatGPT for query or aspect-based text summarization.* http://arxiv.org/abs/2302.08081.

[129] Z. Yang, Design and implementation of a hybrid virtual-physical collaboration learning system: architecture and solution, ICETC 2010 - 2010 2nd Int. Conf. Educ. Technol. Comput. 2 (2010) 402–405, https://doi.org/10.1109/ICETC.2010.5529355.

[130] S.P. Yong, A.I.Z. Abidin, Y.Y. Chen, A neural-based text summarization system, Data Mining VII: Data, Text Web Mining Their Bus. Appl. 1 (2006) 185–192, https://doi.org/10.2495/DATA060191.

[131] A. Zadeh, R. Sharda, Z. Hilvert-Bruce, J.T. Neill, L.C. Pearson, L. Desimpelaere, L. Hudders, D. Van de Sompel, Y. Yilmaz, O. Cetin, B. Arief, J. Hernandez-Castro, P. Xie, S.C. Boerman, Y.-A.Y. Lee, W. Tao, J.-Y. Queenie Li, S.S. Wang, X.X., … Guo, R.L. Mandryk, The moderating effect of algorithm literacy on over-the-top platform adoption, Comput. Hum. Behav. 60 (3) (2023) 106403, https://doi.org/10.1016/j.chb.2019.09.030.

[132] A. Zala, J. Cho, S. Kottur, X. Chen, B. Oguz, Y. Mehdad, M. Bansal, Hierarchical video-moment retrieval and step-captioning, in: Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), 2023, pp. 23056–23065.

[133] H. Zhang, B. Zhang, D. Gao, A new approach of integrating industry prior knowledge for HAZOP interaction, J. Loss. Prev. Process. Ind. 82 (2023) 105005, https://doi.org/10.1016/j.jlp.2023.105005.

[134] Z. Zhang, Advancements and challenges in AI-driven language technologies: from natural language processing to language acquisition, Appl. Comput. Eng. 57 (1) (2024) 146–152, https://doi.org/10.54254/2755-2721/57/20241325.