Tailwind CSS – WD Lab 26

Sizing Classes Reference | Classes used in Part A and Part B solutions only (Questions 1–6, 9 and 10). Documentation links are clickable.

1. All Tailwind classes used in the code

Class	Usage	Documentation sidebar / page	Link
`grid`	Makes the element a CSS Grid container.	Flexbox & Grid → Display	Open docs
`grid-cols-1`	Creates a one-column grid.	Flexbox & Grid → Grid Template Columns	Open docs
`sm:grid-cols-3`	At the small breakpoint and above, changes the grid to three columns.	Responsive Design + Grid Template Columns	Open docs
`w-full`	Sets width to 100% of the parent.	Sizing → Width	Open docs
`w-64`	Sets a fixed width of 16rem.	Sizing → Width	Open docs
`h-80`	Sets a fixed height of 20rem.	Sizing → Height	Open docs
`h-48`	Sets height to 12rem.	Sizing → Height	Open docs
`flex`	Makes the element a flex container; children are arranged in a row by default.	Flexbox & Grid → Display	Open docs
`w-1/4`	Sets width to 25%.	Sizing → Width	Open docs
`w-3/4`	Sets width to 75%.	Sizing → Width	Open docs
`gap-4`	Adds spacing between flex or grid items.	Flexbox & Grid → Gap	Open docs
`w-20`	Sets width to 5rem.	Sizing → Width	Open docs
`h-20`	Sets height to 5rem.	Sizing → Height	Open docs
`w-32`	Sets width to 8rem.	Sizing → Width	Open docs
`h-32`	Sets height to 8rem.	Sizing → Height	Open docs
`w-40`	Sets width to 10rem.	Sizing → Width	Open docs
`h-40`	Sets height to 10rem.	Sizing → Height	Open docs
`h-screen`	Sets height to 100vh (viewport height).	Sizing → Height	Open docs
`justify-center`	Centers flex items along the main axis.	Flexbox & Grid → Justify Content	Open docs
`items-center`	Centers flex items along the cross axis.	Flexbox & Grid → Align Items	Open docs
`min-w-64`	Sets minimum width to 16rem.	Sizing → Min-Width	Open docs
`max-w-xl`	Sets maximum width to the xl max-width size.	Sizing → Max-Width	Open docs
`aspect-video`	Sets a 16:9 aspect ratio.	Sizing → Aspect Ratio	Open docs
`h-full`	Sets height to 100% of the parent.	Sizing → Height	Open docs

2. Main sidebar sections to study

Sidebar category	Relevant documentation pages
Sizing	Width, Height, Min-Width, Max-Width, Aspect Ratio
Flexbox & Grid	Display, Grid Template Columns, Gap, Justify Content, Align Items
Responsive Design	Breakpoints and responsive prefixes such as `sm:`

3. Quick class combinations from your lab code

Task	Classes used
Responsive 3-image gallery	`grid grid-cols-1 sm:grid-cols-3`
Fixed-size product box	`w-64 h-80`
Sidebar + main content	`flex`, `w-1/4`, `w-3/4`

Three square boxes	`w-20 h-20`, `w-32 h-32`, `w-40 h-40`
Full-screen centered banner	`h-screen flex justify-center items-center`
Min/max width text box	`min-w-64 max-w-xl`
Profile image size	`w-32 h-32`
Responsive 16:9 video	`w-full aspect-video` on container; `w-full h-full` on iframe

Notes: *The list contains the unique utility classes used in the Part A and Part B code;* `w-32` *and* `h-32` *are each listed once even though they appear more than once. The* `sm:` *prefix is a responsive breakpoint modifier, not a standalone sizing utility. Part C questions 7 and 8 are excluded as requested. Documentation links point to the current official Tailwind CSS docs.*