

* Mean, median, mode

Basic

1) 5, 7, 8, 10, 10

$$\text{Mean} = \frac{40}{5} = \boxed{8}$$

Median = Middle value of the range
= $\boxed{8}$

Mode = $\boxed{10}$ ← same number repeat

2) 12, 15, 17, 18, 20

$$\text{Mean} = \frac{82}{5} = \boxed{16.4}$$

Median = $\boxed{17}$

Mode = $\boxed{\text{No mode}}$

3) 2, 4, 4, 6, 8

$$\text{Mean} = \frac{24}{5} = \boxed{4.8}$$

Median = $\boxed{4}$

Mode = $\boxed{4}$

4) 9, 9, 11, 12, 14

$$\text{Mean} = \frac{55}{5} = \boxed{11}$$

$$\text{Median} = \boxed{11}$$

$$\text{Mode} = \boxed{9}$$

5) 20, 25, 30, 35, 40

$$\text{Mean} = \frac{150}{5} = \boxed{30}$$

$$\text{Median} = \boxed{30}$$

$$\text{Mode} = \boxed{\text{No mode}}$$

medium

6) 15, 18, 18, 20, 25, 30

$$\text{Mean} = \frac{126}{6} = \boxed{21}$$

$$\text{Median} = \frac{18+20}{2} = \boxed{28}$$

$$\text{Mode} = \boxed{18}$$


7) 4, 7, 9, 10, 10, 15

$$\text{Mean} = \frac{55}{6} = \boxed{9.16}$$

$$\text{Median} = \boxed{9.5}$$

$$\text{Mode} = \boxed{10}$$

15, 4, 27, 88, 72, 113, 820




Q_1

Q_2


Q_3

$$\text{max } Q_3 + 1.5(IQR)$$

$$\text{min } Q_1 - 1.5(IQR)$$



8) 12, 13, 14, 11, 15, 16



$$\text{Mean} = \frac{81}{6} = 13.5$$

$$\text{Median} = 13.5$$

$$\text{Mode} = \text{No mode}$$

9) 25, 28, 28, 30, 35, 40

$$\text{Mean} = \frac{186}{6} = 31$$

$$\text{Median} = 29$$

$$\text{Mode} = 28$$

10) 5, 6, 7, 8, 9, 10

$$\text{Mean} = \frac{45}{6} = \boxed{7.5}$$

$$\text{Median} = \boxed{7.5}$$

$$\text{Mode} = \boxed{\text{No mode}}$$

Hard

11) 5, 6, 7, 8, 9, 100

$$\text{Mean} = \frac{135}{6} = \boxed{22.5}$$

$$\text{Median} = \boxed{7.5}$$

$$\text{Mode} = \boxed{\text{Null}}$$

12) 2, 3, 4, 5, 6, 7, 8, 20

$$\text{Mean} = \frac{55}{8} = \boxed{6.87}$$

$$\text{Median} = \boxed{5.5}$$

$$\text{Mode} = \boxed{\text{null}}$$

13) 12, 13, 18, 18, 18, 22, 25

$$\text{Mean} = \frac{126}{7} = \boxed{18}$$

$$\text{Median} = \boxed{18}$$

$$\text{Mode} = \boxed{18}$$

14) 40, 45, 50, 55, 60, 65, 70

$$\text{Mean} = \frac{385}{7} = \boxed{55}$$

$$\text{Median} = \boxed{55}$$

$$\text{Mode} = \boxed{\text{no.}}$$

15) 1, 2, 3, 4, 5, 100

$$\text{Mean} = \frac{115}{6} = \boxed{19.16}$$

$$\text{Median} = \boxed{3.5}$$

$$\text{Mode} = \boxed{\text{no.}}$$


Frequency Table

16) x Number	xf	Frequency
2	6	3
4	8	2
6	30	5

2, 2, 2, 4, 4, 6, 6, 6, 6, 6

1) Mean

$$= \frac{xf}{f} = \frac{44}{10} = \boxed{4.4}$$



Median = $\boxed{5}$

Mode = $\boxed{6}$

17)

x	f	$x.f$
10	2	20
20	4	80
30	3	90
40	1	40
	10	230

10, 10, 20, 20, 20,
20, 30, 30, 30, 40

Mean = $\frac{230}{10} = \boxed{23}$

Median = $\boxed{20}$

Mode = $\boxed{20}$

18)

x	f	$x.f$
18	3	54
20	5	100
22	2	44
	10	198

18, 18, 20, 20, 20, 20, 20,
22, 22

Mean = $\frac{198}{10} = \boxed{19.8}$

Median = $\boxed{20}$

Mode = $\boxed{20}$

19) 120, 135, 150, 120, 180, 200, 120

Mean = $\frac{1025}{7} = \boxed{146.43}$

Median = $\boxed{135}$

Mode = $\boxed{120}$

20) 22, 24, 24, 25, 26, 28, 30, 24

Mean = $\frac{203}{8} = \boxed{25.37}$

Median = $\boxed{25.5}$ or $\boxed{24.5}$

Mode = $\boxed{24}$

Question 19 value different position
20 but first of all arrange
value sorting and find
3M.