

FOOD WASTE MANAGEMENT

A PROJECT SUBMITTED TO

Sarvodaya College of Computer Science

RAJKOT

(Affiliated to Saurashtra University)



*Submitted in partial fulfillment of the requirements for
the degree of*

“Master of science in Information Technology”

Sem-1

(Year 2024-2025)

Submitted By:-

1:- Katba Jenny

2:- Khushbu Makwana

3:- Riddhiba Vala

4:- Vrunda Devani

Guided By:-

Prof. Radha Ranpara

INDEX

No	Description	Page No.
1	Preface	4
2	Declaration	5
3	Acknowledgment	6
4	Project Profile	7
5	Web Architecture	8
6	Web Page	9
7	Introduction to HTML	10
8	Introduction to CSS	11
9	Introduction to PHP Admin	12
10	Introduction to MySQL	15
11	System Requirements	17
12	Cost and Benefits Analysis	18
13	Fact Finding Techniques	19
14	System Development Life Cycle(SDLC)	20
15	Data Dictionary	22
16	DFD Diagram	25
17	Project Web page	27
17	Admin Web Page	28
18	Client side panel Webpage	31
19	Delivery Person Webpage	36
20	About Testing	39
21	Bibliography	41
22	Suggestion	42

Preface

The basic concept of this project Food Waste Management is to collect the excess/leftover food from donors such as hotels, restaurants, marriage halls, etc and distribute to the needy people. We are focusing mainly on the food wastage in the office premises, wedding, events etc. This web application is used to manage wastage foods in a useful way. The system has three modules.

The Food Waste Management System is designed to efficiently manage excess food and ensure that it is distributed to those in need. The User module accepts food donations, the Admin module lists them for NGOs and charities to choose from, and the Delivery Person module provides pickup and drop-off services. This system benefits the community by reducing food waste and helping those in need

DECLARATION

We are the student of MSc.it sem-1 hereby declare that the project work presented in this folio is my contribution and have been carried out under supervision of all professors of MSc.it Department of Sarvodaya College, Rajkot.

The main objective of this training undertaken is to get specialized knowledge in a particular specialized field, which further sharpen the skill and also include that it is a part of our studies undergoing.

This work has not been previously submitted to any other institute/university for any of the purposes.

Place: Rajkot
Date: 11/12/2024

Thank You,

Jenny Katba
Riddhiba Vala
Vrunda Devani
Khushbu Makwana

ACKNOWLEDGMENT

We are the student of Msc it studying in the Sarvodaya College-Rajkot. Thanks the entire person who has landed their support in shaping of the systemic


We thank **Prof. Radha Ranpara** before giving us full guidance and cooperation in understanding the system. we also thank them for their unconditional help in making of this project.

We have great deal of gratitude to wards our Head Of Department who encourage us in taking up this activity. we thank all faculties and administrative staff of the institute in enhancing their cooperation.

PROJECT PROFILES

Developed At	:~	Sarvodaya College - Rajkot
Developed By	:~	Jenny Katba & Khushbu Makwana Riddhiba Vala & Vrunda Devani
Main Pages	:~	Home page (Home)
Operating System	:~	Microsoft Windows XP, 95, 98, 2000, Professional, 7, 8, 10.
Web Server	:~	Apache Server (localhost)
Web Browser	:~	Internet Explorer 6.0, Mozilla Firefox, Google Chrome, Opera.
Editor	:~	Dream Viewer, Notepad
Hardware Requirement For Internet Access	:~	486 D*2 or Higher Processor. Free Disk Space 100 MB. Color Monitor & Multimedia Kit. One Free comport For Modem. Modem 56 Kbps.
Guided By	:~	Radha Madam Ranpara
Submission At	:~	<i>Msc it</i> of Sarvodaya College

Web Architecture



A **Web Server** is a computer that runs the web server software, which responds to page requests. It is also called **host**. The two main types of web server are **HTTP Server** that follows the HTTP protocol, and FTP servers that follow the FTP protocol.

A **Web Client** sends requests for data to a web server. When the web server processes the request and sends the requested page to the client (remember the browser is used to view these pages and send requests.)

WebPage

The big attraction with active server pages, of course is the ability to include script directly in the file that's referenced by the browser, and that creates dynamic pages.

It's important to recognize how ASP differs from existing methods such as refining a latest page, executing CGI and ISAPI applications or running traditional scripts.

There are two types of web pages that are as under:

1. Static Web Pages
2. Dynamic Web Pages

○ **Static Web Pages:**

When the user enters URL into their browser's address box, or clicks a hyperlink on another page, a request for that page is sent to the server. This is just a file on the server's hard disk, and the web server software starts by loading it into memory. If it's a normal static HTML page, the server adds a few transmission protocol requirements such as the document type, encodes it so that it can be transmitted over HTTP, and sends the whole thing to the browser.

The user sees the contents as rendered HTML page, but the same source is the same is the file that is stored on the server's disk.

○ **Dynamic Web Pages:**

To create a dynamic web page using traditional methods, the server has to do more than just package up and send a file from disk. If the request from the browser is for a CGI or ISAPI application file, the server loads application & executes it. The application itself creates a stream of text HTML code, just like if was sending it to a printer. This is assembled in to a temporary page on the server, packaged up for HTTP transition, and sent to the browser. To the user, it looks just like a normal static page, because it's still just HTML code. However, the actual page is no longer just a copy of the file on the server's disk. It is created on the fly, and the page can be refreshed. Each time the application that creates it is refreshing.

Introduction To HTML

○ Understanding HTML :

- HTML was originated by Tim Berners-Lee.
- HTML developed a few years ago as a subset of SGM (Standard Generalized Mark-up Language), which is a higher-level mark-up language that has long been a favorite of the Defense.
- Any HTML document is also valid for SGML.
- HTML is a Hyper Text Markup Language that is used to develop web pages.
- HTML is not a programming language like C, C++ and Java etc.
- It is a cross platform markup language that is design to be flexible enough to display text and other elements like graphical on a variety of views.
- The HTML document Consist of special Tags that are embedded in an ASCII document.
- Web browser like Internet Explorer, Netscape Navigator etc, interprets these Tags.

Introduction to CSS

○ Definition of CSS :~

CSS stands for Cascading Style Sheet. CSS are a series of instruments that specify how text should appear on web pages .you can use CSS to set styles for text, font, border, list and background.

○ Advantages of CSS:~

- **CSS save Time**

When most of us first learn html, we get taught to set the font ,face, size, color etc. every time is wasted with CSS, you occurs on a page. that time is wasted with CSS you only occurs have to specify these details once for any elements.

- **Pages Load Faster**

Less code means faster download times.

- **Easy Maintenance**

To change the style of an element, you have only to make an edit on one place.

Introduction to PHP Admin



The full form of PHP is “Hypertext Preprocessor”. Its Original name was “Personal Home Page”



Rasmus Lerdorf software engineer , Apache team Member is the creator and original driving force Behind PHP . The first part of PHP was developed For His personal use in late 1994.



By the middle of 1997. PHP was being used on Approximately 50,000 sites worldwide.



PHP is server – side scripting language, witch can be Embedded in HTML or used as a stand – alone.



PHP doesn’t do anything about what a page looks and Sounds like. In fact , most of what PHP does is Invisible to the end users.



Someone looking at a PHP page will not necessarily Be able to tell that it was not written purely in HTML, because usually the result of PHP is HTML.



PHP is an official module of Apache HTTP server.

PHP is fully cross-platform, meaning it runs native on several flavors of UNIX, as well as on windows and now on Mac OS.

○ Advantages of PHP:~

PHP is one of the most popular server side scripting languages running today. It is used for creating dynamic WebPages that interact with the user offering customized information. PHP offers many advantages; it is fast, stable, secure, easy to use and open source (free).Following are the strength of PHP.

- **Opertaing System:**

PHP can be used on all major operating systems, including Linux, many Unix variants (including HP-UX, Solaris and OpenBSD), Microsoft Windows, Mac OS X, RISC OS, and probably others.

- **Web servers:**

PHP has also support for most of the web servers today. This includes Apache, Microsoft Internet Information Server, Personal Web Server, Netscape and iPlanet servers, Oreilly Website Pro server, Caudium, Xitami, OmniHTTPd, and many others

- **Programming way:**

User also have the choice of using procedural programming or object oriented programming, or a mixture of them.

- **Database:**

One of the strongest and most significant features in PHP is its support for a wide range of databases. Writing a database-enabled web page is incredibly simple. The following databases are currently supported:

Adabas D	InterBase	PostgreSQL
Dbase	FrontBase	SQLite
Hyperwave	MySQL	Velocis
IBM DB2	ODBC	Unix dbm
Hyperwave	MySQL	Velocis

- **Synchronization with HTML:**

PHP code is inserted directly into the HTML that makes up a website. When a visitor comes to the website, the code is executed. Because PHP is a server side technology, the user does not need any special browser or plug-ins to see the PHP in action.

- **Simplicity:**

The beauty of PHP lies in its simplicity. It is easy to understand and learn, especially for those with backgrounds in programming such as C, JavaScript and HTML.

- **Security:**

PHP offers many levels of security to prevent malicious attacks. These security levels can be adjusted in the .ini file.

- **Community support:**

A huge advantage that PHP offers is its community. Since PHP is an open source project, the PHP community is willing to share. If anyone is looking for a particular script, chances are another user has already created something.

Introduction to MySQL

What is My SQL?

MySQL is an open source relational database management system (RDBMS) that uses Structured Query Language (SQL), the most popular language for adding, accessing, and processing data in a database.

○ Features :~

- **Portability:**

MySQL runs on almost every flavor of Unix, as well as Windows and MacOS X. User can obtain binaries or source code for the MySQL server as well as the tools that access it. More ports of the software become available every day. It is almost a given that MySQL will run on all Os.

- **Speed:**

Using techniques such as efficient indexing mechanisms, in memory temporary tables, and highly optimized join algorithms, MySQL executes most queries much faster than most other database systems

- **Scalability:**

Because of its modularity and its flexibility in configuration, MySQL can run in systems varying in size from embedded systems to large multiprocessor Unix servers hosting databases with tens of millions of records.

- **Flexibility:**

MySQL lets user to choose the table types that they need to meet their Software's requirements, ranging from in-memory heap tables, fast on-disk MyISAM tables, merge tables that group together other sets of tables to form larger "virtual" tables, and transaction-safe tables

- **Ease of use**

MySQL is easy to install and administer. While other database systems require special knowledge and training, not to mention special operating system configurations, MySQL can be installed in less than 10 minutes if user has done it before MySQL requires little maintenance and administration other than adding or changing user permissions and creating or removing databases

1. Relational Database System:~

Like almost all other database systems on the market, MySQL is relational database system.

2. Client/Server Architecture:~

MySQL is a client/server system. There is a database server (MySQL) and arbitrarily many clients (application programs), who communicate with the server; that is, they query data, save changes, etc. The clients can run on the same computer as the server or on another computer (communication via a local network or the Internet).

○ Limitation:~

In using MyISAM tables, MySQL is not able to execute hot backups, which are backups during operation without blocking the tables with locks. Here again, the solution is InnoDB, though here the hot backup function is available only in the form of a commercial supplement.

Many database systems offer the possibility of defining custom data types. MySQL does not support such functionality, nor is any currently planned.

System Requirements

It specified minimum requirement of any project. It contain hardware and software requirements of project. The detail about minimum system requirement in this project as given bellow.

a. Platform (Software):~

-  Windows XP
-  Windows 98
-  Windows any other platform

b. Front End And Back End Tools (Software):~

Front End Tools:

- HTML
- PHP

Back End:

- MySQL

c. Hardware Requirement Specification:~

-  512 MB RAM.
-  PHP : Version 7.3 or Greater
-  MySQL version 5.0.15 or grater or any version of mariaDB
-  WEB server –Apache or nginx

Cost and Benefit Analysis

○ Feasibility Study:~

Feasibility study provides us information about cost of our project. This work on three-feature technical, economical, operational feasibility study.

- **Technical:**

Technical feasibility check the project is technically possible or not. Technical feasibility can work for the project to be done with current equipment, existing software technology & available personnel. There is need for new technology.

- **Economical:**

Economical Feasibility check, there are sufficient benefits to creating the system. It determines costs and expected of each of the alternative

- **Operational:**

Will the system be used if it is developed & implemented?

Will there be resistance from user that will undermine the possible application the possible application benefits?

Fact Finding Techniques

The analysis doesn't know the working process of the user for which, he is going to develop information system. The analyst use specific methods for collecting data about requirement, which is called fact-finding technique.

It includes the interview, questionnaire and record review. Analyst employees more than one of these techniques to help an accurate and comprehensive investigation. Analyst requires progressive lower level of detail for logical design. Hence it is also true that two project are never same in an information system. It means that analyst must use information-gathering tool.

- **Interview:~**

This is technique is used to collect information from individual or from groups. It is an art better learned from practice than books. It is an individual technique to gather qualitative information, opinions, policies, suggestion, underlying problem etc. •

- **Questionnaires:~**

This technique is used to collect information from large number of people. Questionnaires give to every person and they fill Questionnaires. According to their answer decision are taken.

- **Record Review:~**

A good analyst gets facts from documentation. An existing system can be better understood by examining existing documents, forms and files. This record review can take place at beginning of the system study or later in the study for comparing actual operation with what the records indicates.

- **Observation:~**

Observation can bring in missed facts, new ways to improve the existing procedures, duplicate work done inadvertently etc. Observation provides close view of working of real system. This task is delicate because people do not like to be observer when they work.

System Development Life Cycle(SDLC)

- Feasibility Study
- Requirements and specification
- Design
- Coding and testing
- Implementation




Feasibility Study					
	Require- Ment Specifica- Tion				
		Design			
			Description		
				Implemen- tation	
					Documan- Tation
10 Days	10 Days	10 Days	20 Days	10 Days	5 Days

Data Dictionary


Data dictionary is the center responsibility of information about system and Organization. Data dictionary contain a list of team and their meaning for all data items and data storages of the system.

Show tables:~

~: Admin :~



~: Delivery Persons :~



Showing rows 0 - 2 (3 total, Query took 0.0005 seconds.) [Did: 1... - 3...]

```
SELECT * FROM `delivery_persons` ORDER BY `Did` ASC
```


Number of rows: 25 Filter rows: Search this table Sort by key: PRIMARY (ASC)

Did	name	email	password	city
1	jenny	j@gmail.com	\$2y\$10\$/TGKw7XaQpyG8puHqKjM2JOmaYzspGTP97gccFse...	Rajkot
2	pratika	p@gmail.com	\$2y\$10\$/y.11KiOE6jbt4j15XPMRulbzuCGXQmPneSKmliBvH...	surat
3	ekta	e@gmail.com	\$2y\$10\$/d8aQB9fSHbxuBplch/MjuAuzmiGRBGhCjbt1VYHST...	Ahemdabad

Query results operations: Print, Copy to clipboard, Export, Display chart, Create view

Bookmark this SQL query

~: Food Donations:~




Showing rows 0 - 8 (9 total, Query took 0.0009 seconds.) [Fid: 1... - 9...]

```
SELECT * FROM `food_donations` ORDER BY `Fid` ASC
```

Number of rows: 25 Filter rows: Search this table Sort by key: PRIMARY (ASC)

Fid	name	email	food	type	category	quantity	date	address	location	phoneno	assigned_to	delivery_by
1	jenny	jenny@gmail.com	pav-bhaji	veg	cooked-food	120 pice	2024-10-21 11:57:01	surat	rajkot	8216347891	NULL	1
2	jenny	jenny@gmail.com	fryms	veg	cooked-food	12	2024-11-26 16:58:43	surat	rajkot	1234567890	NULL	1
3	avni	avni@gmail.com	sandwich	veg	raw-food	10	2024-11-26 17:46:58	ahemdabad	ahemdabad	1234567890	NULL	3
4	avni	avni@gmail.com	dhsa	veg	packed-food	5	2024-11-26 18:32:10	rajkot	rajkot	1234567890	NULL	1
5	avni	avni@gmail.com	sak	veg	raw-food	12	2024-12-01 11:49:21	amrell	amrell	1234567890	NULL	NULL
6	Bansi	bansi@gmail.com	dal-bhat	veg	cooked-food	20	2024-12-02 21:20:44	gondal	surat	9876543210	NULL	NULL
7	riddhi	riddhi@gmail.com	Dosa	veg	cooked-food	5	2024-12-04 11:03:02	baroda	rajkot	7889765556	NULL	NULL
8	avni	avni@gmail.com	Dosa	veg	packed-food	5	2024-12-17 10:09:14	baroda	rajkot	7889765556	NULL	NULL
9	avni	avni@gmail.com	Dosa	veg	packed-food	5	2024-12-26 17:30:11	rajkot	surat	1234567890	NULL	NULL

~: Login:~



Showing rows 0 - 3 (4 total, Query took 0.0007 seconds)

```
SELECT * FROM `login`
```

Extra options


	id	name	email	password	gender
☐	1	avni	avni@gmail.com	\$2y\$10\$voV807dP5Og0Bx7zmdcGok3i4OyGZ2Rb2LH0P1L...	female
☐	2	Bansi	bansi@gmail.com	\$2y\$10\$ShkeYwYCTxj9wZXTZjP0C5E6zU9RuhkXisdfbzMC...	female
☐	3	jenny	jenny@gmail.com	\$2y\$10\$JCGS2kh2BtLjYkSnbhJhOrMG83JZf6mVZ2x1d5Bt...	female
☐	4	riddhi	riddhi@gmail.com	\$2y\$10\$ZxLTC6P2Z.aVRkySth.MIZbBYDL2hBYmdbwj41ox...	female

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query

~: User Feedback :~



Showing rows 0 - 3 (4 total, Query took 0.0006 seconds) [feedback_id: 1... - 4...]

```
SELECT * FROM `user_feedback` ORDER BY `feedback_id` ASC
```

Extra options

	feedback_id	name	email	message
☐	1	John Smith	john@example.com	I really enjoyed using your product!
☐	2	jenny	katba@gmail.com	you are amazing
☐	3	avni	avni@gmail.com	your service is amazing
☐	4	bansi	bansi@gmail.com	your service is good for needy people

Query results operations

Print Copy to clipboard Export Display chart Create view

Bookmark this SQL query


DFD Diagram

Context Level DFD


0 Level DFD



1st level DFD




2St level DFD (Admin)




Project Webpage

~:web page:~




Admin Panel Webpage

~:Sign in page:~



A screenshot of a web browser showing the sign-in page for an admin panel. The browser's address bar displays 'localhost:31/foodwaste/admin/signin.php'. The page has a solid green background. In the center, there is a white rectangular box containing the login form. The form is titled 'Login' in bold. It includes two input fields: 'Email' and 'Password'. The 'Password' field has a small eye icon to its right for toggling visibility. Below the input fields is a black button with the text 'Login' in white. At the bottom of the form, there is a link that says 'Don't have an account? Register'.


~:Admin Dashboard:~



A screenshot of the admin dashboard for 'Food Donate'. The browser address bar shows 'localhost:31/foodwaste/admin/admin.php'. The dashboard has a white background with a dark sidebar on the left. The sidebar contains the word 'ADMIN' at the top, followed by a menu with icons and labels: 'Dashboard', 'Analytics', 'Donates', 'Feedbacks', and 'Profile'. At the bottom of the sidebar are 'Logout' and a 'Dark Mode' toggle switch. The main content area is titled 'Food Donate' and 'Dashboard'. It features three large colored cards: a blue card for 'Total users' with the value '4', a yellow card for 'Feedbacks' with the value '4', and a purple card for 'Total doantes' with the value '9'. Below these cards is a section titled 'Recent Donations' which contains a table with the following data:

NAME	FOOD	CATEGORY	PHONENO	DATE/TIME	ADDRESS	QUANTITY
jenny	pav-bhaji	cooked-food	8216347891	2024-10-21 11:57:01	surat	120 pice
jenny	fryms	cooked-food	1234567890	2024-11-26 16:58:43	surat	12
avni	sandwich	raw-food	1234567890	2024-11-26 17:46:58	ahemdabad	10

~:Analytics Page:~




~:Donations:~

The screenshot displays the 'Food Donate' donations page. The left sidebar contains navigation links: Dashboard, Analytics, Donates, Feedbacks, and Profile. The main content area features a 'Select Location' dropdown menu set to 'Rajkot' and a 'Get Details' button. Below this is a table titled 'Food Donate in Rajkot:' showing a list of donations.


NAME	FOOD	CATEGORY	PHONENO	DATE/TIME	ADDRESS	QUANTITY
jenny	pav-bhaji	cooked-food	8216347891	2024-10-21 11:57:01	surat	120 pice
jenny	fryms	cooked-food	1234567890	2024-11-26 16:58:43	surat	12
avni	dhosa	packed-food	1234567890	2024-11-26 18:32:10	rajkot	5
riddhi	Dosa	cooked-food	7889765556	2024-12-04 11:03:02	baroda	5
avni	Dosa	packed-food	7889765556	2024-12-17 10:09:14	baroda	5

~:Feedback:~



NAME	EMAIL	MESSAGE
John Smith	john@example.com	I really enjoyed using your product!
jenny	katbaj@gmail.com	you are amazing
avni	avni@gmail.com	your service is amazing
bansi	bansi@gmail.com	your service is good for needy people

~:Dark Mode:~




NAME	FOOD	CATEGORY	PHONENO	DATE/TIME	ADDRESS	QUANTITY
jenny	pav-bhaji	cooked-food	8216347891	2024-10-21 11:57:01	surat	120 pice
jenny	fryms	cooked-food	1234567890	2024-11-26 16:58:43	surat	12
avni	sandwich	raw-food	1234567890	2024-11-26 17:46:58	ahemdabad	10
avni	dhosa	packed-food	1234567890	2024-11-26 18:32:10	rajkot	5
avni	sak	raw-food	1234567890	2024-12-01 11:49:21	amreli	12
Bansi	dal-bhat	cooked-food	9876543210	2024-12-02 21:20:44	gondal	20
riddhi	Dosa	cooked-food	7889765556	2024-12-04 11:03:02	baroda	5
avni	Dosa	packed-food	7889765556	2024-12-17 10:09:14	baroda	5
avni	Dosa	packed-food	1234567890	2024-12-26 17:30:11	rajkot	5


Clientside Panel Webpage

1. Home
2. About
3. Contact
4. Profile


Home Page:~




About:~




Contact:~




Chatbot:~



Profile:~




~:Food Donate Form:~



The screenshot shows a web browser window with the address bar displaying "localhost:81/foodwaste/fooddonateform.php". The page has a green background. In the center, there is a white form titled "Food Donate". The form contains the following fields and options:

- Food Name:** A text input field.
- Meal type :** Two radio buttons labeled "Veg" and "Non-veg".
- Select the Category:** Three image-based buttons labeled "Raw Food", "Cooked Food", and "Packaged Food".
- Quantity:(number of person /kg)** A text input field.


~:Registration Form:~



The screenshot shows a web browser window with the address bar displaying "localhost:81/foodwaste/signup.php". The page has a green background. In the center, there is a white form titled "Food Donate" with the subtitle "Create your account". The form contains the following fields and options:

- User name** A text input field.
- Email** A text input field.
- Password** A text input field with a toggle icon on the right.
- Gender:** Two radio buttons labeled "Male" and "Female".
- Continue** A black button with white text.
- Already have an account?** A link labeled "Sign in" in purple.


~:Login Form:~



The screenshot shows a web browser window with the address bar displaying 'localhost:81/foodwaste/signin.php'. The page has a solid green background. In the center, there is a white rectangular login form. At the top of the form, it says 'Food Donate' with 'Donate' in green. Below that, it says 'Welcome back !'. There are two input fields: 'Email address' and 'Password'. The 'Password' field has a small eye icon to its right. Below the input fields is a black button with the text 'Sign in' in white. At the bottom of the form, it says 'Don't have an account? [Register](#)'.

Delivery Person Webpage

~:Delivery Person Registration:~



A screenshot of a web browser displaying a registration form titled "Register". The form is centered on a white background. It contains four input fields: "Username", "Password", "Email", and "Surat" (with a dropdown arrow). Below the fields is a blue "Register" button. At the bottom, there is a link "Already a member? Signin". The browser's address bar shows "localhost:81/foodwaste/delivery/deliverysignup.php".

Register

Username

Password


Email

Surat ▼

Register

Already a member? [Signin](#)

~:Login Page:~



A screenshot of a web browser displaying a login form titled "Delivery Login". The form is centered on a white background. It contains two input fields: "Email" and "Password". Below the fields is a blue "Login" button. At the bottom, there is a link "Not a member? Signup". The browser's address bar shows "localhost:81/foodwaste/delivery/deliverylogin.php".

Delivery Login

Email

Password

Login

Not a member? [Signup](#)

~:Take Order::~~

localhost:81/foodwaste/delivery/delivery.php

Food **Donate**

Home map myorders

Welcome ekta



your Location : Ahemdabad

My orders

NAME	FOOD	CATEGORY	PHONENO	DATE/TIME	PICKUP ADDRESS	DELIVERY ADDRESS	ACTION
jenny	pav-bhaji	cooked-food	Search 8216347891	2024-10-21 11:57:01	surat	rajkot	Order assigned to another delivery

~:My Orders::~~

localhost:81/foodwaste/delivery/deliverymyord.php

Food **Donate**


Home map myorders



Order assigned to you

NAME	FOOD	CATEGORY	PHONENO	DATE/TIME	PICKUP ADDRESS	DELIVERY ADDRESS
jenny	pav-bhaji	cooked-food	8216347891	2024-10-21 11:57:01	surat	rajkot
jenny	fryms	cooked-food	1234567890	2024-11-26 16:58:43	surat	rajkot
ekta	sandwich	raw-food	1234567890	2024-11-26 17:46:58	ahemdabad	ahemdabad

~:Map::~




~:View Orders::~

jenny	pav-bhaji	cooked-food	8216347891	2024-10-21 11:57:01	surat	rajkot	another delivery person
jenny	fryms	cooked-food	1234567890	2024-11-26 16:58:43	surat	rajkot	Order assigned to another delivery person
avni	sandwich	raw-food	1234567890	2024-11-26 17:46:58	ahemdabad	ahemdabad	Order assigned to you
avni	dhosa	packed-food	1234567890	2024-11-26 18:32:10	rajkot	rajkot	Order assigned to another delivery person
avni	sak	raw-food	1234567890	2024-12-01 11:49:21	amreli	amreli	Take order
Bansi	dal-bhat	cooked-food	9876543210	2024-12-02 21:20:44	gondal	surat	Take order
riddhi	Dosa	cooked-food	7889765556	2024-12-04 11:03:02	baroda	rajkot	Take order
avni	Dosa	packed-food	7889765556	2024-12-17 10:09:14	baroda	rajkot	Take order
avni	Dosa	packed-food	1234567890	2024-12-26 17:30:11	rajkot	surat	Take order

ABOUT TESTING

This is the most crucial phase in the software development cycle. The developed application is thoroughly tested. Testing procedures and requirements differ with the nature of the product. It basically involves running through the whole application and verifying that the functionality is as per the designs.



process is an iterative one with information being fed back from later stages to earlier parts of the process. The stage defines to earlier parts of the process. The stages defined in the above figure are explained as further :

Unit Testing

Individual components are tested to ensure that they operate correctly. Each component is tested independently without other system components. For example, whether an individual procedure is working properly or not is tested here.

Module Testing

A module is a collection of dependent components. A module encapsulates related components so that it can be tested without other system modules. In this project, one module is their, which contains a procedure, which is used by the project.

Sub-System Testing

This phase involves testing of collection of modules, which have been integrated into sub-systems. In this project, public module is, which is used by the project.

System Testing

The sub-systems are integrated to make the entire system. This testing process is concerned with finding errors, which normally results from unanticipated interaction between subsystem and components.

Acceptance Testing

This is the final test in the testing process before the system is accepted for operational use, some times called alpha testing. This process states whether the project satisfies all requirements specified by the customer or not

BIBLIOGRAPHY

We are creating this project initial stage of our currier. To complete this project we refer books and website to learn many topics. Those are very useful to create this project. We use following books and websites :

Books:

- "Learning Web Design: A Beginner's Guide to HTML, CSS, JavaScript, and Web Graphics" by Jennifer Niederst Robbins
- "PHP and MySQL for Dynamic Web Sites: Visual QuickPro Guide" by Larry Ullman

WebSites:

- <https://www.w3schools.com/>
- <https://www.theodinproject.com/>
- https://www.w3schools.com/php/php_mysql_intro.asp

SUGGESTION

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.

