

Protocols from Yao CK et al. (2017) "Flower Ca²⁺ channel in CME and ADBE"

Chi-Kuang Yao, Yu-Tzu Liu, I-Chi Lee, You-Tung Wang, Ping-Yen Wu

Abstract

This is a collection of protocols from 'Flower Ca²⁺ channel in CME and ADBE' of Yao CK et al. (2017).

Please see the manuscript for the full method details.

References:

1. Haucke V, Neher E, Sigrist SJ (2011) Protein scaffolds in the coupling of synaptic exocytosis and endocytosis. *Nat Rev Neurosci* 12: 127-138.
2. Wu LG, Hamid E, Shin W, Chiang HC (2014) Exocytosis and endocytosis: modes, functions, and coupling mechanisms. *Annu Rev Physiol* 76: 301-331.
3. Kononenko NL, Haucke V (2015) Molecular mechanisms of presynaptic membrane retrieval and synaptic vesicle reformation. *Neuron* 85: 484-496.
4. Saheki Y, De Camilli P (2012) Synaptic vesicle endocytosis. *Cold Spring Harb Perspect Biol* 4: a005645.
5. Granseth B, Odermatt B, Royle SJ, Lagnado L (2006) Clathrin-mediated endocytosis is the dominant mechanism of vesicle retrieval at hippocampal synapses. *Neuron* 51: 773-786.
6. Zhu Y, Xu J, Heinemann SF (2009) Two pathways of synaptic vesicle retrieval revealed by single-vesicle imaging. *Neuron* 61: 397-411.
7. Wu W, Wu LG (2007) Rapid bulk endocytosis and its kinetics of fission pore closure at a central synapse. *Proc Natl Acad Sci U S A* 104: 10234-10239.
8. Clayton EL, Evans GJ, Cousin MA (2008) Bulk synaptic vesicle endocytosis is rapidly triggered during strong stimulation. *J Neurosci* 28: 6627-6632.
9. Littleton JT, Stern M, Schulze K, Perin M, Bellen HJ (1993) Mutational analysis of *Drosophila* synaptotagmin demonstrates its essential role in Ca(2+)-activated neurotransmitter release. *Cell* 74: 1125-1134.
10. Poskanzer KE, Marek KW, Sweeney ST, Davis GW (2003) Synaptotagmin I is necessary for compensatory synaptic vesicle endocytosis in vivo. *Nature* 426: 559-563.
11. Xu J, Luo F, Zhang Z, Xue L, Wu XS, et al. (2013) SNARE proteins synaptobrevin, SNAP-25, and syntaxin are involved in rapid and slow endocytosis at synapses. *Cell Rep* 3:

- 1414-1421.
12. Yao J, Kwon SE, Gaffaney JD, Dunning FM, Chapman ER (2012) Uncoupling the roles of synaptotagmin I during endo- and exocytosis of synaptic vesicles. *Nat Neurosci* 15: 243-249.
 13. Poskanzer KE, Fetter RD, Davis GW (2006) Discrete residues in the c(2)b domain of synaptotagmin I independently specify endocytic rate and synaptic vesicle size. *Neuron* 50: 49-62.
 14. Nicholson-Tomishima K, Ryan TA (2004) Kinetic efficiency of endocytosis at mammalian CNS synapses requires synaptotagmin I. *Proc Natl Acad Sci U S A* 101: 16648-16652.
 15. Nicholson-Fish JC, Kokotos AC, Gillingwater TH, Smillie KJ, Cousin MA (2015) VAMP4 Is an Essential Cargo Molecule for Activity-Dependent Bulk Endocytosis. *Neuron* 88: 973-984.
 16. Gad H, Low P, Zotova E, Brodin L, Shupliakov O (1998) Dissociation between Ca²⁺-triggered synaptic vesicle exocytosis and clathrin-mediated endocytosis at a central synapse. *Neuron* 21: 607-616.
 17. Hosoi N, Holt M, Sakaba T (2009) Calcium dependence of exo- and endocytotic coupling at a glutamatergic synapse. *Neuron* 63: 216-229.
 18. Wu XS, McNeil BD, Xu J, Fan J, Xue L, et al. (2009) Ca(2+) and calmodulin initiate all forms of endocytosis during depolarization at a nerve terminal. *Nat Neurosci* 12: 1003-1010.
 19. Marks B, McMahon HT (1998) Calcium triggers calcineurin-dependent synaptic vesicle recycling in mammalian nerve terminals. *Curr Biol* 8: 740-749.
 20. Sankaranarayanan S, Ryan TA (2001) Calcium accelerates endocytosis of vSNAREs at hippocampal synapses. *Nat Neurosci* 4: 129-136.
 21. Wu XS, Zhang Z, Zhao WD, Wang D, Luo F, et al. (2014) Calcineurin is universally involved in vesicle endocytosis at neuronal and nonneuronal secretory cells. *Cell Rep* 7: 982-988.
 22. Sun T, Wu XS, Xu J, McNeil BD, Pang ZP, et al. (2010) The role of calcium/calmodulin-activated calcineurin in rapid and slow endocytosis at central synapses. *J Neurosci* 30: 11838-11847.
 23. Xue L, Zhang Z, McNeil BD, Luo F, Wu XS, et al. (2012) Voltage-dependent calcium channels at the plasma membrane, but not vesicular channels, couple exocytosis to endocytosis. *Cell Rep* 1: 632-638.
 24. Yao CK, Lin YQ, Ly CV, Ohyama T, Haueter CM, et al. (2009) A synaptic vesicle-associated Ca²⁺ channel promotes endocytosis and couples exocytosis to endocytosis. *Cell* 138: 947-960.
 25. Jan LY, Jan YN (1982) Antibodies to horseradish peroxidase as specific neuronal markers in *Drosophila* and in grasshopper embryos. *Proc Natl Acad Sci U S A* 79: 2700-2704.
 26. Morton A, Marland JR, Cousin MA (2015) Synaptic vesicle exocytosis and increased cytosolic calcium are both necessary but not sufficient for activity-dependent bulk endocytosis. *J Neurochem* 134: 405-415.
 27. Akbergenova Y, Bykhovskaia M (2009) Enhancement of the endosomal endocytic pathway increases quantal size. *Mol Cell Neurosci* 40: 199-206.
 28. Stevens RJ, Akbergenova Y, Jorquera RA, Littleton JT (2012) Abnormal synaptic vesicle biogenesis in *Drosophila* synaptogyrin mutants. *J Neurosci* 32: 18054-18067, 18067a.
 29. Vijayakrishnan N, Woodruff EA, 3rd, Broadie K (2009) Rolling blackout is required for bulk endocytosis in non-neuronal cells and neuronal synapses. *J Cell Sci* 122: 114-125.
 30. Meunier FA, Nguyen TH, Colasante C, Luo F, Sullivan RK, et al. (2010) Sustained synaptic-vesicle recycling by bulk endocytosis contributes to the maintenance of high-rate neurotransmitter release stimulated by glycerotoxin. *J Cell Sci* 123: 1131-1140.
 31. Kasprowicz J, Kuenen S, Miskiewicz K, Habets RL, Smits L, et al. (2008) Inactivation of clathrin heavy chain inhibits synaptic recycling but allows bulk membrane uptake. *J Cell*

Biol 182: 1007-1016.

32. Heerssen H, Fetter RD, Davis GW (2008) Clathrin dependence of synaptic-vesicle formation at the *Drosophila* neuromuscular junction. *Curr Biol* 18: 401-409.
33. Kasprówic J, Kuenen S, Swerts J, Miskiewicz K, Verstreken P (2014) Dynamin photoinactivation blocks Clathrin and alpha-adaptin recruitment and induces bulk membrane retrieval. *J Cell Biol* 204: 1141-1156.
34. Vanlandingham PA, Barmchi MP, Royer S, Green R, Bao H, et al. (2014) AP180 couples protein retrieval to clathrin-mediated endocytosis of synaptic vesicles. *Traffic* 15: 433-450.
35. Chen TW, Wardill TJ, Sun Y, Pulver SR, Renninger SL, et al. (2013) Ultrasensitive fluorescent proteins for imaging neuronal activity. *Nature* 499: 295-300.
36. Koh TW, Verstreken P, Bellen HJ (2004) Dap160/intersectin acts as a stabilizing scaffold required for synaptic development and vesicle endocytosis. *Neuron* 43: 193-205.
37. Koh TW, Korolchuk VI, Wairkar YP, Jiao W, Evergren E, et al. (2007) Eps15 and Dap160 control synaptic vesicle membrane retrieval and synapse development. *J Cell Biol* 178: 309-322.
38. Marie B, Sweeney ST, Poskanzer KE, Roos J, Kelly RB, et al. (2004) Dap160/intersectin scaffolds the periaction zone to achieve high-fidelity endocytosis and normal synaptic growth. *Neuron* 43: 207-219.
39. Atlas D (2013) The voltage-gated calcium channel functions as the molecular switch of synaptic transmission. *Annu Rev Biochem* 82: 607-635.
40. Sather WA, McCleskey EW (2003) Permeation and selectivity in calcium channels. *Annu Rev Physiol* 65: 133-159.
41. Petrova E, Lopez-Gay JM, Rhiner C, Moreno E (2012) Flower-deficient mice have reduced susceptibility to skin papilloma formation. *Dis Model Mech* 5: 553-561.
42. Chao HW, Hong CJ, Huang TN, Lin YL, Hsueh YP (2008) SUMOylation of the MAGUK protein CASK regulates dendritic spinogenesis. *J Cell Biol* 182: 141-155.
43. Ran FA, Hsu PD, Wright J, Agarwala V, Scott DA, et al. (2013) Genome engineering using the CRISPR-Cas9 system. *Nat Protoc* 8: 2281-2308.
44. Willox AK, Royle SJ (2012) Stonin 2 is a major adaptor protein for clathrin-mediated synaptic vesicle retrieval. *Curr Biol* 22: 1435-1439.
45. Renden R, von Gersdorff H (2007) Synaptic vesicle endocytosis at a CNS nerve terminal: faster kinetics at physiological temperatures and increased endocytotic capacity during maturation. *J Neurophysiol* 98: 3349-3359.
46. Nouvian R (2007) Temperature enhances exocytosis efficiency at the mouse inner hair cell ribbon synapse. *J Physiol* 584: 535-542.
47. Atluri PP, Ryan TA (2006) The kinetics of synaptic vesicle reacidification at hippocampal nerve terminals. *J Neurosci* 26: 2313-2320.
48. Kwon SE, Chapman ER (2011) Synaptophysin regulates the kinetics of synaptic vesicle endocytosis in central neurons. *Neuron* 70: 847-854.
49. Wenzel EM, Morton A, Ebert K, Welzel O, Kornhuber J, et al. (2012) Key physiological parameters dictate triggering of activity-dependent bulk endocytosis in hippocampal synapses. *PLoS One* 7: e38188.
50. Winther AM, Jiao W, Vorontsova O, Rees KA, Koh TW, et al. (2013) The dynamin-binding domains of Dap160/intersectin affect bulk membrane retrieval in synapses. *J Cell Sci* 126: 1021-1031.
51. Rodal AA, Blunk AD, Akbergenova Y, Jorquera RA, Buhl LK, et al. (2011) A presynaptic endosomal trafficking pathway controls synaptic growth signaling. *J Cell Biol* 193: 201-217.
52. Kawasaki F, Hazen M, Ordway RW (2000) Fast synaptic fatigue in shibire mutants reveals a rapid requirement for dynamin in synaptic vesicle membrane trafficking. *Nat Neurosci* 3:

859-860.

53. Takamori S, Holt M, Stenius K, Lemke EA, Grønborg M, et al. (2006) Molecular anatomy of a trafficking organelle. *Cell* 127: 831-846.
54. Vig M, Beck A, Billingsley JM, Lis A, Parvez S, et al. (2006) CRACM1 multimers form the ion-selective pore of the CRAC channel. *Curr Biol* 16: 2073-2079.
55. Owsianik G, Talavera K, Voets T, Nilius B (2006) Permeation and selectivity of TRP channels. *Annu Rev Physiol* 68: 685-717.
56. Ohyama T, Verstreken P, Ly CV, Rosenmund T, Rajan A, et al. (2007) Huntingtin-interacting protein 14, a palmitoyl transferase required for exocytosis and targeting of CSP to synaptic vesicles. *J Cell Biol* 179: 1481-1496.
57. Parnas D, Haghighi AP, Fetter RD, Kim SW, Goodman CS (2001) Regulation of postsynaptic structure and protein localization by the Rho-type guanine nucleotide exchange factor dPix. *Neuron* 32: 415-424.
58. Lahey T, Gorczyca M, Jia XX, Budnik V (1994) The *Drosophila* tumor suppressor gene *dlg* is required for normal synaptic bouton structure. *Neuron* 13: 823-835.
59. Wagh DA, Rasse TM, Asan E, Hofbauer A, Schwenkert I, et al. (2006) Bruchpilot, a protein with homology to ELKS/CAST, is required for structural integrity and function of synaptic active zones in *Drosophila*. *Neuron* 49: 833-844.
60. Stewart BA, Atwood HL, Renger JJ, Wang J, Wu CF (1994) Improved stability of *Drosophila* larval neuromuscular preparations in haemolymph-like physiological solutions. *J Comp Physiol A* 175: 179-191.

Citation: Chi-Kuang Yao, Yu-Tzu Liu, I-Chi Lee, You-Tung Wang, Ping-Yen Wu Protocols from Yao CK et al. (2017) "Flower Ca²⁺ channel in CME and ADBE". **protocols.io**

[dx.doi.org/10.17504/protocols.io.hgbb3sn](https://doi.org/10.17504/protocols.io.hgbb3sn)

Published: 04 Apr 2017

Collection

PROTOCOLS

1. [RT-PCR from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

2. [Immunohistochemistry \(Immunostaining in fly NMJ boutons\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

3. [Immunohistochemistry \(immunostaining cultured rat hippocampal neurons\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

4. [Generation of mFwe knockout n2a cells from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

5. [Fractionation from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

6. [FM1-43 dye uptake \(CME induction\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

7. [FM1-43 dye uptake \(chlorpromazine treatment \) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

8. [FM1-43 dye uptake \(loading/unloading assays\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

9. [Ca²⁺ imaging \(GCaMP6f\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

10. [Ca²⁺ imaging \(salivary glands\) from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

11. [Electrophysiology from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

12. [TEM from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)

13. [SypHy imaging and dextran uptake assays from Yao CK et al. \(2017\)](#)

CONTACT: [Chi-Kuang Yao](#)