



Aug 17,  
2019

## PCR-based assay for genotyping of the slick mutation in cattle [↗](#)

Elizabeth Jannaman<sup>1</sup>, M. Sofia Ortega<sup>2</sup>, Tad S. Sonstegard<sup>3</sup>, Peter J. Hansen<sup>1</sup>

<sup>1</sup>University of Florida, <sup>2</sup>University of Missouri - Columbia, <sup>3</sup>Recombinetics, Inc.

1

Works for me

dx.doi.org/10.17504/protocols.io.6kxhcxn

University of Florida Bovine Embryo Lab

Tech. support email: [hansen@animal.ufl.edu](mailto:hansen@animal.ufl.edu)



Peter J. Hansen  
University of Florida



### ABSTRACT

Several mutations exist in the prolactin receptor gene (PRLR) of cattle that cause a short, sleek hair coat.. The mutation is dominant so slick-haired cattle can have either one or two copies of the mutation. The assay described here detects the most-well studied mutation (SLICK1) that causes translation of a truncated PRLR of 461 amino acids. Originally described in Senepol cattle, this mutation has also been introduced into Holsteins in Puerto Rico, Florida and elsewhere. Note that the assay will not detect other mutations in PRLR that also cause the slick phenotype.

### EXTERNAL LINK

[https://animal.ifas.ufl.edu/hansen/lab\\_protocol\\_docs/SLICK.pdf](https://animal.ifas.ufl.edu/hansen/lab_protocol_docs/SLICK.pdf)

□

SLICK.pdf

1



This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited