OPEN ACCESS



Protocol for data collection on drugs use in inpatients

Paulo Henrique Santos Andrade, Iza Maria Fraga Lobo, Wellington Barros da Silva

Abstract

Forms used for data collection in the study entitled: "Risk factors for adverse drug reactions in pediatric inpatients: a cohort study"

Forms 1 and 2 must be used in the first pharmaceutical consultation after hospital admission of the patient:

- i) form 1 is aimed at obtaining information on the prior history of ADR of the patient; and
- ii) form 2 is aimed at obtaining information on the prior history of use of the drug.

Forms 3-6 must be used for the daily recording of information observed in medical prescriptions.

- i) form 3 is used to record potential drug interactions;
- ii) form 4 for registration of off-label drugs prescribed;
- iii) form 5 for the daily recording of the use of drugs; and
- iv) form 6 for daily monitoring of prescription errors.

Furthermore, form 7 must be used for the registration of abnormal laboratory tests or other suspected adverse events.

Citation: Paulo Henrique Santos Andrade, Iza Maria Fraga Lobo, Wellington Barros da Silva Protocol for data collection on drugs use in inpatients. **protocols.io**

dx.doi.org/10.17504/protocols.io.iqqcdvw

Published: 29 Jun 2017

Guidelines

Forms 1 and 2 must be used in the first pharmaceutical consultation after hospital admission of the patient:

i) form 1 is aimed at obtaining information on the prior history of ADR of the patient; and

ii) form 2 is aimed at obtaining information on the prior history of use of the drug.

Forms 3-6 must be used for the daily recording of information observed in medical prescriptions.

- i) form 3 is used to record potential drug interactions;
- ii) form 4 for registration of off-label drugs prescribed;
- iii) form 5 for the daily recording of the use of drugs; and
- iv) form 6 for daily monitoring of prescription errors.

Furthermore, form 7 must be used for the registration of abnormal laboratory tests or other suspected adverse events.

Protocol

Warnings

Because this protocol deals with forms, no safet warnings are required.