



Protocol for Mycobacterium ulcerans DNA detection in mosquitoes using qPCR

Avishek Singh 1, William John Hannan McBride 1, Brenda Govan 2, Mark Pearson 3 and Scott A. Ritchie4 1Cairns Clinical School³, Scott A. Ritchie⁴

¹Cairns Clinical School, College of Medicine and Dentistry, James Cook University, Cairns City, QLD 4870, Australia, ²College of Public Health, Medical & Vet Sciences, James Cook University, Townsville, QLD 4811, Australia; brenda.govan@jcu.edu.au, ³Australian Institute of Tropical Health & Medicine, James Cook University, Smithfield, QLD 4878, Australia; mark.pearson@jcu.edu.au, ⁴College of Public Health, Medical and Veterinary Sciences, James Cook University, Smithfield, QLD 4878, Australia; Australian Institute of Tropical Health and Medicine (AITHM), James Cook University, Smithfield, QLD 4878, Australia; scott.ritchie@jcu.edu.au

dx.doi.org/10.17504/protocols.io.vqbe5sn



Avishek Singh



ABSTRACT

This protocol outline steps to detect Mycobacterium ulcerans from insect samples. Extraction of DNA is conducted by using FastDNA kit.



Protocol for Mycobacterium ulcerans DNA detection in mosquitoes using qPCR.docx

Document body

This is an open access document distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited