

Jan 07, 2020

Simplified protocol for Agrobacterium-mediated transformation of the liverwort *Marchantia polymorpha,* includes protocols for spore sterilisation

Suvi Honkanen¹, Victor A. S. Jones²

¹University of Western Australia, ²University of Heidelberg



dx.doi.org/10.17504/protocols.io.ba28ighw



ABSTRACT

Simplified protocol for Agrobacterium-mediated transformation of haploid liverwort Marchantia polymorpha spores. See the attached file for all steps, notes and information on reagents. Includes protocols for spore collection, storage and sterilisation.

By Suvi Honkanen and Victor A. S. Jones. Modified from Ishizaki et al. Plant Cell Physiol. 2008 Jul;49(7):1084-91. doi: 10.1093/pcp/pcn085. Developed at the Dolan lab (The University of Oxford) and at the Small lab (The University of Western Australia).

Working on a high-throughput T-DNA mutant screen published in $\frac{https://doi.org/10.1016/j.cub.2016.09.062}{https://doi.org/10.1016/j.cub.2015.11.042}, \\ \frac{https://doi.org/10.1016/j.cub.2015.11.042}{https://doi.org/10.1371/journal.pbio.3000560} \\ taught us a thing or two about Marchantia transformation. I have further refined the protocol during my current semi high-throughput project. I hope you find some of this useful.$

ATTACHMENTS

Agrobacterium mediated transformation of Marchantia polymorpha.docx

This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited