



Feb 21, 2019

In devel.

***E. coli* K12 DNA Extraction**Kenneth Schackart¹¹University of Arizona

dx.doi.org/10.17504/protocols.io.yekftcw

Kenneth Schackart

ABSTRACT

How to extract DNA from *E. coli* K12 using Wizard® Genomic DNA Purification Kit by Promega®.

I do not claim any credit for the development of this protocol. It has been adapted from the protocol detailed in:

[Wizard Genomic DNA Purification.pdf](#)

PROTOCOL STATUS

In development

We are still developing and optimizing this protocol

MATERIALS

| NAME ▾ | CATALOG # ▾ | VENDOR ▾ |
|--|-------------|----------|
| Wizard(R) Genomic DNA Purification Kit | A1620 | Promega |

MATERIALS TEXT

Additional materials:

- 1.5 mL microcentrifuge tubes
- Isopropanol, room temperature
- 70% ethanol, room temperature

Culture bacteria

- 1 Culture *E. coli* K12 in BHI broth overnight.
 2 mg lyophilized *E. coli* K12 in 10 ml BHI broth.

Pellet the cells

- 2 Add 1 ml cell suspension to 1.5 mL microcentrifuge tube.
- 3 Centrifuge at 13,000-16,000 × *g* for 00:02:00 .
- 4 Remove supernatant.

Lyse nuclei

- 5 Add 600 µl of Nuclei Lysis Solution.

6 Gently pipet until the cells are resuspended.

7 Incubate at  80 °C for  00:05:00 to lyse the cells.

8 Cool to room temperature.

Degrade RNA

9 Add  600 µl RNase Solution to the cell lysate.

10 Invert 2-5 times to mix.


11 Incubate at  37 °C for  00:15:00 to  01:00:00 .

12 Cool to room temperature.

Precipitate proteins

13 Add  200 µl of Protein Precipitation Solution to the RNase-treated cell lysate.

14 Vortex vigorously at high speed for  00:00:20 .

15 Incubate on ice for  00:05:00

16 Centrifuge at 13,000-16,000 × *g* for  00:03:00 .

Harvest DNA

17 Transfer the supernatant containing the DNA to a clean 1.5 mL microcentrifuge tube containing  600 µl isopropanol.



Some supernatant may remain in the original tube containing the protein pellet. Leave this residual to avoid contaminating the DNA solution with the precipitated protein.

18 Gently mix by inversion until the thread-like strands of DNA form a visible mass.

Wash and dry DNA

Wash and dry DNA

- 19 Centrifuge at 13,000-16,000 × *g* for 00:02:00 .
- 20 Carefully pour off the supernatant and drain the tube on clean absorbent paper.
- 21 Add 600 µl of 70% ethanol and gently invert the tube several times to wash the DNA pellet.
- 22 Centrifuge at 13,000-16,000 × *g* for 00:02:00 .
- 23 Carefully aspirate the ethanol.
- 24 Drain the tube on clean absorbent paper and allow to air-dry for 10-15 minutes.

Rehydrate DNA

- 25 Add 100 µl of DNA rehydration solution to the tube.
- 26 Rehydrate by incubating the solution overnight at room temperature or 4 °C .
- 27 Store DNA at 2 °C to 8 °C .



This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited