



### Reovirus Viral Purification 👄

Version 2

## Bernardo Mainou<sup>1</sup>

<sup>1</sup>Emory University

dx.doi.org/10.17504/protocols.io.vjhe4j6





ABSTRACT

Purification of mammalian orthoreovirus by CsCl gradient

EXTERNAL LINK

https://doi.org/10.1371/journal.ppat.1006768

THIS PROTOCOL ACCOMPANIES THE FOLLOWING PUBLICATION

Berger AK, Yi H, Kearns DB, Mainou BA (2017) Bacteria and bacterial envelope components enhance mammalian reovirus thermostability. PLoS Pathog 13(12): e1006768. doi: 10.1371/journal.ppat.1006768

Reovirus Purification BAM

PROTOCOL STATUS

#### Working

We use this protocol in our group and it is working

BEFORE STARTING

## Reagents

#### **HO Buffer**

1 mL 1 M Tris, p 7.4 5 mL 5 M NaCl 67 uL B-ME Water to 100 mL Filter sterilize through 0.2 micron membrane

#### **Dialysis Buffer**

120 mL 5M NaCl 60 mL 1M MgCl2 40 mL 1M Tris, pH 7.4 water to 4 L Filter sterilize through 0.2 micron membrane

# 1.2 g/cm<sup>3</sup> CsCl

33.3 g CsCl

Dialysis buffer to 100 mL

Filter sterilize through 0.2 micron membrane

## 1.4 g/cm<sup>3</sup> CsCl

67 g CsCl

Dialysis buffer to 100 mL

Filter sterilize through 0.2 micron membrane



DIALYSISTUBING SP1 8K 10MM 15M 86703 880111 S/P CLOSURES 35MM GREEN 10/PK 21009-284 TUBE CENT AUTOCLAV 50ML PK10 3117-0500 Pellet 4x10<sup>8</sup> spinner-adapted L929 at 2000 x g for 10 min at 4°C. Remove supernatant (can be added back to 1 L bottle to be used during infection). 2 Resuspend cells in total volume of 40 ml (virus in Joklik's Minimum Essential Media without supplements, JMEM). a. Adsorb for 1 h at room temperature with passage 2 or viral prep supernatant at an MOI of 10 PFU/cell with gentle shaking on orbital shaker. Add adsorption mixture to 760 ml JMEM supplemented with 5% FBS, 2mM L-Glutamine, 100 U penicillin per ml, 100 ug streptomycin per ml, and 0.25 mg per ml amphotericin B Incubate on a spinner plate at 34-37°C with environmental CO<sub>2</sub> for 72 h. Spin at 2500 x g for 10 min at 4°C. Remove supernatant and resuspend cells in 7 mL of HO buffer. Suspension may be stored at -20-80°C at this step. If using immediately one freeze/thaw cycle is recommended. Supernatants of infections started with passage 2 reovirus can be stored at 80°C and used for future viral purifications. Thaw HO suspension on ice. 8 Add 100 ul 10% DOC per tube and incubate on ice for >30 min, vortexing every 10 min. Add 2.5 mL Vertrel XF. 10 Sonicate on ice for 1 min to disrupt cells and place on ice. 11 Add additional 2.5 mL Vertrel XF. 12 Sonicate on ice for 1 min to disrupt cells and place on ice. 13 Centrifuge at 9700 x g for 10 min at 4°C. 14

344059

Tube, Thinwall, Ultra-Clear™, 13.2 mL, 14 x 89 mm

15	Transfer aqueous (top) layer to a clean tube and discard pellets.
16	Add 2.5 mL Vertrel XF.
17	Sonicate on ice for 1 min to disrupt cells and place on ice.
18	Centrifuge at 9700 x g for 10 min at 4°C.
19	During second centrifugation step prepare CsCl gradient: a. Add 2.5 mL 1.2 g/mL CsCl and gently underlay with 2.5 mL 1.4 g/mL CsCl being careful to not mix layers.
20	Carefully layer aqueous (top) fraction onto CsCl gradient. Balance tubes with HO buffer.
21	Spin at 25000 RPM overnight at 5°C.
22	Wipe bottom of tube with ethanol.
23	Puncture the bottom of the tube with an 18.5-gauge needle.
24	Collect virus fraction (bottom band) and top-component (top band) into a clean tube.
25	Dialyze exhaustively against 400-500 mL cold dialysis buffer for at least 24 h at 4°C. (Change buffer after 1 h, 4 h, and next morning).
26	Transfer to new tube.
27	Determine particle density (1 OD260 = 2.1 x 1012 particles/mL = 185 ug viral protein/mL).
28	Store at 4°C.
This is an open access protocol distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited	