

CCWS PRAC 3

STEPS:


- 1) Open mysql command line by entering password as mysql.
- 2) Create database city and run the below commands given in the snippet.

```
mysql> use tyemp;
Database changed
mysql> create table emp (e_id int Primary Key, e_name varchar(20), e_des varchar(20), e_sal int);
Query OK, 0 rows affected (0.03 sec)


mysql> show tables;
+-----+
| Tables_in_tyemp |
+-----+
| emp              |
+-----+
1 row in set (0.01 sec)

mysql> describe emp;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| e_id  | int(11)       | NO   | PRI | NULL    |       |
| e_name | varchar(20)   | YES  |     | NULL    |       |
| e_des | varchar(20)   | YES  |     | NULL    |       |
| e_sal | int(11)       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```


- 3) Open Net Beans Windows create a new web project.
- 4) Click on windows and select services then select drivers and in the drivers dropdown select Mysql connector and right click on Connect Using button you will get the below window, enter your database name created in mysql and mysql password and click on remember password and test connection.




5) Once the connection is successful, click on next and Finish, you will get your tyemp default schema




6) Now right Click on your newly created project and select Restful Web Services from database




7) Now select the Data source Dropdown and click on new data Source




8) Now Give any name in the JNID column name and select your database source as tyemp and click on ok





9.) Now Select the emp class and click on next and finish




10) now give package name as ccpack, then finish.



11) Now right click on project and select JSF pages from entity class and click on tycs.emp and finish



12)Now Deploy and run the Project and then you will get the following output



Create New Emp

EId:

EName:

EDes:

ESal:

[Save](#)

[Show All Emp Items](#)

[Index](#)

List

1..2/2

EId	EName	EDes	ESal	
11	jennifer	intern	35000	View Edit Destroy
77	khadija	HR	7000000	View Edit Destroy

[Create New Emp](#)

[Index](#)

13)Now check the newly created entry in mysql database using the following command

```
mysql> select * from emp;
+-----+-----+-----+-----+
| e_id | e_name | e_des | e_sal |
+-----+-----+-----+-----+
| 11   | jennifer | intern | 35000 |
| 77   | khadija | HR     | 7000000 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```