🗃 Element anlegen

👥 Benutzer

📝 Build-Verlauf

🔍 Projektbeziehungen

📇 Fingerabdruck überprüfen

🔧 Jenkins verwalten

🔑 Zugangsdaten

👥 Meine Ansichten

Build Warteschlange (274)   ✚

Build-Prozessor-Status   ✚

master + 10 computers (33 of 52 executors)

Thread Dump

🖥 Buildserver_CI_03 🖥 Buildserver_Deliv_01 🖥 Buildserver_Deliv_02 🖥 Buildserver_Deliv_03 🖥 Buildserver_Deliv_04 🖥 Buildserver_FuMu_01 🖥 Buildserver_FuMu_02 🖥 Buildserver_HIL_MN27_Mess 🖥 Buildserver_HIL_MN27_Sim 🖥 Buildserver_HexPrepare_01

AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]

```
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
Group=main RUNNABLE
        at hudson.util.EditDistance.findNearest(EditDistance.java:67)
        at hudson.util.EditDistance.findNearest(EditDistance.java:54)
        at hudson.model.Items.findNearest(Items.java:397)
        at hudson.model.AbstractProject.findNearest(AbstractProject.java:2217)
        at hudson.model.AbstractProject.findNearest(AbstractProject.java:2207)
        at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.setWorksp
ace(MyNodeAssignmentAction.java:58)
        at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.getAssign
edLabel(MyNodeAssignmentAction.java:52)
        at hudson.model.Queue$Item.getAssignedLabel(Queue.java:2016)
        at hudson.model.Node.canTake(Node.java:350)
        at hudson.model.Queue$JobOffer.canTake(Queue.java:297)
        at hudson.model.Queue.maintain(Queue.java:1543)
        at hudson.model.Queue$1.call(Queue.java:336)
        at hudson.model.Queue$1.call(Queue.java:333)
        at
jenkins.util.AtmostOneTaskExecutor$1.call(AtmostOneTaskExecutor.java:101)
        at
jenkins.util.AtmostOneTaskExecutor$1.call(AtmostOneTaskExecutor.java:91)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
```

Computer.threadPoolForRemoting [#160]

```
"Computer.threadPoolForRemoting [#160]" Id=6403 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Computer.threadPoolForRemoting [#172]

```
"Computer.threadPoolForRemoting [#172]" Id=6758 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
```

```
        at hudson.model.Queue$LockedRunnable.run(Queue.java:2803)
        at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorServi
```

```
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@72926f27
```

Computer.threadPoolForRemoting [#176]

```
"Computer.threadPoolForRemoting [#176]" Id=6797 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Computer.threadPoolForRemoting [#178]

```
"Computer.threadPoolForRemoting [#178]" Id=6802 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@1e971ebd
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

ComThread for Finalizing set up

```
"ComThread for Finalizing set up" Id=143 Group=main RUNNABLE
        at com4j.Win32Lock.suspend1(Native Method)
        at com4j.Win32Lock.suspend(Win32Lock.java:46)
        at com4j.ComThread.run0(ComThread.java:163)
        at com4j.ComThread.run(ComThread.java:153)
```

DestroyJavaVM

```
"DestroyJavaVM" Id=21 Group=main RUNNABLE
```

Executor #0 for Buildserver_CI_03

```
"Executor #0 for Buildserver_CI_03" Id=6767 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #1 for Buildserver_CI_03 : executing CPS/IsgInt /b/013.003.0/frmchk #1

```
"Executor #1 for Buildserver_CI_03 : executing CPS/IsgInt/b/013.003.0/frmchk
#1" Id=4710 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:101)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #10 for Buildserver_CI_03 : executing CPS/IsgInt /b/016.001.0/frmchk #1

```
"Executor #10 for Buildserver_CI_03 : executing CPS/IsgInt/b/016.001.0/frmchk
#1" Id=5679 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
        at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
        at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
        at hudson.model.Run.execute(Run.java:1788)
        at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
        at hudson.model.ResourceController.execute(ResourceController.java:98)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #11 for Buildserver_CI_03 : executing CPS/IsgInt /b/016.002.1/frmchk #1

```
"Executor #11 for Buildserver_CI_03 : executing CPS/IsgInt/b/016.002.1/frmchk
#1" Id=6412 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
```

```
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #12 for Buildserver_CI_03 : executing CPS/IsgInt /b/018.003.0/frmchk #1

```
"Executor #12 for Buildserver_CI_03 : executing CPS/IsgInt/b/018.003.0/frmchk
#1" Id=6410 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:80)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #13 for Buildserver_CI_03 : executing CPS/IsgInt /b/019.001.0_SFUMU/frmchk #1

```
"Executor #13 for Buildserver_CI_03 : executing CPS/IsgInt/b/019.001.0_SFUMU
/frmchk #1" Id=6409 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
        at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
        at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
        at hudson.model.Run.execute(Run.java:1788)
        at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
        at hudson.model.ResourceController.execute(ResourceController.java:98)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #14 for Buildserver_CI_03

```
"Executor #14 for Buildserver_CI_03" Id=6770 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
```

```
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #15 for Buildserver_CI_03 : executing CPS/IsgInt /b/015.003.0/frmchk #1

```
"Executor #15 for Buildserver_CI_03 : executing CPS/IsgInt/b/015.003.0/frmchk
#1" Id=5678 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
        at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
        at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
        at hudson.model.Run.execute(Run.java:1788)
        at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
        at hudson.model.ResourceController.execute(ResourceController.java:98)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #16 for Buildserver_CI_03

```
"Executor #16 for Buildserver_CI_03" Id=6765 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #17 for Buildserver_CI_03 : executing CPS/IsgInt /b/013.002.0/frmchk #1

```
"Executor #17 for Buildserver_CI_03 : executing CPS/IsgInt/b/013.002.0/frmchk
#1" Id=4709 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
          at
```

```
Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
          at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
          at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
          at hudson.model.Queue._withLock(Queue.java:1342)
          at hudson.model.ResourceController.execute(ResourceController.java:101)
          at hudson.model.Executor.run(Executor.java:408)
```

Executor #18 for Buildserver_CI_03

```
"Executor #18 for Buildserver_CI_03" Id=6428 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
          at sun.misc.Unsafe.park(Native Method)
          -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
          at java.util.concurrent.locks.LockSupport.park(Unknown Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
          at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
          at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
          at hudson.model.Queue._withLock(Queue.java:1401)
          at hudson.model.Queue.withLock(Queue.java:1268)
          at hudson.model.Executor.run(Executor.java:344)
```

Executor #19 for Buildserver_CI_03 : executing CPS/IsgInt /b/015.001.0/frmchk #1

```
"Executor #19 for Buildserver_CI_03 : executing CPS/IsgInt/b/015.001.0/frmchk
#1" Id=5681 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
          at sun.misc.Unsafe.park(Native Method)
          -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
          at java.util.concurrent.locks.LockSupport.park(Unknown Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
          at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
          at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
          at hudson.model.Queue.schedule2(Queue.java:590)
          at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
          at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
          at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
          at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
          at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
          at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
          at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
          at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
          at hudson.model.Run.execute(Run.java:1788)
          at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
          at hudson.model.ResourceController.execute(ResourceController.java:98)
          at hudson.model.Executor.run(Executor.java:408)
```

Executor #2 for Buildserver_CI_03

```
"Executor #2 for Buildserver_CI_03" Id=6771 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
          at sun.misc.Unsafe.park(Native Method)
          -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
```

```
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #20 for Buildserver_CI_03 : executing CPS/IsgInt /b/018.001.1/frmchk #1

```
"Executor #20 for Buildserver_CI_03 : executing CPS/IsgInt/b/018.001.1/frmchk
#1" Id=6406 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:80)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #21 for Buildserver_CI_03

```
"Executor #21 for Buildserver_CI_03" Id=6766 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #22 for Buildserver_CI_03 : executing CPS/IsgInt /b/016.002.0/frmchk #1

```
"Executor #22 for Buildserver_CI_03 : executing CPS/IsgInt/b/016.002.0/frmchk
#1" Id=6077 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
```

```
                                    at hudson.model.Queue.schedule2(Queue.java:590)
                                    at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
```

```
                                    at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
                                    at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
                                    at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
                                    at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
                                    at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
                                    at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
                                    at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
                                    at hudson.model.Run.execute(Run.java:1788)
                                    at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
                                    at hudson.model.ResourceController.execute(ResourceController.java:98)
                                    at hudson.model.Executor.run(Executor.java:408)
```

Executor #23 for Buildserver_CI_03 : executing CPS/IsgInt /b/014.001.0/frmchk #1

```
"Executor #23 for Buildserver_CI_03 : executing CPS/IsgInt/b/014.001.0/frmchk
#1" Id=5232 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
                                    at sun.misc.Unsafe.park(Native Method)
                                    - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
                                    at java.util.concurrent.locks.LockSupport.park(Unknown Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
                                    at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
                                    at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
                                    at hudson.model.Queue.schedule2(Queue.java:590)
                                    at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
                                    at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
                                    at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
                                    at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
                                    at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
                                    at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
                                    at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
                                    at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
                                    at hudson.model.Run.execute(Run.java:1788)
                                    at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
                                    at hudson.model.ResourceController.execute(ResourceController.java:98)
                                    at hudson.model.Executor.run(Executor.java:408)
```

Executor #24 for Buildserver_CI_03 : executing Administration/TriggerNewCIJobs #559

```
"Executor #24 for Buildserver_CI_03 : executing Administration/TriggerNewCIJobs
#559" Id=2805 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
                                    at sun.misc.Unsafe.park(Native Method)
                                    - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
                                    at java.util.concurrent.locks.LockSupport.park(Unknown Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
                                    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
                                    at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
                                    at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
                                    at hudson.model.Queue.schedule2(Queue.java:590)
                                    at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
                                    at
```

```
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:906)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:897)
        at hudson.model.AbstractProject$scheduleBuild2.call(Unknown Source)
        at Script1.processJob(Script1.groovy:37)
        at Script1$processJob.callCurrent(Unknown Source)
        at Script1.processDispatch(Script1.groovy:18)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at
org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteAr
ray.java:46)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at Script1.processDispatch(Script1.groovy:13)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at Script1.processDispatch(Script1.groovy:13)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at
org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteAr
ray.java:46)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at Script1.processDispatch(Script1.groovy:13)
        at Script1$processDispatch.callCurrent(Unknown Source)
        at Script1.run(Script1.groovy:68)
        at groovy.lang.GroovyShell.evaluate(GroovyShell.java:650)
        at groovy.lang.GroovyShell.evaluate(GroovyShell.java:636)
        at hudson.plugins.groovy.SystemGroovy.perform(SystemGroovy.java:98)
        at hudson.tasks.BuildStepMonitor$1.perform(BuildStepMonitor.java:20)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.perform(AbstractBuild.java:785
)
        at hudson.model.Build$BuildExecution.build(Build.java:205)
        at hudson.model.Build$BuildExecution.doRun(Build.java:162)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.run(AbstractBuild.java:537)
        at hudson.model.Run.execute(Run.java:1741)
        at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
        at hudson.model.ResourceController.execute(ResourceController.java:98)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #25 for Buildserver_CI_03 : executing CPS/IsgInt /b/015.002.0/frmchk #1

```
"Executor #25 for Buildserver_CI_03 : executing CPS/IsgInt/b/015.002.0/frmchk
#1" Id=5680 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:853)
        at hudson.tasks.BuildTrigger.execute(BuildTrigger.java:252)
        at
hudson.model.AbstractBuild$AbstractBuildExecution.cleanUp(AbstractBuild.java:687
)
        at hudson.model.Build$BuildExecution.cleanUp(Build.java:200)
        at hudson.model.Run.execute(Run.java:1788)
        at hudson.model.FreeStyleBuild.run(FreeStyleBuild.java:43)
        at hudson.model.ResourceController.execute(ResourceController.java:98)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #26 for Buildserver_CI_03

```
"Executor #26 for Buildserver_CI_03" Id=6774 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
```

```
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #27 for Buildserver_CI_03

```
"Executor #27 for Buildserver_CI_03" Id=6773 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #28 for Buildserver_CI_03

```
"Executor #28 for Buildserver_CI_03" Id=6429 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #29 for Buildserver_CI_03 : executing CPS/IsgInt /b/017.002.0/frmchk #1

```
"Executor #29 for Buildserver_CI_03 : executing CPS/IsgInt/b/017.002.0/frmchk
#1" Id=6408 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
```

```
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:80)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #3 for Buildserver_CI_03

```
"Executor #3 for Buildserver_CI_03" Id=6772 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #30 for Buildserver_CI_03 : executing CPS/IsgInt /b/018.004.0/frmchk #1

```
"Executor #30 for Buildserver_CI_03 : executing CPS/IsgInt/b/018.004.0/frmchk
#1" Id=6404 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:80)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #31 for Buildserver_CI_03

```
"Executor #31 for Buildserver_CI_03" Id=6762 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #4 for Buildserver_CI_03 : executing CPS/IsgInt /b/012.001.0/frmchk #1

```
"Executor #4 for Buildserver_CI_03 : executing CPS/IsgInt/b/012.001.0/frmchk
#1" Id=4704 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
```

```
            - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:101)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #4 for Buildserver_FuMu_01

```
"Executor #4 for Buildserver_FuMu_01" Id=123 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #5 for Buildserver_CI_03 : executing CPS/IsgInt /b/018.001.0/frmchk #1

```
"Executor #5 for Buildserver_CI_03 : executing CPS/IsgInt/b/018.001.0/frmchk
#1" Id=6411 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:80)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #6 for Buildserver_CI_03

```
"Executor #6 for Buildserver_CI_03" Id=6769 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
```

```
                          at hudson.model.Queue._withLock(Queue.java:1401)
                          at hudson.model.Queue.withLock(Queue.java:1268)
                          at hudson.model.Executor.run(Executor.java:344)
```

Executor #6 for Buildserver_Deliv_04 : executing Deliv/N63TUE22020SP15/b/V0C4H001E_SFUMU/Deliv #12

```
"Executor #6 for Buildserver_Deliv_04 : executing Deliv/N63TUE22020SP15
/b/V0C4H001E_SFUMU/Deliv #12" Id=6078 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.ResourceController.execute(ResourceController.java:101)
        at hudson.model.Executor.run(Executor.java:408)
```

Executor #7 for Buildserver_CI_03

```
"Executor #7 for Buildserver_CI_03" Id=6768 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #8 for Buildserver_CI_03

```
"Executor #8 for Buildserver_CI_03" Id=6761 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1401)
        at hudson.model.Queue.withLock(Queue.java:1268)
        at hudson.model.Executor.run(Executor.java:344)
```

Executor #9 for Buildserver_CI_03 : executing CPS/IsgInt /b/017.001.0/frmchk #1

```
"Executor #9 for Buildserver_CI_03 : executing CPS/IsgInt/b/017.001.0/frmchk
#1" Id=6407 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
```

```
          — waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
          at java.util.concurrent.locks.LockSupport.park(Unknown Source)
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
          at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
          at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
          at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
          at hudson.model.Queue._withLock(Queue.java:1342)
          at hudson.model.ResourceController.execute(ResourceController.java:80)
          at hudson.model.Executor.run(Executor.java:408)
```

FilePath.localPool [#9]

```
"FilePath.localPool [#9]" Id=5314 Group=main RUNNABLE
          at sun.management.ThreadImpl.dumpThreads0(Native Method)
          at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
          at hudson.Functions.getThreadInfos(Functions.java:1176)
          at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
          at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
          at hudson.remoting.LocalChannel$1.call(LocalChannel.java:52)
          at
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorServ
ice.java:46)
          at java.util.concurrent.FutureTask.run(Unknown Source)
          at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
          at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
          at java.lang.Thread.run(Unknown Source)

          Number of locked synchronizers = 1
          — java.util.concurrent.ThreadPoolExecutor$Worker@1c8ef36c
```

Handling GET /jenkins/job/PRJ/job/asB58T1SP18/ from 10.252.113.128 : RequestHandlerThread[#194] View/index.jelly View/sidepanel.jelly

```
"Handling GET /jenkins/job/PRJ/job/asB58T1SP18/ from 10.252.113.128 :
RequestHandlerThread[#194] View/index.jelly View/sidepanel.jelly" Id=6800
Group=main RUNNABLE
          at hudson.util.EditDistance.findNearest(EditDistance.java:67)
          at hudson.util.EditDistance.findNearest(EditDistance.java:54)
          at hudson.model.Items.findNearest(Items.java:397)
          at hudson.model.AbstractProject.findNearest(AbstractProject.java:2217)
          at hudson.model.AbstractProject.findNearest(AbstractProject.java:2207)
          at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.setWorksp
ace(MyNodeAssignmentAction.java:58)
          at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.getAssign
edLabel(MyNodeAssignmentAction.java:52)
          at hudson.model.Queue$Item.getAssignedLabel(Queue.java:2016)
          at hudson.model.Queue$BuildableItem.isStuck(Queue.java:2494)
          at sun.reflect.GeneratedMethodAccessor330.invoke(Unknown Source)
          at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
          at java.lang.reflect.Method.invoke(Unknown Source)
          at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelMethodImpl.invoke(Ub
erspectImpl.java:258)
          at org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)
          at
org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
          at
org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
          at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpressi
on.java:51)
          at
org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
          at
hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
          at
org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
          at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
          at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
          at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
          at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
          at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
```

```
        at
org.apache.commons.jelly.tags.core.ForEachTag.doTag(ForEachTag.java:150)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
```

```
        at
org.apache.commons.jelly.tags.core.OtherwiseTag.doTag(OtherwiseTag.java:41)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
        at org.apache.commons.jelly.tags.core.ChooseTag.doTag(ChooseTag.java:38)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
        at
org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
        at
org.apache.commons.jelly.tags.core.OtherwiseTag.doTag(OtherwiseTag.java:41)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
        at org.apache.commons.jelly.tags.core.ChooseTag.doTag(ChooseTag.java:38)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at
org.kohsuke.stapler.jelly.groovy.JellyBuilder.doInvokeMethod(JellyBuilder.java:2
76)
        at
org.kohsuke.stapler.jelly.groovy.Namespace$ProxyImpl.invoke(Namespace.java:92)
        at com.sun.proxy.$Proxy46.queue(Unknown Source)
        at lib.JenkinsTagLib$queue$0.call(Unknown Source)
        at jenkins.widgets.BuildQueueWidget.index.run(index.groovy:5)
        at
org.kohsuke.stapler.jelly.groovy.GroovierJellyScript.run(GroovierJellyScript.jav
a:74)
        at
org.kohsuke.stapler.jelly.groovy.GroovierJellyScript.run(GroovierJellyScript.jav
a:62)
        at org.kohsuke.stapler.jelly.IncludeTag.doTag(IncludeTag.java:147)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at org.apache.commons.jelly.TagSupport.invokeBody(TagSupport.java:161)
        at
org.apache.commons.jelly.tags.core.ForEachTag.doTag(ForEachTag.java:150)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
        at
org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$1.run(CoreTagLibrary.java:98)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
        at org.kohsuke.stapler.jelly.IncludeTag.doTag(IncludeTag.java:147)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
        at
org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
```

```
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
```

```
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at org.kohsuke.stapler.jelly.CompressTag.doTag(CompressTag.java:44)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at
org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
        at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker
.java:63)
        at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker
.java:53)
        at
org.kohsuke.stapler.jelly.JellyClassTearOff.serveIndexJelly(JellyClassTearOff.ja
va:112)
        at
org.kohsuke.stapler.jelly.JellyFacet.handleIndexRequest(JellyFacet.java:127)
        at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:735)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:876)
        at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:813)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:876)
        at org.kohsuke.stapler.MetaClass$6.doDispatch(MetaClass.java:249)
        at
org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:53)
        at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:746)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:876)
        at org.kohsuke.stapler.MetaClass$6.doDispatch(MetaClass.java:249)
        at
org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:53)
        at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:746)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:876)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
        at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
        at javax.servlet.http.HttpServlet.service(HttpServlet.java:848)
        at
org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:686)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1494)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:132)
        at
net.bull.javamelody.MonitoringFilter.doFilter(MonitoringFilter.java:198)
        at
net.bull.javamelody.MonitoringFilter.doFilter(MonitoringFilter.java:176)
        at
net.bull.javamelody.PluginMonitoringFilter.doFilter(PluginMonitoringFilter.java:
85)
        at
org.jvnet.hudson.plugins.monitoring.HudsonMonitoringFilter.doFilter(HudsonMonito
ringFilter.java:99)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:129)
        at
hudson.plugins.greenballs.GreenBallFilter.doFilter(GreenBallFilter.java:59)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:129)
        at
hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:123)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:49)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
        at
hudson.security.UnwrapSecurityExceptionFilter.doFilter(UnwrapSecurityExceptionFi
lter.java:51)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.
java:117)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
```

```
        at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(Anonymo
usProcessingFilter.java:125)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMePr
ocessingFilter.java:142)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.
java:271)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:93)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessi
onContextIntegrationFilter.java:249)
        at
hudson.security.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContext
IntegrationFilter2.java:67)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:76)
        at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.jav
a:49)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:81)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilt
er.java:30)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1474)
        at
org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:499)
        at
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:137)
        at
org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:533)
        at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:231
)
        at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:108
6)
        at
org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:428)
        at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:193)
        at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1020
)
        at
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
        at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
        at org.eclipse.jetty.server.Server.handle(Server.java:370)
        at
org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnec
tion.java:489)
        at
org.eclipse.jetty.server.AbstractHttpConnection.headerComplete(AbstractHttpConne
ction.java:949)
        at
org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.headerComplete(Ab
stractHttpConnection.java:1011)
        at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:644)
        at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:235)
        at
org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
        at
org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java
:668)
        at
org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:
52)
        at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
```

```
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

```
        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@4c834205
```

Handling GET /jenkins/threadDump from 10.252.113.215 : RequestHandlerThread[#188] Jenkins/threadDump.jelly

```
"Handling GET /jenkins/threadDump from 10.252.113.215 :
RequestHandlerThread[#188] Jenkins/threadDump.jelly" Id=6777 Group=main RUNNABLE
        at java.lang.Throwable.fillInStackTrace(Native Method)
        at java.lang.Throwable.fillInStackTrace(Unknown Source)
        - locked java.lang.Exception@7e4395ef
        at java.lang.Throwable.<init>(Unknown Source)
        at java.lang.Exception.<init>(Unknown Source)
        at hudson.remoting.RemoteInvocationHandler.<init>
(RemoteInvocationHandler.java:125)
        at
hudson.remoting.RemoteInvocationHandler.wrap(RemoteInvocationHandler.java:137)
        at hudson.remoting.Channel.export(Channel.java:621)
        at hudson.remoting.RemoteClassLoader.export(RemoteClassLoader.java:678)
        at hudson.remoting.UserRequest.<init>(UserRequest.java:69)
        at hudson.remoting.Channel.callAsync(Channel.java:807)
        at
hudson.util.RemotingDiagnostics.getThreadDumpAsync(RemotingDiagnostics.java:92)
        at jenkins.model.Jenkins.getAllThreadDumps(Jenkins.java:3028)
        at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
        at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
        at java.lang.reflect.Method.invoke(Unknown Source)
        at
org.apache.commons.jexl.util.introspection.UberspectImpl$VelMethodImpl.invoke(Ub
erspectImpl.java:258)
        at org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)
        at
org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
        at
org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
        at
org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpressi
on.java:51)
        at
org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
        at
hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
        at
org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$1.run(CoreTagLibrary.java:98)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
        at
org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
        at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.kohsuke.stapler.jelly.ReallyStaticTagLibrary$1.run(ReallyStaticTagLibrary.ja
va:99)
        at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
        at
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.CallTagLibScript.run(CallTagLibScript.java:120)
        at
```

```
org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
        at
org.kohsuke.stapler.jelly.JellyViewScript.run(JellyViewScript.java:95)
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker
.java:63)
        at
org.kohsuke.stapler.jelly.DefaultScriptInvoker.invokeScript(DefaultScriptInvoker
.java:53)
        at org.kohsuke.stapler.jelly.JellyFacet$1.dispatch(JellyFacet.java:95)
        at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:746)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:876)
        at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
        at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
        at javax.servlet.http.HttpServlet.service(HttpServlet.java:848)
        at
org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:686)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1494)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:132)
        at
net.bull.javamelody.MonitoringFilter.doFilter(MonitoringFilter.java:198)
        at
net.bull.javamelody.MonitoringFilter.doFilter(MonitoringFilter.java:176)
        at
net.bull.javamelody.PluginMonitoringFilter.doFilter(PluginMonitoringFilter.java:
85)
        at
org.jvnet.hudson.plugins.monitoring.HudsonMonitoringFilter.doFilter(HudsonMonito
ringFilter.java:99)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:129)
        at
hudson.plugins.greenballs.GreenBallFilter.doFilter(GreenBallFilter.java:59)
        at
hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:129)
        at
hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:123)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:49)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
        at
hudson.security.UnwrapSecurityExceptionFilter.doFilter(UnwrapSecurityExceptionFi
lter.java:51)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.
java:117)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(Anonymo
usProcessingFilter.java:125)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMePr
ocessingFilter.java:142)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.
java:271)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:93)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessi
onContextIntegrationFilter.java:249)
        at
hudson.security.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContext
IntegrationFilter2.java:67)
        at
hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:76)
        at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.jav
```

```
a:49)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
        at
hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:81)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1482)
        at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilt
er.java:30)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.jav
a:1474)
        at
org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:499)
        at
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:137)
        at
org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:533)
        at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:231
)
        at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:108
6)
        at
org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:428)
        at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:193)
        at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1020
)
        at
org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
        at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
        at org.eclipse.jetty.server.Server.handle(Server.java:370)
        at
org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnec
tion.java:489)
        at
org.eclipse.jetty.server.AbstractHttpConnection.headerComplete(AbstractHttpConne
ction.java:949)
        at
org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.headerComplete(Ab
stractHttpConnection.java:1011)
        at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:644)
        at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:235)
        at
org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
        at
org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java
:668)
        at
org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:
52)
        at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@37924187
```

Handling POST /jenkins/ajaxExecutors from 10.252.113.215 : RequestHandlerThread[#181] View/ajaxExecutors.jelly

```
"Handling POST /jenkins/ajaxExecutors from 10.252.113.215 :
RequestHandlerThread[#181] View/ajaxExecutors.jelly" Id=6750 Group=main
TIMED_WAITING on java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

HashSessionScavenger-0

```
"HashSessionScavenger-0" Id=12 Group=main TIMED_WAITING on
java.util.TaskQueue@1560ba48
```

```
       at java.lang.Object.wait(Native Method)
       – waiting on java.util.TaskQueue@1560ba48
       at java.util.TimerThread.mainLoop(Unknown Source)
```

javamelody jenkins

```
"javamelody jenkins" Id=38 Group=main TIMED_WAITING on
java.util.TaskQueue@f01fbf7
       at java.lang.Object.wait(Native Method)
       – waiting on java.util.TaskQueue@f01fbf7
       at java.util.TimerThread.mainLoop(Unknown Source)
       at java.util.TimerThread.run(Unknown Source)
```

Jenkins cron thread

```
"Jenkins cron thread" Id=22 Group=main WAITING on java.util.TaskQueue@4dca5455
       at java.lang.Object.wait(Native Method)
       – waiting on java.util.TaskQueue@4dca5455
       at java.lang.Object.wait(Unknown Source)
       at java.util.TimerThread.mainLoop(Unknown Source)
       at java.util.TimerThread.run(Unknown Source)
```

Jenkins UDP 33848 monitoring thread

```
"Jenkins UDP 33848 monitoring thread" Id=146 Group=main RUNNABLE (in native)
       at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
       – locked java.net.TwoStacksPlainDatagramSocketImpl@6290b6aa
       at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
       – locked java.net.TwoStacksPlainDatagramSocketImpl@6290b6aa
       at java.net.DatagramSocket.receive(Unknown Source)
       – locked java.net.DatagramPacket@58811a0d
       – locked java.net.MulticastSocket@d67ab9b
       at hudson.UDPBroadcastThread.run(UDPBroadcastThread.java:83)
```

jenkins.util.Timer [#10]

```
"jenkins.util.Timer [#10]" Id=54 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
       at sun.misc.Unsafe.park(Native Method)
       – waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
       at java.util.concurrent.locks.LockSupport.park(Unknown Source)
       at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
       at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
       at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
       at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
       at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
       at hudson.model.Queue.maintain(Queue.java:1422)
       at hudson.model.Queue$MaintainTask.doRun(Queue.java:2708)
       at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
       at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
       at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
       at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(
Unknown Source)
       at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown
 Source)
       at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
       at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
       at java.lang.Thread.run(Unknown Source)

       Number of locked synchronizers = 1
       – java.util.concurrent.ThreadPoolExecutor$Worker@1fd7a160
```

jenkins.util.Timer [#1]

```
"jenkins.util.Timer [#1]" Id=23 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
       at sun.misc.Unsafe.park(Native Method)
       – waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
       at java.util.concurrent.locks.LockSupport.park(Unknown Source)
       at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
```

```
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.Queue.withLock(Queue.java:1227)
        at
hudson.slaves.ComputerRetentionWork.doRun(ComputerRetentionWork.java:61)
        at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(
Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown
 Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@39db8f71
```

jenkins.util.Timer [#2]

```
"jenkins.util.Timer [#2]" Id=44 Group=main RUNNABLE
        at hudson.util.EditDistance.findNearest(EditDistance.java:67)
        at hudson.util.EditDistance.findNearest(EditDistance.java:54)
        at hudson.model.Items.findNearest(Items.java:397)
        at hudson.model.AbstractProject.findNearest(AbstractProject.java:2217)
        at hudson.model.AbstractProject.findNearest(AbstractProject.java:2207)
        at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.setWorksp
ace(MyNodeAssignmentAction.java:58)
        at
com.datalex.jenkins.plugins.nodestalker.wrapper.MyNodeAssignmentAction.getAssign
edLabel(MyNodeAssignmentAction.java:52)
        at hudson.model.Queue$Item.getAssignedLabelFor(Queue.java:2034)
        at hudson.model.Label$1.matches(Label.java:120)
        at hudson.model.LoadStatistics.computeSnapshot(LoadStatistics.java:361)
        at
hudson.model.LoadStatistics$LoadStatisticsUpdater.doRun(LoadStatistics.java:395)
        at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(
Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown
 Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@518031dc
```

jenkins.util.Timer [#3]

```
"jenkins.util.Timer [#3]" Id=47 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild(ParameterizedJobMixIn.java:94)
        at hudson.model.AbstractProject.scheduleBuild(AbstractProject.java:837)
```

```
        at hudson.triggers.TimerTrigger.run(TimerTrigger.java:55)
        at hudson.triggers.Trigger.checkTriggers(Trigger.java:268)
        at hudson.triggers.Trigger$Cron.doRun(Trigger.java:217)
```

```
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(
Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown
 Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@1482b588
```

jenkins.util.Timer [#4]

```
"jenkins.util.Timer [#4]" Id=48 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos
(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#5]

```
"jenkins.util.Timer [#5]" Id=49 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unkn
own Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#6]

```
"jenkins.util.Timer [#6]" Id=50 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(Unkn
own Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#7]

```
"jenkins.util.Timer [#7]" Id=51 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at sun.misc.Unsafe.park(Native Method)
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos
(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#8]

```
"jenkins.util.Timer [#8]" Id=52 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@270a971f
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos
(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(Unknown
Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

jenkins.util.Timer [#9]

```
"jenkins.util.Timer [#9]" Id=53 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue._withLock(Queue.java:1342)
        at hudson.model.Queue.withLock(Queue.java:1227)
        at hudson.slaves.NodeProvisioner.update(NodeProvisioner.java:204)
        at hudson.slaves.NodeProvisioner.access$000(NodeProvisioner.java:58)
        at
hudson.slaves.NodeProvisioner$NodeProvisionerInvoker.doRun(NodeProvisioner.java:
798)
        at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.runAndReset(Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(
Unknown Source)
        at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(Unknown
 Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 2
        - java.util.concurrent.ThreadPoolExecutor$Worker@273c7448
        - java.util.concurrent.locks.ReentrantLock$NonfairSync@38968ee3
```

JmDNS(smuc6591.local.).State.Timer

```
"JmDNS(smuc6591.local.).State.Timer" Id=152 Group=main TIMED_WAITING on
```

```
java.util.TaskQueue@3bba6c44
        at java.lang.Object.wait(Native Method)
        -  waiting on java.util.TaskQueue@3bba6c44
        at java.util.TimerThread.run(Unknown Source)
```

JmDNS(smuc6591.local.).Timer

```
"JmDNS(smuc6591.local.).Timer" Id=151 Group=main TIMED_WAITING on
java.util.TaskQueue@554ae996
        at java.lang.Object.wait(Native Method)
        -  waiting on java.util.TaskQueue@554ae996
        at java.util.TimerThread.mainLoop(Unknown Source)
        at java.util.TimerThread.run(Unknown Source)
```

LauncherControlThread[ControlPort=-1]

```
"LauncherControlThread[ControlPort=-1]" Id=19 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at winstone.Launcher.run(Launcher.java:245)
        at java.lang.Thread.run(Unknown Source)
```

NioChannelHub keys=7 gen=348269: Computer.threadPoolForRemoting [#2]

```
"NioChannelHub keys=7 gen=348269: Computer.threadPoolForRemoting [#2]" Id=149
Group=main RUNNABLE (in native)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
        at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
        at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
        -  locked sun.nio.ch.Util$2@3d70eb6e
        -  locked java.util.Collections$UnmodifiableSet@e3b611f
        -  locked sun.nio.ch.WindowsSelectorImpl@78649cb2
        at sun.nio.ch.SelectorImpl.select(Unknown Source)
        at sun.nio.ch.SelectorImpl.select(Unknown Source)
        at org.jenkinsci.remoting.nio.NioChannelHub.run(NioChannelHub.java:542)
        at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorServi
ce.java:28)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        -  java.util.concurrent.ThreadPoolExecutor$Worker@28a1cc49
```

NioSocketAcceptor-1

```
"NioSocketAcceptor-1" Id=144 Group=main RUNNABLE (in native)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
        at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
        at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
        -  locked sun.nio.ch.Util$2@36f8eef2
        -  locked java.util.Collections$UnmodifiableSet@6679cb52
        -  locked sun.nio.ch.WindowsSelectorImpl@56729f75
        at sun.nio.ch.SelectorImpl.select(Unknown Source)
        at sun.nio.ch.SelectorImpl.select(Unknown Source)
        at
org.apache.mina.transport.socket.nio.NioSocketAcceptor.select(NioSocketAcceptor.
java:238)
        at
org.apache.mina.core.polling.AbstractPollingIoAcceptor$Acceptor.run(AbstractPoll
ingIoAcceptor.java:432)
        at
org.apache.mina.util.NamePreservingRunnable.run(NamePreservingRunnable.java:64)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        -  java.util.concurrent.ThreadPoolExecutor$Worker@29a76b50
```

Ping thread for channel hudson.remoting.Channel@2b97e957:Buildserver_Deliv_04

```
"Ping thread for channel hudson.remoting.Channel@2b97e957:Buildserver_Deliv_04"
Id=178 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
```

```
                             at hudson.remoting.PingThread.run(PingThread.java:90)
```

hudson.remoting.Channel@391ac485:Buildserver_FuMu_02

```
"Ping thread for channel hudson.remoting.Channel@391ac485:Buildserver_FuMu_02"
Id=184 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

Ping thread for channel hudson.remoting.Channel@4747a150:Buildserver_CI_03

```
"Ping thread for channel hudson.remoting.Channel@4747a150:Buildserver_CI_03"
Id=165 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

Ping thread for channel hudson.remoting.Channel@6532a6cf:Buildserver_Deliv_01

```
"Ping thread for channel hudson.remoting.Channel@6532a6cf:Buildserver_Deliv_01"
Id=171 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

Ping thread for channel hudson.remoting.Channel@69119647:Buildserver_Deliv_02

```
"Ping thread for channel hudson.remoting.Channel@69119647:Buildserver_Deliv_02"
Id=185 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

Ping thread for channel hudson.remoting.Channel@7a720a83:Buildserver_FuMu_01

```
"Ping thread for channel hudson.remoting.Channel@7a720a83:Buildserver_FuMu_01"
Id=179 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

Ping thread for channel hudson.remoting.Channel@a9a54fa:Buildserver_Deliv_03

```
"Ping thread for channel hudson.remoting.Channel@a9a54fa:Buildserver_Deliv_03"
Id=3644 Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=154 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@4c40a30c
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@4c40a30c
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#189]

```
"RequestHandlerThread[#189]" Id=6778 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
```

```
                       at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
                       at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
```

```
                       at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                       at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                       at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#190]

```
"RequestHandlerThread[#190]" Id=6780 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#192]

```
"RequestHandlerThread[#192]" Id=6798 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#193]

```
"RequestHandlerThread[#193]" Id=6799 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#195]

```
"RequestHandlerThread[#195]" Id=6803 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@34bb44a9
        at java.util.concurrent.locks.LockSupport.parkNanos(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.poll(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

RequestHandlerThread[#1] Selector0

```
"RequestHandlerThread[#1] Selector0" Id=15 Group=main RUNNABLE
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
        at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
```

```
                            at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
                            at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
                            at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
```

```
                            - locked java.util.Collections$UnmodifiableSet@29aef285
                            - locked sun.nio.ch.WindowsSelectorImpl@566b8460
                            at sun.nio.ch.SelectorImpl.select(Unknown Source)
                            at
org.eclipse.jetty.io.nio.SelectorManager$SelectSet.doSelect(SelectorManager.java
:569)
                            at
org.eclipse.jetty.io.nio.SelectorManager$1.run(SelectorManager.java:290)
                            at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                            at java.lang.Thread.run(Unknown Source)

                            Number of locked synchronizers = 1
                            - java.util.concurrent.ThreadPoolExecutor$Worker@b978d10
```

RequestHandlerThread[#2] Selector1

```
"RequestHandlerThread[#2] Selector1" Id=16 Group=main RUNNABLE
                            at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)
                            at sun.nio.ch.WindowsSelectorImpl$SubSelector.poll(Unknown Source)
                            at sun.nio.ch.WindowsSelectorImpl$SubSelector.access$400(Unknown Source)
                            at sun.nio.ch.WindowsSelectorImpl.doSelect(Unknown Source)
                            at sun.nio.ch.SelectorImpl.lockAndDoSelect(Unknown Source)
                            - locked sun.nio.ch.Util$2@4b680540
                            - locked java.util.Collections$UnmodifiableSet@4b368199
                            - locked sun.nio.ch.WindowsSelectorImpl@54c11c56
                            at sun.nio.ch.SelectorImpl.select(Unknown Source)
                            at
org.eclipse.jetty.io.nio.SelectorManager$SelectSet.doSelect(SelectorManager.java
:569)
                            at
org.eclipse.jetty.io.nio.SelectorManager$1.run(SelectorManager.java:290)
                            at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                            at java.lang.Thread.run(Unknown Source)

                            Number of locked synchronizers = 1
                            - java.util.concurrent.ThreadPoolExecutor$Worker@5b7a8434
```

RequestHandlerThread[#3] Acceptor0 SelectChannelConnector@127.0.0.1:8009

```
"RequestHandlerThread[#3] Acceptor0 SelectChannelConnector@127.0.0.1:8009"
Id=17 Group=main RUNNABLE (in native)
                            at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
                            at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
                            at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
                            - locked java.lang.Object@3829df35
                            at
org.eclipse.jetty.server.nio.SelectChannelConnector.accept(SelectChannelConnecto
r.java:109)
                            at
org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:9
38)
                            at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                            at java.lang.Thread.run(Unknown Source)

                            Number of locked synchronizers = 1
                            - java.util.concurrent.ThreadPoolExecutor$Worker@1bae316d
```

RequestHandlerThread[#4] Acceptor1 SelectChannelConnector@127.0.0.1:8009

```
"RequestHandlerThread[#4] Acceptor1 SelectChannelConnector@127.0.0.1:8009"
Id=18 Group=main BLOCKED on java.lang.Object@3829df35 owned by
"RequestHandlerThread[#3] Acceptor0 SelectChannelConnector@127.0.0.1:8009" Id=17
                            at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
                            - blocked on java.lang.Object@3829df35
                            at
org.eclipse.jetty.server.nio.SelectChannelConnector.accept(SelectChannelConnecto
r.java:109)
                            at
org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:9
38)
                            at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                            at java.lang.Thread.run(Unknown Source)

                            Number of locked synchronizers = 1
```

```
                               – java.util.concurrent.ThreadPoolExecutor$Worker@147a5d08
```

hudson.model.FreeStyleProject@227eceaf[PRJ/CIAntrFktDME8LK /tr/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@227eceaf[PRJ/CIAntrFktDME8LK
/tr/frmchk]" Id=6086 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        –  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        – java.util.concurrent.ThreadPoolExecutor$Worker@11600e73
```

SCM polling for hudson.model.FreeStyleProject@3526c02f[PRJ/B582020 /b/CI_AntFkt_G003/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@3526c02f[PRJ/B582020
/b/CI_AntFkt_G003/frmchk]" Id=6091 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        –  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
```

```
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

```
        – java.util.concurrent.ThreadPoolExecutor$Worker@dbc88f
```

SCM polling for
hudson.model.FreeStyleProject@4e4c69b4[SWC/InaGK/b/004.002.0
/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@4e4c69b4[SWC/InaGK/b/004.002.0
/frmchk]" Id=6784 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        –  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        – java.util.concurrent.ThreadPoolExecutor$Worker@45453a60
```

SCM polling for
hudson.model.FreeStyleProject@515d60e0[PRJ/N63TUE22020SP15
/b/CI_AntFkt_G003/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@515d60e0[PRJ/N63TUE22020SP15
/b/CI_AntFkt_G003/frmchk]" Id=6087 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        –  waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
```

```
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@503aa85b
```

SCM polling for hudson.model.FreeStyleProject@590113db[PRJ/CIAntrFktDME835up/tr/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@590113db[PRJ/CIAntrFktDME835up
/tr/frmchk]" Id=6089 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@11d95f51
```

SCM polling for hudson.model.FreeStyleProject@5bbf920b[CPS/InaInt/b/DME_018.012.0/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@5bbf920b[CPS/InaInt
/b/DME_018.012.0/frmchk]" Id=6782 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
```

```
                            at hudson.model.Project.scheduleBuild2(Project.java:113)
                            at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
                            at
```

```
a:118)
                            at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
                            at java.util.concurrent.FutureTask.run(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
                            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
                            at java.lang.Thread.run(Unknown Source)

                            Number of locked synchronizers = 1
                            - java.util.concurrent.ThreadPoolExecutor$Worker@25fcd325
```

SCM polling for hudson.model.FreeStyleProject@61d7843a[CPS/EsaInt/tr/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@61d7843a[CPS/EsaInt/tr/frmchk]"
Id=6430 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
            at sun.misc.Unsafe.park(Native Method)
            - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
            at java.util.concurrent.locks.LockSupport.park(Unknown Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
            at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
            at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
            at hudson.model.Queue.schedule2(Queue.java:590)
            at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
            at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
            at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
            at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
            at hudson.model.Project.scheduleBuild2(Project.java:113)
            at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
            at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
            at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
            at java.util.concurrent.FutureTask.run(Unknown Source)
            at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
            at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
            at java.lang.Thread.run(Unknown Source)

            Number of locked synchronizers = 1
            - java.util.concurrent.ThreadPoolExecutor$Worker@7771bf83
```

SCM polling for hudson.model.FreeStyleProject@7030280a[SWC/OstOvInt /b/MEVD_AX_1703/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@7030280a[SWC/OstOvInt
/b/MEVD_AX_1703/frmchk]" Id=6753 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
            at sun.misc.Unsafe.park(Native Method)
            - waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
            at java.util.concurrent.locks.LockSupport.park(Unknown Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
            at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
            at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
            at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
            at hudson.model.Queue.schedule2(Queue.java:590)
            at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
            at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
```

```
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        – java.util.concurrent.ThreadPoolExecutor$Worker@17da4499
```

SCM polling for hudson.model.FreeStyleProject@812fb1b[PRJ/B582020SP15/b/CI_AntFkt_G003/frmchk]

```
"SCM polling for hudson.model.FreeStyleProject@812fb1b[PRJ/B582020SP15
/b/CI_AntFkt_G003/frmchk]" Id=6082 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b owned by
"AtmostOneTaskExecutor[hudson.model.Queue$1@7d6b5d00] [#447]" Id=4621
        at sun.misc.Unsafe.park(Native Method)
        – waiting on
java.util.concurrent.locks.ReentrantLock$NonfairSync@5b95930b
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(Unkn
own Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(Unknown
Source)
        at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(Unknown Source)
        at java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(Unknown
Source)
        at java.util.concurrent.locks.ReentrantLock.lock(Unknown Source)
        at hudson.model.Queue.schedule2(Queue.java:590)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:13
8)
        at
jenkins.model.ParameterizedJobMixIn.scheduleBuild2(ParameterizedJobMixIn.java:10
5)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:883)
        at hudson.model.AbstractProject.scheduleBuild2(AbstractProject.java:865)
        at hudson.model.Project.scheduleBuild2(Project.java:113)
        at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:552)
        at
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.jav
a:118)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        – java.util.concurrent.ThreadPoolExecutor$Worker@6503122b
```

SocketListener(smuc6591.local.)

```
"SocketListener(smuc6591.local.)" Id=150 Group=main RUNNABLE (in native)
        at java.net.TwoStacksPlainDatagramSocketImpl.receive0(Native Method)
        – locked java.net.TwoStacksPlainDatagramSocketImpl@1e55b5ba
        at java.net.TwoStacksPlainDatagramSocketImpl.receive(Unknown Source)
        – locked java.net.TwoStacksPlainDatagramSocketImpl@1e55b5ba
        at java.net.DatagramSocket.receive(Unknown Source)
        – locked java.net.DatagramPacket@57442dbf
        – locked java.net.MulticastSocket@3ff4b35f
        at javax.jmdns.impl.SocketListener.run(SocketListener.java:41)
```

TCP slave agent listener port=56176

```
"TCP slave agent listener port=56176" Id=145 Group=main RUNNABLE (in native)
        at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
        at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
        at sun.nio.ch.ServerSocketChannelImpl.accept(Unknown Source)
        – locked java.lang.Object@51ba2789
        at hudson.TcpSlaveAgentListener.run(TcpSlaveAgentListener.java:95)
```

Attach Listener

```
"Attach Listener" Id=5 Group=system RUNNABLE
```

```
"AWT-Windows" Id=2211 Group=system RUNNABLE (in native)
        at sun.awt.windows.WToolkit.eventLoop(Native Method)
        at sun.awt.windows.WToolkit.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@4b0448bb
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@4b0448bb
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Java2D Disposer

```
"Java2D Disposer" Id=13 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@a941157
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@a941157
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at sun.java2d.Disposer.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@41c69d3f
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@41c69d3f
        at java.lang.Object.wait(Unknown Source)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

Buildserver_CI_03

Channel reader thread: channel

```
"Channel reader thread: channel" Id=8552 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.socketRead(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@599c11e4
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

jnr.ffi.util.ref.internal.Finalizer

```
"jnr.ffi.util.ref.internal.Finalizer" Id=5793 Group=main WAITING on
java.lang.ref.ReferenceQueue$Lock@4ae83596
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@4ae83596
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at jnr.ffi.util.ref.internal.Finalizer.run(Finalizer.java:128)
```

main

```
                                                         -
         - waiting on hudson.remoting.Engine@6a36e3eb
         at java.lang.Thread.join(Unknown Source)
         at java.lang.Thread.join(Unknown Source)
         at hudson.remoting.jnlp.Main.main(Main.java:137)
         at hudson.remoting.jnlp.Main._main(Main.java:130)
         at hudson.remoting.Launcher.run(Launcher.java:228)
         at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel hudson.remoting.Channel@7eff24ba:channel

```
"Ping thread for channel hudson.remoting.Channel@7eff24ba:channel" Id=8554
Group=main TIMED_WAITING
         at java.lang.Thread.sleep(Native Method)
         at hudson.remoting.PingThread.run(PingThread.java:90)
```

pool-1-svnkit-thread-1

```
"pool-1-svnkit-thread-1" Id=44 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@555fac76
         at sun.misc.Unsafe.park(Native Method)
         - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@555fac76
         at java.util.concurrent.locks.LockSupport.park(Unknown Source)
         at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
         at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
         at java.util.concurrent.SynchronousQueue.take(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
         at java.lang.Thread.run(Unknown Source)
```

pool-1-svnkit-thread-2

```
"pool-1-svnkit-thread-2" Id=45 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@555fac76
         at sun.misc.Unsafe.park(Native Method)
         - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@555fac76
         at java.util.concurrent.locks.LockSupport.park(Unknown Source)
         at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
         at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
         at java.util.concurrent.SynchronousQueue.take(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
         at java.lang.Thread.run(Unknown Source)
```

pool-1-svnkit-thread-4

```
"pool-1-svnkit-thread-4" Id=9611 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@7bac8095
         at sun.misc.Unsafe.park(Native Method)
         - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@7bac8095
         at java.util.concurrent.locks.LockSupport.park(Unknown Source)
         at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
         at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
         at java.util.concurrent.SynchronousQueue.take(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
         at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
         at java.lang.Thread.run(Unknown Source)
```

pool-1-svnkit-thread-5

```
"pool-1-svnkit-thread-5" Id=9612 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@7bac8095
         at sun.misc.Unsafe.park(Native Method)
         - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@7bac8095
         at java.util.concurrent.locks.LockSupport.park(Unknown Source)
         at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
```

```
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.take(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

pool-1-thread-411 for channel

```
"pool-1-thread-411 for channel" Id=9771 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@46c856c6
```

RemoteInvocationHandler [#2]

```
"RemoteInvocationHandler [#2]" Id=8551 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@4fb99fe1
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@4fb99fe1
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=27 Group=main TIMED_WAITING on hudson.remoting.Channel@7eff24ba
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Channel@7eff24ba
        at hudson.remoting.Channel.join(Channel.java:948)
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=4 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@6cf59408
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@6cf59408
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@6fb048e0
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@6fb048e0
        at java.lang.Object.wait(Unknown Source)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

💻 Buildserver_Deliv_01

Channel reader thread: channel

```
"Channel reader thread: channel" Id=150 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@26f69513
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@55aa75c1
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@55aa75c1
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel hudson.remoting.Channel@7ff751b5:channel

```
"Ping thread for channel hudson.remoting.Channel@7ff751b5:channel" Id=152
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

pool-1-thread-98 for channel

```
"pool-1-thread-98 for channel" Id=172 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@68fed86
```

RemoteInvocationHandler [#3]

```
"RemoteInvocationHandler [#3]" Id=149 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@6b52661
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@6b52661
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
```

```
                        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
```

Thread-1

```
"Thread-1" Id=12 Group=main TIMED_WAITING on hudson.remoting.Channel@7ff751b5
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Channel@7ff751b5
        at hudson.remoting.Channel.join(Channel.java:948)
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=5 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@5eeaadb7
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@5eeaadb7
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@132fa10
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@132fa10
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

🖥 Buildserver_Deliv_02

Channel reader thread: channel

```
"Channel reader thread: channel" Id=15 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@35a864bc
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@707a98a4
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@707a98a4
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel hudson.remoting.Channel@61245c4f:channel

```
"Ping thread for channel hudson.remoting.Channel@61245c4f:channel" Id=17
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

pool-1-thread-21 for channel

```
"pool-1-thread-21 for channel" Id=39 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@2f56053f
```

RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=14 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@426d8e29
        at java.lang.Object.wait(Native Method)
        - waiting on java.lang.ref.ReferenceQueue$Lock@426d8e29
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=12 Group=main TIMED_WAITING on hudson.remoting.Channel@61245c4f
        at java.lang.Object.wait(Native Method)
        - waiting on hudson.remoting.Channel@61245c4f
        at hudson.remoting.Channel.join(Channel.java:948)
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=5 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@4a5afe1e
        at java.lang.Object.wait(Native Method)
        - waiting on java.lang.ref.ReferenceQueue$Lock@4a5afe1e
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Keep-Alive-SocketCleaner

```
"Keep-Alive-SocketCleaner" Id=13 Group=system WAITING on
sun.net.www.http.KeepAliveStreamCleaner@269047d1
        at java.lang.Object.wait(Native Method)
        - waiting on sun.net.www.http.KeepAliveStreamCleaner@269047d1
        at sun.net.www.http.KeepAliveStreamCleaner.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Reference Handler

```
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@1be189b5
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

🖥 Buildserver_Deliv_03

Channel reader thread: channel

```
"Channel reader thread: channel" Id=15 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@76717dc9
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@325d6a7
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@325d6a7
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel
hudson.remoting.Channel@1648a4ad:channel

```
"Ping thread for channel hudson.remoting.Channel@1648a4ad:channel" Id=17
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

pool-1-thread-16 for channel

```
"pool-1-thread-16 for channel" Id=32 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
```

```
                        – java.util.concurrent.ThreadPoolExecutor$Worker@28037ced
```

```
"RemoteInvocationHandler [#1]" Id=14 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@14f953df
        at java.lang.Object.wait(Native Method)
        –  waiting on java.lang.ref.ReferenceQueue$Lock@14f953df
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=12 Group=main TIMED_WAITING on hudson.remoting.Channel@1648a4ad
        at java.lang.Object.wait(Native Method)
        –  waiting on hudson.remoting.Channel@1648a4ad
        at hudson.remoting.Channel.join(Channel.java:948)
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=5 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@4ae4bfeb
        at java.lang.Object.wait(Native Method)
        –  waiting on java.lang.ref.ReferenceQueue$Lock@4ae4bfeb
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Keep-Alive-SocketCleaner

```
"Keep-Alive-SocketCleaner" Id=13 Group=system WAITING on
sun.net.www.http.KeepAliveStreamCleaner@7cf1603a
        at java.lang.Object.wait(Native Method)
        –  waiting on sun.net.www.http.KeepAliveStreamCleaner@7cf1603a
        at sun.net.www.http.KeepAliveStreamCleaner.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@6ff403b6
        at java.lang.Object.wait(Native Method)
        –  waiting on java.lang.ref.Reference$Lock@6ff403b6
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

🖥 Buildserver_Deliv_04

Channel reader thread: channel

```
"Channel reader thread: channel" Id=14 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        –  locked java.io.BufferedInputStream@69839ff8
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
```

```
        hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
                at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
```

```
                at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
                at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@4067e287
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@4067e287
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel hudson.remoting.Channel@1fb970ed:channel

```
"Ping thread for channel hudson.remoting.Channel@1fb970ed:channel" Id=16
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

pool-1-thread-20 for channel

```
"pool-1-thread-20 for channel" Id=37 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        -  java.util.concurrent.ThreadPoolExecutor$Worker@2a9a7c73
```

RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=13 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@407b88e6
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@407b88e6
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=11 Group=main TIMED_WAITING on hudson.remoting.Channel@1fb970ed
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Channel@1fb970ed
        at hudson.remoting.Channel.join(Channel.java:948)
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=4 Group=system RUNNABLE
```

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@a0f59dd
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@a0f59dd
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Keep-Alive-SocketCleaner

```
"Keep-Alive-SocketCleaner" Id=12 Group=system WAITING on
sun.net.www.http.KeepAliveStreamCleaner@6e58d51c
        at java.lang.Object.wait(Native Method)
        -  waiting on sun.net.www.http.KeepAliveStreamCleaner@6e58d51c
        at sun.net.www.http.KeepAliveStreamCleaner.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@75d4c153
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@75d4c153
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

🖥 Buildserver_FuMu_01

Channel reader thread: channel

```
"Channel reader thread: channel" Id=14 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@6d278680
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@5f81c977
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@5f81c977
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel
hudson.remoting.Channel@1fb970ed:channel

```
"Ping thread for channel hudson.remoting.Channel@1fb970ed:channel" Id=16
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)
        at hudson.remoting.PingThread.run(PingThread.java:90)
```

```
"pool-1-svnkit-thread-1" Id=35 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@69bb83f0
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@69bb83f0
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.take(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

pool-1-svnkit-thread-2

```
"pool-1-svnkit-thread-2" Id=36 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@69bb83f0
        at sun.misc.Unsafe.park(Native Method)
        - waiting on
java.util.concurrent.SynchronousQueue$TransferStack@69bb83f0
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.take(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

pool-1-thread-17 for channel

```
"pool-1-thread-17 for channel" Id=32 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@403d7b6d
```

RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=13 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@3def757c
        at java.lang.Object.wait(Native Method)
        - waiting on java.lang.ref.ReferenceQueue$Lock@3def757c
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=11 Group=main TIMED_WAITING on hudson.remoting.Channel@1fb970ed
        at java.lang.Object.wait(Native Method)
        - waiting on hudson.remoting.Channel@1fb970ed
        at hudson.remoting.Channel.join(Channel.java:948)
```

```
                            at hudson.remoting.Engine.run(Engine.java:267)
```

```
"Attach Listener" Id=4 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@cd94949
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@cd94949
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Keep-Alive-SocketCleaner

```
"Keep-Alive-SocketCleaner" Id=12 Group=system WAITING on
sun.net.www.http.KeepAliveStreamCleaner@340a3fa8
        at java.lang.Object.wait(Native Method)
        -  waiting on sun.net.www.http.KeepAliveStreamCleaner@340a3fa8
        at sun.net.www.http.KeepAliveStreamCleaner.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@d5a5e36
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.Reference$Lock@d5a5e36
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

🖥 Buildserver_FuMu_02

Channel reader thread: channel

```
"Channel reader thread: channel" Id=14 Group=main RUNNABLE (in native)
        at java.net.SocketInputStream.socketRead0(Native Method)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.net.SocketInputStream.read(Unknown Source)
        at java.io.BufferedInputStream.fill(Unknown Source)
        at java.io.BufferedInputStream.read(Unknown Source)
        -  locked java.io.BufferedInputStream@72f5b870
        at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:82
)
        at
hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
        at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
        at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:3
9)
        at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchr
onousByteArrayCommandTransport.java:34)
        at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandT
ransport.java:48)
```

main

```
"main" Id=1 Group=main WAITING on hudson.remoting.Engine@691a0175
        at java.lang.Object.wait(Native Method)
        -  waiting on hudson.remoting.Engine@691a0175
        at java.lang.Thread.join(Unknown Source)
        at java.lang.Thread.join(Unknown Source)
        at hudson.remoting.jnlp.Main.main(Main.java:137)
        at hudson.remoting.jnlp.Main._main(Main.java:130)
        at hudson.remoting.Launcher.run(Launcher.java:228)
        at hudson.remoting.Launcher.main(Launcher.java:192)
```

Ping thread for channel
hudson.remoting.Channel@1fb970ed:channel

"Ping thread for channel hudson.remoting.Channel@1fb970ed:channel" Id=16
Group=main TIMED_WAITING
        at java.lang.Thread.sleep(Native Method)

Jenkins   AUTO-AKTUALISIERUNG EINSCHALTEN

pool-1-svnkit-thread-1

```
"pool-1-svnkit-thread-1" Id=27 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@49a8f32f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@49a8f32f
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.take(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

pool-1-svnkit-thread-2

```
"pool-1-svnkit-thread-2" Id=28 Group=main WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@49a8f32f
        at sun.misc.Unsafe.park(Native Method)
        -  waiting on
java.util.concurrent.SynchronousQueue$TransferStack@49a8f32f
        at java.util.concurrent.locks.LockSupport.park(Unknown Source)
        at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(Unknown Source)
        at java.util.concurrent.SynchronousQueue$TransferStack.transfer(Unknown
Source)
        at java.util.concurrent.SynchronousQueue.take(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.getTask(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at java.lang.Thread.run(Unknown Source)
```

pool-1-thread-27 for channel

```
"pool-1-thread-27 for channel" Id=471 Group=main RUNNABLE
        at sun.management.ThreadImpl.dumpThreads0(Native Method)
        at sun.management.ThreadImpl.dumpAllThreads(Unknown Source)
        at hudson.Functions.getThreadInfos(Functions.java:1176)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
        at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
        at hudson.remoting.UserRequest.perform(UserRequest.java:120)
        at hudson.remoting.UserRequest.perform(UserRequest.java:48)
        at hudson.remoting.Request$2.run(Request.java:326)
        at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.j
ava:68)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor.runWorker(Unknown Source)
        at java.util.concurrent.ThreadPoolExecutor$Worker.run(Unknown Source)
        at hudson.remoting.Engine$1$1.run(Engine.java:62)
        at java.lang.Thread.run(Unknown Source)

        Number of locked synchronizers = 1
        - java.util.concurrent.ThreadPoolExecutor$Worker@5a91574d
```

RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=13 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@621ffc06
        at java.lang.Object.wait(Native Method)
        -  waiting on java.lang.ref.ReferenceQueue$Lock@621ffc06
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.j
ava:415)
        at java.util.concurrent.Executors$RunnableAdapter.call(Unknown Source)
        at java.util.concurrent.FutureTask.run(Unknown Source)
        at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:
110)
        at java.lang.Thread.run(Unknown Source)
```

Thread-1

```
"Thread-1" Id=11 Group=main TIMED_WAITING on hudson.remoting.Channel@1fb970ed
        at java.lang.Object.wait(Native Method)
        - waiting on hudson.remoting.Channel@1fb970ed
        at hudson.remoting.Engine.run(Engine.java:267)
```

Attach Listener

```
"Attach Listener" Id=4 Group=system RUNNABLE
```

Finalizer

```
"Finalizer" Id=3 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@21db203e
        at java.lang.Object.wait(Native Method)
        - waiting on java.lang.ref.ReferenceQueue$Lock@21db203e
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.ReferenceQueue.remove(Unknown Source)
        at java.lang.ref.Finalizer$FinalizerThread.run(Unknown Source)
```

Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on
java.lang.ref.Reference$Lock@3921d7cf
        at java.lang.Object.wait(Native Method)
        - waiting on java.lang.ref.Reference$Lock@3921d7cf
        at java.lang.Object.wait(Object.java:503)
        at java.lang.ref.Reference$ReferenceHandler.run(Unknown Source)
```

Buildserver_HIL_MN27_Mess

N/A

```
offline
```

Buildserver_HIL_MN27_Sim

N/A

```
offline
```

Buildserver_HexPrepare_01

N/A

```
offline
```