





## Jenkins ▸ Plugins verwalten

 Zurück zur Übersicht

 Jenkins verwalten

Aktualisierungen

Verfügbar

Installiert

Erweiterte Einstellungen

Aktiviert

Name ↓

Version

Vorher installierte Version

Deinstallieren

### Analysis Model API



Static Analysis Model and Parsers API used by the Warnings plugin.

9.1.0

8.3.1 wiederherstellen

Deinstallieren

### Apache HttpComponents Client 4.x API Plugin

Bundles Apache HttpComponents Client 4.x and allows it to be used by Jenkins plugins.



**This plugin is up for adoption!** We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

4.5.10-2.0

4.5.5-3.0 wiederherstellen

Deinstallieren

### Authentication Tokens API Plugin

This plugin provides an

1.4

1.3 wiederherstellen

Deinstallieren

|  |   |        |                         |                |
|--|---|--------|-------------------------|----------------|
|  | API for converting credentials into authentication tokens in  | 1.4    | 1.5 wiederherstellen    | Deinstallieren |
| Jenkins ▸ Plugins verwalten  |   |        |                         |                |
| ✓  | <b>Autofavorite for Blue Ocean</b><br>Automatically favorites multibranch pipeline jobs when user is the author | 1.2.4  |                         | Deinstallieren |
| <b>Bitbucket Branch Source Plugin</b><br>Allows to use Bitbucket Cloud and Bitbucket Server as sources for multi-branch projects. It also provides the required connectors for Bitbucket Cloud Team and Bitbucket Server Project folder (also known as repositories auto-discovering). |   |        |                         |                |
| ✓  |   | 2.9.4  | 2.9.2 wiederherstellen  | Deinstallieren |
| <div>This plugin is up for adoption! We are looking for new maintainers. Visit our <a href="#">Adopt a Plugin</a> initiative for more information.</div>   |   |        |                         |                |
| <b>Bitbucket Pipeline for Blue Ocean</b><br>BlueOcean Bitbucket pipeline creator   |   |        |                         |                |
| ✓  |   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
| <b>Blue Ocean</b><br>BlueOcean Aggregator  |   |        |                         |                |
| ✓  |   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
| <b>Blue Ocean Core JS</b><br>The Jenkins Plugins Parent POM Project  |   |        |                         |                |
| ✓  |   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
| <b>Blue Ocean Pipeline Editor</b>  |   |        |                         |                |
| ✓  |   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |

The Blue Ocean Pipeline Editor is the simplest way for anyone wanting

## Jenkins ▸ Plugins verwalten

creating Pipelines in Jenkins

### Bootstrap 4 API



Provides Bootstrap 4 for Jenkins plugins.

4.5.2-1

4.5.0-2 wiederherstellen

Deinstallieren

### bouncycastle API Plugin



This plugin provides an stable API to Bouncy Castle related tasks.

2.18

2.17 wiederherstellen

Deinstallieren

### Branch API



This plugin provides an API for multiple branch based projects.

2.6.0

2.5.9 wiederherstellen

Deinstallieren

### Build Timeout

This plugin allows builds to be automatically terminated after the specified amount of time has elapsed.



**This plugin is up for adoption!** We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.20

1.19.1 wiederherstellen

Deinstallieren

### build user vars plugin



This plugin is used to set user build variables: jenkins user name and id.

1.6

1.5 wiederherstellen

Deinstallieren

### Checks API



This plugin defines an API for Jenkins to

1.0.2

0.2.3 wiederherstellen

Deinstallieren

publish checks to SCM  
platforms.

## Jenkins ▸ Plugins verwalten

This plugin integrates  
[Cobertura coverage  
reports](#) to Jenkins.

### Code Coverage API Plugin



This plugin serves as API  
to integrate and publish  
multiple coverage report  
types.

1.2.0

1.1.5 wiederherstellen

Deinstallieren

### Command Agent Launcher



Allows agents to be  
launched using a  
specified command.

1.4

1.3 wiederherstellen

Deinstallieren

### Common API for Blue Ocean



This plugin is a part of  
Blue Ocean UI

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### Config API for Blue Ocean



BlueOcean Analytics  
Tools plugin

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### Credentials Binding



Allows credentials to be  
bound to environment  
variables for use from  
miscellaneous build  
steps.

1.23

1.22 wiederherstellen

Deinstallieren

### Credentials Plugin



This plugin allows you to  
store credentials in  
Jenkins.

2.3.13

2.3.12 wiederherstellen

Deinstallieren

### Dashboard for Blue Ocean



Blue Ocean Dashboard

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### DataTables.net API



Provides jQuery  
DataTables for Jenkins  
plugins.

1.10.21-2

1.10.20-14  
wiederherstellen

Deinstallieren

|         |  |         |                          |                |
|---------|--|---------|--------------------------|----------------|
| Jenkins | <input checked="" type="checkbox"/> <b>Design Language</b><br>The Jenkins Plugins  | 1.24.1  | 1.23.3 wiederherstellen  | Deinstallieren |
|         | <b>Plugins verwalten</b>   |         |                          |                |
|         | <input checked="" type="checkbox"/> <b>Display URL API</b><br>Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications | 2.3.3   | 2.3.2 wiederherstellen   | Deinstallieren |
|         | <b>Display URL for Blue Ocean</b><br>This plugin generates BlueOcean specific URLs for the Display URL plugin.   | 2.4.0   | 2.3.1 wiederherstellen   | Deinstallieren |
|         | <b>Docker Commons Plugin</b><br>Provides the common shared functionality for various Docker-related plugins.   | 1.17    | 1.16 wiederherstellen    | Deinstallieren |
|         | <b>Docker Pipeline</b><br>Build and use Docker containers from pipelines.  | 1.24    | 1.23 wiederherstellen    | Deinstallieren |
|         | <b>DTKit 2 API.</b><br>This plugin exposes the DTKit 2 APIs to other Jenkins plugins.  | 2.2.1   | 2.1.2 wiederherstellen   | Deinstallieren |
|         | <b>Durable Task Plugin</b><br>Library offering an extension point for processes which can run outside of Jenkins yet be monitored.                               | 1.35    | 1.34 wiederherstellen    | Deinstallieren |
|         | <b>ECharts API</b><br>Provides ECharts for Jenkins plugins.  | 4.9.0-1 | 4.8.0-2 wiederherstellen | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>Email Extension</b><br>This plugin is a   | 2.77    | 2.76 wiederherstellen    | Deinstallieren |

replacement for  
Jenkins's email  
publisher. It allows to

## Jenkins ▸ Plugins verwalten

of email notifications:  
when an email is sent,  
who should receive it  
and what the email says

### Email Extension Template



This plugin allows  
administrators to create  
global templates for the  
Extended Email  
Publisher.

1.1

Deinstallieren

### Events API for Blue Ocean



Blue Ocean Events

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### External Monitor Job Type Plugin



Adds the ability to  
monitor the result of  
externally executed jobs

1.7

Deinstallieren

### Favorite



This plugin allows users  
to favorite a job.

2.3.2

Deinstallieren

### Folders



This plugin allows users  
to create "folders" to  
organize jobs. Users can  
define custom  
taxonomies (like by  
project type,  
organization type etc).  
Folders are nestable and  
you can define views  
within folders.  
Maintained by  
CloudBees, Inc.

6.14

6.12 wiederherstellen

Deinstallieren

### Font Awesome API



Provides the free fonts  
of Font Awesome for  
jenkins plugins

5.14.0-1

5.13.0-1  
wiederherstellen

Deinstallieren

|  |  |           |                         |                |
|--|--|-----------|-------------------------|----------------|
| <input checked="" type="checkbox"/>  | <b>Forensics API Plugin</b>  | 0.7.0     | 0.6.1 wiederherstellen  | Deinstallieren |
| <b>Jenkins</b> ▶ <b>Plugins verwalten</b><br>and analyze data from a repository. |  |           |                         |                |
| <input checked="" type="checkbox"/>  | <b>Git</b><br>This plugin integrates <a href="#">Git</a> with Jenkins.   | 4.4.4     | 4.4.2 wiederherstellen  | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>Git client plugin</b><br>Utility plugin for Git support in Jenkins  | 3.5.1     | 3.4.2 wiederherstellen  | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>Git Pipeline for Blue Ocean</b><br>BlueOcean Git SCM pipeline creator   | 1.24.1    | 1.23.3 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>GIT server Plugin</b><br>Allows Jenkins to act as a Git server.   | 1.9       | 1.8 wiederherstellen    | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>GitHub</b><br>This plugin integrates <a href="#">GitHub</a> to Jenkins.   | 1.31.0    | 1.29.5 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>GitHub API Plugin</b><br>This plugin provides <a href="#">GitHub API</a> for other plugins.                                 | 1.116     | 1.115 wiederherstellen  | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>GitHub Branch Source Plugin</b><br>Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc. | 2.9.1     | 2.9.0 wiederherstellen  | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>GitHub Pipeline for Blue Ocean</b><br>BlueOcean GitHub organization pipeline creator  | 1.24.1    | 1.23.3 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/>  | <b>Handy Uri Templates 2.x API</b>   | 2.1.8-1.0 |                         | Deinstallieren |

## Plugin

Bundles Handy Uri  
Templates 2.x and allows

### Jenkins ▸ Plugins verwalten

it to be used by Jenkins  
plugins

|                                     |  |        |                         |                |
|-------------------------------------|--|--------|-------------------------|----------------|
| <input checked="" type="checkbox"/> | <b>HTML Publisher plugin</b><br>This plugin publishes<br>HTML reports.   | 1.23   | 1.22 wiederherstellen   | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>i18n for Blue Ocean</b><br>Blue Ocean<br>Internationalization<br>(i18n) Plugin. This plugin<br>is a part of the Blue<br>Ocean Plugin set.               | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>Jackson 2 API Plugin</b><br>This plugin exposes the<br>Jackson 2 JSON APIs to<br>other Jenkins plugins.   | 2.11.3 | 2.11.2 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>Javadoc Plugin</b>  | 1.6    | 1.5 wiederherstellen    | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>JavaScript GUI Lib: ACE<br/>Editor bundle plugin</b><br>JavaScript GUI Lib: ACE<br>Editor bundle plugin.  | 1.1    |                         | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>JavaScript GUI Lib:<br/>Handlebars bundle plugin</b><br>JavaScript GUI Lib:<br>Handlebars bundle<br>plugin.   | 1.1.1  |                         | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>JavaScript GUI Lib: jQuery<br/>bundles (jQuery and jQuery<br/>UI) plugin</b><br>JavaScript GUI Lib:<br>jQuery bundles (jQuery<br>and jQuery UI) plugin. | 1.2.1  |                         | Deinstallieren |
| <input checked="" type="checkbox"/> | <b>JavaScript GUI Lib:<br/>Moment.js bundle plugin</b><br>JavaScript GUI Lib:  | 1.1.1  |                         | Deinstallieren |

Moment.js bundle  
plugin.

## Jenkins ▸ Plugins verwalten

This plugin integrates  
Jenkins to [Atlassian Jira](#).

### JIRA Integration for Blue Ocean



The Jenkins Plugins  
Parent POM Project

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### Jira Integration for Jenkins



This plugin adds  
features to improve  
integration with  
[Atlassian Jira](#)

3.8.2

Deinstallieren

### JQuery3 API



Provides jQuery 3.x for  
Jenkins plugins.

3.5.1-1

3.4.1-10  
wiederherstellen

Deinstallieren

### JSch dependency plugin



Jenkins plugin that  
brings the JSch library as  
a plugin dependency,  
and provides an  
SSHAuthenticatorFactory  
for using JSch with the  
ssh-credentials plugin.

0.155.2

0.155.1  
wiederherstellen

Deinstallieren

### JUnit



Allows JUnit-format test  
results to be published.

1.38

1.34 wiederherstellen

Deinstallieren

### JWT for Blue Ocean



BlueOcean JWT plugin:  
Enables JWT based  
BlueOcean API  
authentication

1.24.1

1.23.3 wiederherstellen

Deinstallieren

### LDAP Plugin



Adds LDAP  
authentication to Jenkins

1.26

1.25 wiederherstellen

Deinstallieren



### Locale plugin

1.4

Deinstallieren

This plugin lets you control the language of Jenkins.

## Jenkins ▸ Plugins verwalten

**This plugin is up for adoption!** We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

---

### Lockable Resources plugin



This plugin allows to define external resources (such as printers, phones, computers) that can be locked by builds. If a build requires an external resource which is already locked, it will wait for the resource to be free.

2.10

2.8 wiederherstellen

Deinstallieren

---

### Mailer Plugin



This plugin allows you to configure email notifications for build results

1.32.1

1.32 wiederherstellen

Deinstallieren

---

### MapDB API Plugin



This plugin provides a shared dependency on the [MapDB](#) library so that other plugins can co-operate when using this library.

1.0.9.0

Deinstallieren

---

### Matrix Authorization Strategy



Offers matrix-based security authorization strategies (global and

2.6.3

2.6.2 wiederherstellen

Deinstallieren

per-project).



## Matrix Project Plugin

1.18

1.17 wiederherstellen

Deinstallieren

Jenkins

### ► Plugins verwalten

Multi-configuration  
(matrix) project type.

## Maven Integration plugin

This plug-in provides, for better and for worse, a deep integration of Jenkins and Maven: Automatic triggers between projects depending on SNAPSHOTS, automated configuration of various Jenkins publishers (Junit, ...).



3.8

3.7 wiederherstellen

Deinstallieren



## Mercurial

2.10

2.8 wiederherstellen

Deinstallieren

This plugin integrates [Mercurial SCM](#) with Jenkins. It includes repository browsing support for hg serve/hgweb, Google Code, Bitbucket, FishEye, KilnHG and RhodeCode. Features include guaranteed clean builds, named branch support, module lists, Mercurial tool installation, and automatic caching.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Missing permission check](#)
- [XXE vulnerability](#)

**This plugin is up for**

Jenkins

► **Plugins verwalten**

maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

---

### MSBuild Plugin

This plugin makes it possible to build a Visual Studio project (.proj) and solution files (.sln).



**This plugin is up for adoption!** We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.29

Deinstallieren

---

### OkHttp Plugin



This plugin provides [OkHttp](#) for other plugins.

3.14.9

Deinstallieren

---

### Oracle Java SE Development Kit Installer Plugin



Allows the Oracle Java SE Development Kit (JDK) to be installed via download from Oracle's website.

1.4

1.3 wiederherstellen

Deinstallieren

---

### OWASP Markup Formatter Plugin



Uses the [OWASP Java HTML Sanitizer](#) to allow safe-seeming HTML markup to be entered in project descriptions and the like

2.1

2.0 wiederherstellen

Deinstallieren

|         |   |        |                         |                |
|---------|---|--------|-------------------------|----------------|
| Jenkins | <input checked="" type="checkbox"/> <b>PAM Authentication plugin</b>  | 1.6    | 1.3 wiederherstellen    | Deinstallieren |
|         | <b>Plugins verwalten</b><br>(PAM) support to Jenkins  |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Personalization for Blue Ocean</b>   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
|         | Blue Ocean<br>Personalization   |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline</b>   | 2.6    | 2.5 wiederherstellen    | Deinstallieren |
|         | A suite of plugins that lets you orchestrate automation, simple or complex. See <a href="#">Pipeline as Code with Jenkins</a> for more details. |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline Graph Analysis Plugin</b>   | 1.10   | 1.6 wiederherstellen    | Deinstallieren |
|         | Provides a REST API to access pipeline and pipeline run data.   |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline implementation for Blue Ocean</b>   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
|         | This plugin is a part of BlueOcean Plugin   |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline SCM API for Blue Ocean</b>  | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
|         | This plugin is a part of BlueOcean Plugin   |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline: API</b>  | 2.40   | 2.37 wiederherstellen   | Deinstallieren |
|         | Plugin that defines Pipeline API.   |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline: Basic Steps</b>  | 2.22   | 2.21 wiederherstellen   | Deinstallieren |
|         | Commonly used steps for Pipelines.  |        |                         |                |
|         | <input checked="" type="checkbox"/> <b>Pipeline: Build Step</b>   | 2.13   | 2.12 wiederherstellen   | Deinstallieren |
|         | Adds the Pipeline step build to trigger builds  |        |                         |                |

of other jobs.

|         |                                     |  |       |                        |                |
|---------|-------------------------------------|--|-------|------------------------|----------------|
| Jenkins | <input checked="" type="checkbox"/> | <b>Pipeline: Declarative</b>   | 1.7.2 | 1.6.0 wiederherstellen | Deinstallieren |
|         | ▶                                   | <b>Plugins verwalten</b><br>An opinionated,<br>declarative Pipeline.   |       |                        |                |
|         |                                     | <b>Pipeline: Declarative Agent API</b><br><br>Replaced by Pipeline:<br>Declarative Extension<br>Points API plugin.   |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>This plugin is deprecated.</b> In general, this means that it is either obsolete, no longer being developed, or may no longer work. <a href="#">Learn more.</a> | 1.1.1 |                        | Deinstallieren |
|         |                                     | <b>Pipeline: Declarative Extension Points API</b><br><br>APIs for extension points used in Declarative Pipelines.  | 1.7.2 | 1.6.0 wiederherstellen | Deinstallieren |
|         |                                     | <b>Pipeline: Groovy</b><br><br>Pipeline execution engine based on continuation passing style transformation of Groovy scripts.                                     | 2.83  | 2.82 wiederherstellen  | Deinstallieren |
|         |                                     | <b>Pipeline: Input Step</b><br><br>Adds the Pipeline step input to wait for human input or approval.   | 2.12  | 2.11 wiederherstellen  | Deinstallieren |
|         |                                     | <b>Pipeline: Job</b><br><br>Defines a new job type for pipelines and provides their generic user interface.  | 2.40  | 2.39 wiederherstellen  | Deinstallieren |

|         |                                     |  |  |       |                        |                |
|---------|-------------------------------------|--|--|-------|------------------------|----------------|
| Jenkins | <input checked="" type="checkbox"/> | <b>Pipeline: Milestone Step</b>          | Plugin that provides the   | 1.3.1 |                        | Deinstallieren |
|         |                                     | <b>Plugins verwalten</b>                 |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: Model API</b>               | Model API for Declarative Pipeline.  | 1.7.2 | 1.6.0 wiederherstellen | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: Multibranch</b>             | Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.                           | 2.22  | 2.21 wiederherstellen  | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: Nodes and Processes</b>     | Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection. | 2.36  | 2.35 wiederherstellen  | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: REST API</b>                | Provides a REST API to access pipeline and pipeline run data.  | 2.17  | 2.15 wiederherstellen  | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: SCM Step</b>                | Adds a Pipeline step to check out or update working sources from various SCMs (version control).                                       | 2.11  | 2.10 wiederherstellen  | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: Shared Groovy Libraries</b> | Shared libraries for Pipeline scripts.   | 2.17  | 2.16 wiederherstellen  | Deinstallieren |
| <hr/>   |                                     |  |  |       |                        |                |
|         | <input checked="" type="checkbox"/> | <b>Pipeline: Stage Step</b>              | Adds the Pipeline step stage to delineate portions of a build.   | 2.5   | 2.3 wiederherstellen   | Deinstallieren |

|         |                     |  |          |                        |                |
|---------|---------------------|--|----------|------------------------|----------------|
| Jenkins | ► Plugins verwalten | <input checked="" type="checkbox"/> <b>Pipeline: Stage Tags Metadata</b><br>Library plugin for metadata.   | 1.7.2    | 1.6.0 wiederherstellen | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Pipeline: Stage View</b><br>Pipeline Stage View Plugin.   | 2.17     | 2.15 wiederherstellen  | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Pipeline: Step API</b><br>API for asynchronous build step primitive.  | 2.22     | 2.20 wiederherstellen  | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Pipeline: Supporting APIs</b><br>Common utility implementations to build Pipeline Plugin  | 3.5      | 3.4 wiederherstellen   | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Plain Credentials Plugin</b><br>Allows use of plain strings and files as credentials.   | 1.7      | 1.5 wiederherstellen   | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Plugin Utilities API</b><br>Provides several utility classes that can be used to accelerate plugin development.   | 1.3.0    | 1.2.5 wiederherstellen | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Popper.js API</b><br>Provides Popper.js for Jenkins plugins.  | 1.16.0-6 |                        | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Pub-Sub "light" Bus</b><br>A simple Publish-Subscribe light-weight event bus for Jenkins  | 1.13     |                        | Deinstallieren |
|         |                     | <input checked="" type="checkbox"/> <b>Resource Disposer Plugin</b><br>Dispose resources asynchronously. Utility plugin for resources that require more retries or take a long time to delete. | 0.14     | 0.8 wiederherstellen   | Deinstallieren |

|         |  |        |                         |                |
|---------|--|--------|-------------------------|----------------|
| Jenkins | <input checked="" type="checkbox"/> <b>REST API for Blue Ocean</b><br>This plugin is a part of   | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>REST Implementation for Blue Ocean</b><br>This plugin is a part of Blue Ocean UI  | 1.24.1 | 1.23.3 wiederherstellen | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>Safe Restart Plugin</b><br>This plugin allows you to restart Jenkins safely.  | 0.3    |                         | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>SCM API Plugin</b><br>This plugin provides a new enhanced API for interacting with SCM systems.                                     | 2.6.4  | 2.6.3 wiederherstellen  | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>Script Security Plugin</b><br>Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users. | 1.75   | 1.74 wiederherstellen   | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>Server Sent Events (SSE) Gateway</b><br>Server Sent Events (SSE) Gateway.   | 1.23   | 1.22 wiederherstellen   | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>Snakeyaml API Plugin</b><br>This plugin provides <a href="#">Snakeyaml</a> for other plugins.                                       | 1.27.0 | 1.26.4 wiederherstellen | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>SSH Build Agents plugin</b><br>Allows to launch agents over SSH, using a Java implementation of the SSH protocol.                   | 1.31.2 | 1.31.1 wiederherstellen | Deinstallieren |
|         | <input checked="" type="checkbox"/> <b>SSH Credentials Plugin</b><br>Allows storage of SSH credentials in Jenkins  | 1.18.1 | 1.17.3 wiederherstellen | Deinstallieren |



## Static Analysis Collector Plug-in

2.0.0

1.52 wiederherstellen

Deinstallieren

The Analysis Collector

Jenkins

### Plugins verwalten

life. All functionality has been integrated into the [Warnings Next Generation Plugin](#).

**This plugin is deprecated.** In general, this means that it is either obsolete, no longer being developed, or may no longer work. [Learn more.](#)

## Static Analysis Utilities

This plug-in provides utilities for the static code analysis plug-ins.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Stored XSS vulnerability](#)



1.96

1.95 wiederherstellen

Deinstallieren

**This plugin is deprecated.** In general, this means that it is either obsolete, no longer being developed, or may no longer work. [Learn more.](#)

|                                     |   |   |        |                         |                |
|-------------------------------------|---|---|--------|-------------------------|----------------|
| Jenkins                             | <input checked="" type="checkbox"/>   | Library plugin for DSL plugins that need names  | 1.20   | 1.14 wiederherstellen   | Deinstallieren |
|                                     | Plugins verwalten   |   |        |                         |                |
|                                     | <input checked="" type="checkbox"/>   | Subversion  | 2.13.1 | 2.12.2 wiederherstellen | Deinstallieren |
|                                     | <div>Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:</div> <ul style="list-style-type: none"> <li><a href="#">XXE vulnerability</a></li> </ul> <div>This plugin is up for adoption! We are looking for new maintainers. Visit our <a href="#">Adopt a Plugin</a> initiative for more information.</div> |   |        |                         |                |
|                                     |   |   |        |                         |                |
| <input checked="" type="checkbox"/> | Timestamper   | Adds timestamps to the Console Output   | 1.11.5 | 1.11.3 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/> | Token Macro Plugin  | This plug-in adds reusable macro expansion capability for other plug-ins to use.                          | 2.12   | 2.11 wiederherstellen   | Deinstallieren |
| <input checked="" type="checkbox"/> | Trilead API   | Trilead API Plugin provides the Trilead library to any dependent plugins in an easily update-able manner. | 1.0.11 | 1.0.10 wiederherstellen | Deinstallieren |
| <input checked="" type="checkbox"/> | Variant Plugin  | This user-invisible library plugin allows other   | 1.0    |                         |                |



multi-modal plugins to behave differently depending on where

1.5

Deinstallieren

Jenkins

► Plugins verwalten



ViewVC Plugin

1.7

Deinstallieren

This plugin integrates [ViewVC browser interface for CVS and Subversion](#) to Hudson. Entries in change logs will be hyperlinked to the specified files/diffs in ViewVC.

---

Warnings Next Generation Plugin



This plugin collects compiler warnings or issues reported by static analysis tools and visualizes the results. It has built-in support for numerous static analysis tools (including several compilers), see the list of [supported report formats](#).

8.4.4

8.4.1 wiederherstellen

Deinstallieren

---

Warnings Plug-in

The Warnings plug-in reached end-of-life. All functionality has been integrated into the [Warnings Next Generation Plugin](#).



**This plugin is deprecated.** In general, this means that it is either obsolete, no longer being developed, or may no longer work. [Learn more.](#)

5.0.2

5.0.1 wiederherstellen

Deinstallieren



web for blue Ocean

Blue Ocean core

1.24.1

1.23.3 wiederherstellen

Deinstallieren

## Jenkins ▸ Plugins verwalten

### Plugin

Allows you to setup agents on Windows machines over Windows Management Instrumentation (WMI)

**This plugin is up for adoption!** We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

### Workspace Cleanup Plugin



This plugin deletes the project workspace when invoked.

0.38

0.37 wiederherstellen

Deinstallieren

### xUnit



This plugin makes it possible to record xUnit test reports.

2.3.9

2.3.8 wiederherstellen

Deinstallieren