









-  [New Job](#)
-  [Manage Hudson](#)
-  [People](#)
-  [Build History](#)
-  [Project Relationship](#)
-  [Check File Fingerprint](#)
-  [My Views](#)

Build Queue

No builds in the queue.

Build Executor Status

#	Status	
1	Idle	
2	Building Stella-UI_start_selenium_tests_fast_track #1	

Thread Dump

Thread[/usr/java/jdk1.5.0_13/bin/java -Xmx1024M -cp /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven-agent-1.379.jar:/usr/local/maven/apache-maven-2.2.1/boot/classworlds-1.1.jar hudson.maven.agent.Main /usr/local/maven/apache-maven-2.2.1/usr/local/tomcat/apache-tomcat-6.0.29/webapps/hudson/WEB-INF/lib/remoting-1.379.jar /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven-interceptor-1.379.jar 49855 /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven2.1-interceptor-1.2.jar: stdout copier,5,main] (RUNNABLE)

```
java.io.FileInputStream.readBytes(Native Method)
java.io.FileInputStream.read(FileInputStream.java:194)
java.io.BufferedInputStream.read1(BufferedInputStream.java:254)
java.io.BufferedInputStream.read(BufferedInputStream.java:313)
java.io.FilterInputStream.read(FilterInputStream.java:90)
hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

Thread[com.google.common.base.internal.Finalizer,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:116)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:132)
com.google.common.base.internal.Finalizer.run(Finalizer.java:127)
```

Thread[ContainerBackgroundProcessor[StandardEngine[Catalina]],5,main] (TIMED_WAITING)

```
java.lang.Thread.sleep(Native Method)
org.apache.catalina.core.ContainerBase$ContainerBackgroundProcessor.run(ContainerBase.java:1579)
java.lang.Thread.run(Thread.java:595)
```

Thread[Executor #0 for master,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
hudson.util.OneShotEvent.block(OneShotEvent.java:72)
hudson.model.Queue.pop(Queue.java:781)
hudson.model.Executor.grabJob(Executor.java:175)
hudson.model.Executor.run(Executor.java:113)
```

Thread[Executor #1 for master : executing Stella-UI_start_selenium_tests_fast_track #1 / waiting for hudson.slaves.Channels\$1@51b013:Channel to Maven [/usr/java/jdk1.5.0_13/bin/java, -Xmx1024M, -cp, /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven-agent-1.379.jar:/usr/local/maven/apache-maven-2.2.1/boot/classworlds-1.1.jar, hudson.maven.agent.Main, /usr/local/maven/apache-maven-2.2.1, /usr/local/tomcat/apache-tomcat-6.0.29/webapps/hudson/WEB-INF/lib/remoting-1.379.jar, /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven-interceptor-1.379.jar, 49855, /home/scripts/hudson/plugins/maven-plugin/WEB-INF/lib/maven2.1-interceptor-1.2.jar],5,main] (TIMED_WAITING)

```
java.lang.Object.wait(Native Method)
hudson.remoting.Request.call(Request.java:122)
hudson.remoting.Channel.call(Channel.java:630)
hudson.maven.ProcessCache$MavenProcess.call(ProcessCache.java:156)
hudson.maven.MavenModuleSetBuild$RunnerImpl.doRun(MavenModuleSetBuild.java:480)
hudson.model.AbstractBuild$AbstractRunner.run(AbstractBuild.java:416)
hudson.model.Run.run(Run.java:1280)
hudson.maven.MavenModuleSetBuild.run(MavenModuleSetBuild.java:293)
hudson.model.ResourceController.execute(ResourceController.java:88)
hudson.model.Executor.run(Executor.java:137)
```

Thread[Handling GET /hudson/threadDump : http-8081-2,5,main] (RUNNABLE)

```
java.lang.Thread.dumpThreads(Native Method)
java.lang.Thread.getAllStackTraces(Thread.java:1434)
hudson.Functions.dumpAllThreads(Functions.java:768)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
java.lang.reflect.Method.invoke(Method.java:585)
org.apache.commons.jexl.util.introspection.UberspectImpl$VelMethodImpl.invoke(UberspectImpl.java:258)
org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)
org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
```

Thread[http-8081-10,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-11,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-12,5,main] (RUNNABLE)

```
java.net.SocketInputStream.socketRead0(Native Method)
java.net.SocketInputStream.read(SocketInputStream.java:129)
org.apache.coyote.http11.InternalInputBuffer.fill(InternalInputBuffer.java:735)
org.apache.coyote.http11.InternalInputBuffer.parseRequestLine(InternalInputBuffer.java:366)
org.apache.coyote.http11.Http11Processor.process(Http11Processor.java:814)
org.apache.coyote.http11.Http11Protocol$Http11ConnectionHandler.process(Http11Protocol.java:588)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:489)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-13,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-14,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-15,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-16,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-17,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-3,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-4,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-5,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-6,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
```

```
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-7,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-8,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-9,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
org.apache.tomcat.util.net.JIoEndpoint$Worker.await(JIoEndpoint.java:458)
org.apache.tomcat.util.net.JIoEndpoint$Worker.run(JIoEndpoint.java:484)
java.lang.Thread.run(Thread.java:595)
```

Thread[http-8081-Acceptor-0,5,main] (RUNNABLE)

```
java.net.PlainSocketImpl.socketAccept(Native Method)
java.net.PlainSocketImpl.accept(PlainSocketImpl.java:384)
java.net.ServerSocket.implAccept(ServerSocket.java:450)
java.net.ServerSocket.accept(ServerSocket.java:421)
org.apache.tomcat.util.net.DefaultServerSocketFactory.acceptSocket(DefaultServerSocketFactory.java:61)
org.apache.tomcat.util.net.JIoEndpoint$Acceptor.run(JIoEndpoint.java:352)
java.lang.Thread.run(Thread.java:595)
```

Thread[Hudson cron thread,5,main] (TIMED_WAITING)

```
java.lang.Object.wait(Native Method)
java.util.TimerThread.mainLoop(Timer.java:509)
java.util.TimerThread.run(Timer.java:462)
```

Thread[Hudson UDP 33848 monitoring thread,5,main] (RUNNABLE)

```
java.net.PlainDatagramSocketImpl.receive0(Native Method)
java.net.PlainDatagramSocketImpl.receive(PlainDatagramSocketImpl.java:136)
java.net.DatagramSocket.receive(DatagramSocket.java:712)
hudson.UDPBroadcastThread.run(UDPBroadcastThread.java:70)
```

Thread[JmDNS.cancelerTimer,5,main] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
java.util.TimerThread.mainLoop(Timer.java:483)
java.util.TimerThread.run(Timer.java:462)
```

Thread[JmDNS.SocketListener,5,main] (RUNNABLE)

```
java.net.PlainDatagramSocketImpl.receive0(Native Method)
java.net.PlainDatagramSocketImpl.receive(PlainDatagramSocketImpl.java:136)
java.net.DatagramSocket.receive(DatagramSocket.java:712)
javax.jmdns.impl.SocketListener.run(SocketListener.java:44)
java.lang.Thread.run(Thread.java:595)
```

Thread[JmDNS.Timer,5,main] (TIMED_WAITING)

```
java.lang.Object.wait(Native Method)
java.util.TimerThread.mainLoop(Timer.java:509)
java.util.TimerThread.run(Timer.java:462)
```

Thread[main,5,main] (RUNNABLE)

```
java.net.PlainSocketImpl.socketAccept(Native Method)
java.net.PlainSocketImpl.accept(PlainSocketImpl.java:384)
java.net.ServerSocket.implAccept(ServerSocket.java:450)
java.net.ServerSocket.accept(ServerSocket.java:421)
org.apache.catalina.core.StandardServer.await(StandardServer.java:389)
org.apache.catalina.startup.Catalina.await(Catalina.java:662)
org.apache.catalina.startup.Catalina.start(Catalina.java:614)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
java.lang.reflect.Method.invoke(Method.java:585)
org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)
org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)
```

**Thread[Pipe writer thread: Channel to Maven [/usr/java/jdk1.5.0_13
/bin/java, -Xmx1024M, -cp, /home/scripts/hudson/plugins/maven-plugin
/WEB-INF/lib/maven-agent-1.379.jar:/usr/local/maven/apache-maven-
2.2.1/boot/classworlds-1.1.jar, hudson.maven.agent.Main, /usr/local
/maven/apache-maven-2.2.1, /usr/local/tomcat/apache-tomcat-6.0.29**

**/webapps/hudson/WEB-INF/lib/remoting-1.379.jar, /home/scripts
/hudson/plugins/maven-plugin/WEB-INF/lib/maven-interceptor-1.379.jar,
49855, /home/scripts/hudson/plugins/maven-plugin/WEB-INF
/lib/maven2.1-interceptor-1.2.jar],5,main] (WAITING)**

```
sun.misc.Unsafe.park(Native Method)
java.util.concurrent.locks.LockSupport.park(LockSupport.java:118)
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:1841)
java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:359)
java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:470)
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:674)
java.lang.Thread.run(Thread.java:595)
```

Thread[process reaper,5,main] (RUNNABLE)

```
java.lang.UNIXProcess.waitForProcessExit(Native Method)
java.lang.UNIXProcess.access$900(UnIXProcess.java:20)
java.lang.UNIXProcess$1$1.run(UnIXProcess.java:132)
```

Thread[TCP slave agent listener port=0,5,main] (RUNNABLE)

```
java.net.PlainSocketImpl.socketAccept(Native Method)
java.net.PlainSocketImpl.accept(PlainSocketImpl.java:384)
java.net.ServerSocket.implAccept(ServerSocket.java:450)
java.net.ServerSocket.accept(ServerSocket.java:421)
hudson.TcpSlaveAgentListener.run(TcpSlaveAgentListener.java:118)
```

Thread[Thread-6,5,main] (TIMED_WAITING)

```
java.lang.Object.wait(Native Method)
hudson.model.ViewJob$ReloadThread.getNext(ViewJob.java:159)
hudson.model.ViewJob$ReloadThread.run(ViewJob.java:176)
```

Thread[Finalizer,8,system] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:116)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:132)
java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:159)
```

Thread[GC Daemon,2,system] (TIMED_WAITING)

```
java.lang.Object.wait(Native Method)
sun.misc.GC$Daemon.run(GC.java:100)
```

Thread[Java2D Disposer,10,system] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:116)
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:132)
sun.java2d.Disposer.run(Disposer.java:125)
java.lang.Thread.run(Thread.java:595)
```

Thread[Reference Handler,10,system] (WAITING)

```
java.lang.Object.wait(Native Method)
java.lang.Object.wait(Object.java:474)
java.lang.ref.Reference$ReferenceHandler.run(Reference.java:116)
```

Thread[Signal Dispatcher,9,system] (RUNNABLE)