



Jenkins

Apps, Michael | log out

Plugin Manager

[Back to Dashboard](#)[Manage Jenkins](#)Filter: 
[Updates](#) [Available](#) **Installed** [Advanced](#)

| Enabled                             | Name ↓   | Version                 | Previously installed version         | Pinned | Uninstall                 |
|-------------------------------------|--|-------------------------|--------------------------------------|--------|---------------------------|
| <input checked="" type="checkbox"/> | <a href="#">Active Directory plugin</a><br>This plugin enables authentication through Active Directory on Windows environment.   | <a href="#">1.41</a>    |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Amazon Web Services SDK</a><br>This plugin provides <a href="#">AWS SDK for Java</a> for other plugins.  | <a href="#">1.11.68</a> | <a href="#">Downgrade to 1.11.66</a> |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Ant Plugin</a><br>This plugin adds <a href="#">Apache Ant</a> support to Jenkins.  | <a href="#">1.4</a>     | <a href="#">Downgrade to 1.2</a>     |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Artifact Deployer Plug-in</a><br>This plug-in makes it possible to deploy artifacts from workspace to output directories.  | <a href="#">0.33</a>    |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">bouncycastle API Plugin</a><br>Provides an stable API to Bouncy Castle related tasks. Plugins using Bouncy Castle should depend on this plugin and not directly on Bouncy Castle   | <a href="#">2.16.0</a>  |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Branch API Plugin</a><br>This plugin provides an API for multiple branch based projects.   | <a href="#">1.11.1</a>  | <a href="#">Downgrade to 1.11</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">build-name-setter</a><br>This plug-in sets the display name of a build to something other than #1, #2, #3, ...   | <a href="#">1.6.5</a>   |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">ClamAV Plugin</a><br>This plugin allows you to check the artifacts with ClamAV.  | <a href="#">0.3</a>     |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Conditional BuildStep</a><br>A buildstep wrapping any number of other buildsteps, controlling their execution based on a defined condition (e.g. BuildParameter).  | <a href="#">1.3.5</a>   |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Copy Artifact Plugin</a><br>Adds a build step to copy artifacts from another project.  | <a href="#">1.38.1</a>  | <a href="#">Downgrade to 1.36</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Credentials Plugin</a><br>This plugin allows you to store credentials in Jenkins.  | <a href="#">2.1.10</a>  | <a href="#">Downgrade to 2.1.9</a>   |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">CVS Plug-in</a><br>Integrates Jenkins with CVS version control system using a modified version of the Netbeans cvsclient.  | <a href="#">2.13</a>    | <a href="#">Downgrade to 2.12</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Display URL API</a><br>Provides an extension point to define alternate URLs for use in notifications.  | <a href="#">0.5</a>     |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Durable Task Plugin</a><br>Library offering an extension point for processes which can run outside of Jenkins yet be monitored.  | <a href="#">1.13</a>    | <a href="#">Downgrade to 1.12</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Email Extension Plugin</a><br>This plugin is a replacement for Jenkins's email publisher   | <a href="#">2.54</a>    | <a href="#">Downgrade to 2.53</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Environment Injector Plugin</a><br>This plugin makes it possible to set an environment for the builds.   | <a href="#">1.93.1</a>  |                                      |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">External Monitor Job Type Plugin</a><br>Adds the ability to monitor the result of externally executed jobs.  | <a href="#">1.7</a>     | <a href="#">Downgrade to 1.6</a>     |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Folders Plugin</a><br>This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc. | <a href="#">5.16</a>    | <a href="#">Downgrade to 5.15</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Git Changelog</a><br>Plugin creating JIRA filter URL based on commit messages containing JIRA ticket keys in the GIT history   | <a href="#">1.41</a>    | <a href="#">Downgrade to 1.39</a>    |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Git client plugin</a>  |                         |                                      |        |                           |

|                                     |   |                          |                                     |                           |
|-------------------------------------|---|--------------------------|-------------------------------------|---------------------------|
| <input checked="" type="checkbox"/> | Shared library plugin for other Git related Jenkins plugins.  | <a href="#">2.2.1</a>    | <a href="#">Downgrade to 2.2.0</a>  | <a href="#">Uninstall</a> |
| <b>Jenkins</b>                      | <b>Plugin Manager</b>   | <a href="#">0.1.2</a>    | <a href="#">Downgrade to 0.1.1</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Adds ability to choose from git repository revisions or tags  | <a href="#">3.0.1</a>    | <a href="#">Downgrade to 3.0.0</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin integrates <a href="#">Git</a> with Jenkins.  | <a href="#">1.7</a>      |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">GIT server Plugin</a>   | <a href="#">1.84</a>     | <a href="#">Downgrade to 1.82</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Allows Jenkins to act as a Git server.  | <a href="#">1.10.1</a>   | <a href="#">Downgrade to 1.10</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">GitHub API Plugin</a>   | <a href="#">1.5</a>      |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin provides <a href="#">GitHub API</a> for other plugins.  | <a href="#">1.25.1</a>   | <a href="#">Downgrade to 1.25.0</a> | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">GitHub Branch Source Plugin</a>   | <a href="#">2.0.0</a>    | <a href="#">Downgrade to 1.0.0</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.  | <a href="#">5.0</a>      | <a href="#">Downgrade to 4.5.0</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">GitHub Organization Folder Plugin</a>   | <a href="#">2.0.3</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Scan entire GitHub organization for buildable branches and pull requests, in repositories. See <a href="#">Pipeline as Code solution page</a> for more details. | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">GitHub plugin</a>   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin integrates <a href="#">GitHub</a> to Jenkins.   | <a href="#">2.15</a>     | <a href="#">Downgrade to 2.12</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">HipChat Plugin</a>  | <a href="#">1.4</a>      | <a href="#">Downgrade to 1.1</a>    | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin is a HipChat notifier that can publish build status to HipChat rooms.   | <a href="#">1.1</a>      |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">HP Application Automation Tools</a>   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin allows integration with HP ALM, HP Unified Functional Testing, HP LoadRunner and HP Performance centre  | <a href="#">1.2.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Icon Shim Plugin</a>  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin allows other Jenkins plugins to take advantage of the <icon> tag.   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Jackson 2 API Plugin</a>  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Javadoc Plugin</a>  | <a href="#">1.1.1</a>    | <a href="#">Downgrade to 1.1</a>    | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin adds Javadoc support to Jenkins.  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JavaScript GUI Lib: ACE Editor bundle plugin</a>  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | JavaScript GUI Lib: ACE Editor bundle plugin.   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JavaScript GUI Lib: Handlebars bundle plugin</a>  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | JavaScript GUI Lib: Handlebars bundle plugin.   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin</a>  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JavaScript GUI Lib: Moment.js bundle plugin</a>   | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | JavaScript GUI Lib: Moment.js bundle plugin.  | <a href="#">1.1.1</a>    |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JIRA plugin</a>   | <a href="#">2.3</a>      | <a href="#">Downgrade to 2.2.1</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin integrates Jenkins to <a href="#">Atlassian JIRA</a> .  | <a href="#">2.15</a>     | <a href="#">Downgrade to 2.12</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Job Configuration History Plugin</a>  | <a href="#">1.19</a>     | <a href="#">Downgrade to 1.18</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Job history plugin for Jenkins.   | <a href="#">1.19</a>     |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">jQuery plugin</a>   | <a href="#">1.11.2-0</a> |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This allows other plugins to use jQuery in UI.  | <a href="#">1.11.2-0</a> |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">JUnit Plugin</a>  | <a href="#">1.14</a>     | <a href="#">Downgrade to 1.13</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Allows JUnit-format test results to be published.   | <a href="#">1.14</a>     |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">LDAP Plugin</a>   | <a href="#">1.18</a>     | <a href="#">Downgrade to 1.16</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Adds LDAP authentication to Jenkins   | <a href="#">1.18</a>     |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Mailer Plugin</a>   | <a href="#">1.0.9.0</a>  |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin allows you to configure email notifications for build results. This is a break-out of the original core based email component.                      | <a href="#">1.0.9.0</a>  |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">MapDB API Plugin</a>  | <a href="#">1.4</a>      | <a href="#">Downgrade to 1.1</a>    | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | This plugin provides a shared dependency on the <a href="#">MapDB</a> library so that other plugins can co-operate when using this library.                     | <a href="#">1.4</a>      |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Matrix Authorization Strategy Plugin</a>  | <a href="#">1.8</a>      | <a href="#">Downgrade to 1.7.1</a>  | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Offers matrix-based security authorization strategies (global and per-project).   | <a href="#">1.8</a>      |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Matrix Project Plugin</a>   | <a href="#">2.14</a>     | <a href="#">Downgrade to 2.13</a>   | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | Multi-configuration (matrix) project type.  | <a href="#">2.14</a>     |                                     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Maven Integration plugin</a>  | <a href="#">2.14</a>     |                                     | <a href="#">Uninstall</a> |

|                                     |   |  |
|-------------------------------------|---|--|
| Jenkins                             | This plugin provides an advanced integration for Maven 2/3 projects.  |  |
|                                     | <a href="#">Multijob plugin</a><br>Plugin Manager   |  |
| <input checked="" type="checkbox"/> | <a href="#">Node and Label parameter plugin</a><br><br>This plugin adds two new parameter types to job configuration - node and label, this allows to dynamically select the node where a job/project should be executed.   | <a href="#">1.7.2</a> <a href="#">Downgrade to 1.5.1</a> <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Node Iterator API Plugin</a><br><br>This plugin provides support for iterating through all the Node instances that are in use by Jenkins, even those Node instances that are not traditionally attached to Jenkins. The API exposed by this plugin can be used by cloud provider plugins to identify unused provisioned resource. | <a href="#">1.5.0</a> <a href="#">Uninstall</a>                                    |
| <input checked="" type="checkbox"/> | <a href="#">OWASP Markup Formatter Plugin</a><br><br>Uses the <a href="#">OWASP Java HTML Sanitizer</a> to allow safe-seeming HTML markup to be entered in project descriptions and the like.   | <a href="#">1.5</a> <a href="#">Downgrade to 1.1</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">PAM Authentication plugin</a><br><br>Adds Unix Pluggable Authentication Module (PAM) support to Jenkins.  | <a href="#">1.3</a> <a href="#">Downgrade to 1.1</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Parameterized Trigger plugin</a><br><br>This plugin lets you trigger new builds when your build has completed, with various ways of specifying parameters for the new build.  | <a href="#">2.32</a> <a href="#">Uninstall</a>                                     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline</a><br><br>A suite of plugins that lets you orchestrate automation, simple or complex. See <a href="#">Pipeline as Code with Jenkins</a> for more details.   | <a href="#">2.4</a> <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline Graph Analysis Plugin</a><br><br>Provides a REST API to access pipeline and pipeline run data.   | <a href="#">1.3</a> <a href="#">Downgrade to 1.2</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: API</a><br><br>Plugin that defines Pipeline API.  | <a href="#">2.8</a> <a href="#">Downgrade to 2.6</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Basic Steps</a><br><br>Commonly used steps for Pipelines.   | <a href="#">2.3</a> <a href="#">Downgrade to 2.2</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Build Step</a><br><br>Adds the Pipeline step build to trigger builds of other jobs.   | <a href="#">2.4</a> <a href="#">Downgrade to 2.3</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Groovy</a><br><br>Pipeline execution engine based on continuation passing style transformation of Groovy scripts.   | <a href="#">2.24</a> <a href="#">Downgrade to 2.23</a> <a href="#">Uninstall</a>   |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Input Step</a><br><br>Adds the Pipeline step input to wait for human input or approval.   | <a href="#">2.5</a> <a href="#">Downgrade to 2.3</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Job</a><br><br>Defines a new job type for pipelines and provides their generic user interface.  | <a href="#">2.9</a> <a href="#">Downgrade to 2.8</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Milestone Step</a><br><br>Provides the milestone step in Pipeline scripts.  | <a href="#">1.3</a> <a href="#">Downgrade to 1.2</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Multibranch</a><br><br>Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.   | <a href="#">2.9.2</a> <a href="#">Downgrade to 2.9</a> <a href="#">Uninstall</a>   |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Nodes and Processes</a><br><br>Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection.   | <a href="#">2.8</a> <a href="#">Downgrade to 2.5</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: REST API Plugin</a><br><br>Provides a REST API to access pipeline and pipeline run data.  | <a href="#">2.4</a> <a href="#">Downgrade to 2.3</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: SCM Step</a><br><br>Adds a Pipeline step to check out or update working sources from various SCMs (version control).  | <a href="#">2.3</a> <a href="#">Downgrade to 2.2</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Shared Groovy Libraries</a><br><br>Shared libraries for Pipeline scripts.   | <a href="#">2.5</a> <a href="#">Downgrade to 2.4</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Stage Step</a><br><br>Adds the Pipeline step stage to delineate portions of a build.  | <a href="#">2.2</a> <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Stage View Plugin</a><br><br>Pipeline Stage View Plugin.  | <a href="#">2.4</a> <a href="#">Downgrade to 2.3</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Step API</a><br><br>API for asynchronous build step primitive.  | <a href="#">2.7</a> <a href="#">Downgrade to 2.6</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/> | <a href="#">Pipeline: Supporting APIs</a>   | <a href="#">2.12</a> <a href="#">Downgrade to 2.11</a> <a href="#">Uninstall</a>   |

| Common utility implementations to build Pipeline Plugin |   |   |   |  |
|---|---|---|---|--|
| <a href="#">Plain Credentials Plugin</a>                |   |   |   |  |
| Jenkins   | Plugin Manager                                |   |   |  |
| <input checked="" type="checkbox"/>                     | <a href="#">Rebuilder</a>                     | This plugin is for rebuilding a job using the same parameters.  | <a href="#">1.25</a>  | <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/>                     | <a href="#">Resource Disposer Plugin</a>      | Track resources to be disposed asynchronously.  | <a href="#">0.6</a>   | <a href="#">Downgrade to 0.3</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/>                     | <a href="#">Run Condition Plugin</a>          | Core conditions to select whether to execute a build step or publisher. Used by the [Flexible Publish Plugin] and the [Conditional BuildStep Plugin].   | <a href="#">1.0</a>   | <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/>                     | <a href="#">S3 publisher plugin</a>           | This is a plugin to upload files to Amazon S3 buckets.  | <a href="#">0.10.11</a>   | <a href="#">Downgrade to 0.10.10</a> <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/>                     | <a href="#">SCM API Plugin</a>                | This plugin provides a new enhanced API for interacting with SCM systems.   | <a href="#">1.3</a>   | <a href="#">Downgrade to 1.0</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/>                     | <a href="#">SCM Sync Configuration Plugin</a> | This plugin allows you to synchronize your hudson configuration files with an SCM, allowing you to specify a commit message every time a config file is modified.   | <a href="#">0.0.10</a>  | <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/>                     | <a href="#">Script Security Plugin</a>        | Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.   | <a href="#">1.25</a>  | <a href="#">Downgrade to 1.24</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">SSH Credentials Plugin</a>        | This plugin allows you to store SSH credentials in Jenkins.   | <a href="#">1.12</a>  | <a href="#">Downgrade to 1.11</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">SSH Slaves plugin</a>             | This plugin allows you to manage slaves running on \*nix machines over SSH.   | <a href="#">1.12</a>  | <a href="#">Downgrade to 1.11</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">Structs Plugin</a>                | Library plugin for DSL plugins that need names for Jenkins objects.   | <a href="#">1.5</a>   | <a href="#">Uninstall</a>                                      |
| <input checked="" type="checkbox"/>                     | <a href="#">Subversion Plug-in</a>            | This plugin adds the Subversion support (via SVNKit) to Jenkins.  | <a href="#">2.7.1</a>   | <a href="#">Downgrade to 2.6</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/>                     | <a href="#">TestLink Plugin</a>               | This plugin integrates Jenkins and TestLink.  | <a href="#">3.13-SNAPSHOT<br/>(private-762ebb57-Michael Apps)</a> | <a href="#">Downgrade to 3.12</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">Timestamper</a>                   | Adds timestamps to the Console Output.  | <a href="#">1.8.8</a>   | <a href="#">Downgrade to 1.8.7</a> <a href="#">Uninstall</a>   |
| <input checked="" type="checkbox"/>                     | <a href="#">Token Macro Plugin</a>            | This plug-in adds reusable macro expansion capability for other plug-ins to use.  | <a href="#">2.0</a>   | <a href="#">Downgrade to 1.12.1</a> <a href="#">Uninstall</a>  |
| <input checked="" type="checkbox"/>                     | <a href="#">Translation Assistance plugin</a> | This plugin adds an additional dialog box in every page, which enables people to contribute localizations for the messages they are seeing in the current page.   | <a href="#">1.15</a>  | <a href="#">Downgrade to 1.10</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">View Job Filters</a>              | Create smart views with exactly the jobs you want. Your smart views can automatically include or exclude jobs by using things like the SCM path or type, the job type, build statuses or trends or triggers, relevance to the logged-in user, email recipients, Maven configuration, job parameterization, and user permissions. Mix and match filters to narrow down to exactly what you want. | <a href="#">1.27</a>  | <a href="#">Downgrade to 1.26</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">vSphere Plugin</a>                | This plugin provides tools to implement "cloud" like functionality in Jenkins for those using a vSphere Virtualization infrastructure.  | <a href="#">2.15</a>  | <a href="#">Downgrade to 2.14</a> <a href="#">Uninstall</a>    |
| <input checked="" type="checkbox"/>                     | <a href="#">Windows Slaves Plugin</a>         | Allows you to connect to Windows machines and start slave agents on them.   | <a href="#">1.2</a>   | <a href="#">Downgrade to 1.0</a> <a href="#">Uninstall</a>     |
| <input checked="" type="checkbox"/>                     | <a href="#">Workspace Cleanup Plugin</a>      | This plugin deletes the project workspace after a build is finished.  | <a href="#">0.32</a>  | <a href="#">Downgrade to 0.30</a> <a href="#">Uninstall</a>    |











