

Jenkins

Plugin Manager

[Back to Dashboard](#)[Manage Jenkins](#)Filter:

Updates

Available

Installed

Advanced

| Enabled | Name ↓ | Version | Previously installed version | Uninstall |
|-------------------------------------|--|---------------------------|--|---------------------------|
| <input checked="" type="checkbox"/> | Ant Plugin Adds Apache Ant support to Jenkins | 1.8 | Downgrade to 1.4 | Uninstall |
| <input checked="" type="checkbox"/> | Apache HttpComponents Client 4.x API Plugin Bundles Apache HttpComponents Client 4.x and allows it to be used by Jenkins plugins. | 4.5.5-2.0 | Downgrade to 4.5.3-2.1 | Uninstall |
| <input checked="" type="checkbox"/> | Authentication Tokens API Plugin This plugin provides an API for converting credentials into authentication tokens in Jenkins. | 1.3 | | Uninstall |
| <input checked="" type="checkbox"/> | Autofavorite for Blue Ocean Automatically favorites multibranch pipeline jobs when user is the author | 1.2.2 | Downgrade to 1.0.0 | Uninstall |
| <input checked="" type="checkbox"/> | Bitbucket Branch Source Plugin Allows to use Bitbucket Cloud as a source for multi-branch projects. It also provides the required connectors for Bitbucket Cloud Team Folder (also known as repositories auto-discovering). | 2.2.11 | Downgrade to 2.2.10 | Uninstall |
| <input checked="" type="checkbox"/> | Bitbucket Pipeline for Blue Ocean BlueOcean Bitbucket pipeline creator | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | Blue Ocean BlueOcean Aggregator | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | Blue Ocean Core JS | 1.5.0 | | Uninstall |
| <input checked="" type="checkbox"/> | Blue Ocean Pipeline Editor The Blue Ocean Pipeline Editor is the simplest way for anyone wanting to get started with creating Pipelines in Jenkins | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | bouncycastle API Plugin This plugin provides an stable API to Bouncy Castle related tasks. | 2.16.2 | Downgrade to 2.16.1 | Uninstall |

Jenkins

Plugin Manager

| | | | | |
|-------------------------------------|--|------------------------|-------------------------------------|---------------------------|
| <input checked="" type="checkbox"/> | This plugin provides an API for multiple branch based projects. | 2.0.20 | Downgrade to 2.0.18 | Uninstall |
| <input checked="" type="checkbox"/> | This plugin allows builds to be automatically terminated after the specified amount of time has elapsed. | 1.19 | Downgrade to 1.18 | Uninstall |
| <input checked="" type="checkbox"/> | Command Agent Launcher Plugin | 1.2 | Downgrade to 1.0 | Uninstall |
| <input checked="" type="checkbox"/> | Allows agents to be launched using a specified command. | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | Common API for Blue Ocean | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | This plugin is a part of Blue Ocean UI | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | Config API for Blue Ocean | 1.16 | Downgrade to 1.11 | Uninstall |
| <input checked="" type="checkbox"/> | BlueOcean Analytics Tools plugin | 2.1.16 | Downgrade to 2.1.13 | Uninstall |
| <input checked="" type="checkbox"/> | Credentials Binding Plugin | 2.14 | | Uninstall |
| <input checked="" type="checkbox"/> | Allows credentials to be bound to environment variables for use from miscellaneous build steps. | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | Credentials Plugin | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | This plugin allows you to store credentials in Jenkins. | 1.5.0 | Downgrade to 1.3.5 | Uninstall |
| <input checked="" type="checkbox"/> | CVS Plug-in | 1.5.0 | | Uninstall |
| <input checked="" type="checkbox"/> | Integrates Jenkins with CVS version control system using a modified version of the Netbeans cvsclient. | 2.2.0 | Downgrade to 1.1.1 | Uninstall |
| <input checked="" type="checkbox"/> | Dashboard for Blue Ocean | 2.2.0 | Downgrade to 1.5.1 | Uninstall |
| <input checked="" type="checkbox"/> | Blue Ocean Dashboard | 1.11 | Downgrade to 1.6 | Uninstall |
| <input checked="" type="checkbox"/> | Design Language | 1.15.1 | Downgrade to 1.10 | Uninstall |
| <input checked="" type="checkbox"/> | Display URL API | 1.22 | Downgrade to 1.13 | Uninstall |
| <input checked="" type="checkbox"/> | Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications | 2.2.0 | | Uninstall |
| <input checked="" type="checkbox"/> | Display URL for Blue Ocean | 2.2.0 | | Uninstall |
| <input checked="" type="checkbox"/> | This plugin generates BlueOcean specific URLs for the Display URL plugin. | 1.11 | Downgrade to 1.6 | Uninstall |
| <input checked="" type="checkbox"/> | Docker Commons Plugin | 1.15.1 | Downgrade to 1.10 | Uninstall |
| <input checked="" type="checkbox"/> | Provides the common shared functionality for various Docker-related plugins. | 1.22 | Downgrade to 1.13 | Uninstall |
| <input checked="" type="checkbox"/> | Docker Pipeline | 1.22 | | Uninstall |
| <input checked="" type="checkbox"/> | Build and use Docker containers from pipelines. | 1.22 | | Uninstall |
| <input checked="" type="checkbox"/> | Durable Task Plugin | 1.22 | | Uninstall |

Jenkins

[Plugin Manager](#)
 processes which can run outside of Jenkins yet
 be monitored.

[Email Extension Plugin](#)

This plugin is a replacement for Jenkins's email publisher. It allows to configure every aspect of email notifications: when an email is sent, who should receive it and what the email says

[2.62](#)[Downgrade to 2.57.2](#)[Uninstall](#)[Events API for Blue Ocean](#)

Blue Ocean Events

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Exclusive Execution Plugin](#)

This plugin allows configuring a job to prevent the rest from starting its execution while this is running.

[0.8](#)[Uninstall](#)[External Monitor Job Type Plugin](#)

Adds the ability to monitor the result of externally executed jobs

[1.7](#)[Uninstall](#)[Favorite](#)

This plugin allows users to favorite a job.

[2.3.1](#)[Downgrade to 2.0.4](#)[Uninstall](#)[Folders Plugin](#)

This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc.

[6.4](#)[Downgrade to 6.0.3](#)[Uninstall](#)[Git client plugin](#)

Utility plugin for Git support in Jenkins

[2.7.1](#)[Downgrade to 2.4.1](#)[Uninstall](#)[Git Pipeline for Blue Ocean](#)

BlueOcean Git SCM pipeline creator

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Git plugin](#)

This plugin integrates [Git](#) with Jenkins.

[3.8.0](#)[Downgrade to 3.2.0](#)[Uninstall](#)[GIT server Plugin](#)

Allows Jenkins to act as a Git server.

[1.7](#)[Uninstall](#)[GitHub API Plugin](#)

This plugin provides [GitHub API](#) for other plugins.

[1.90](#)[Downgrade to 1.85](#)[Uninstall](#)[GitHub Branch Source Plugin](#)

Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.

[2.3.4](#)[Downgrade to 2.3.3](#)[Uninstall](#)[GitHub Organization Folder Plugin](#)

The functionality that was provided by this plugin has been moved to the [GitHub Branch Source plugin](#). You can safely delete this plugin

[1.6](#)[Uninstall](#)

Jenkins

Plugin Manager
plugin installed.

[GitHub Pipeline for Blue Ocean](#)

BlueOcean GitHub organization pipeline creator

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[GitHub plugin](#)

This plugin integrates [GitHub](#) to Jenkins.

[1.29.0](#)[Downgrade to 1.26.2](#)[Uninstall](#)[Gradle Plugin](#)

This plugin allows Jenkins to invoke [Gradle](#) build scripts directly.

[1.28](#)[Downgrade to 1.26](#)[Uninstall](#)[Handy Uri Templates 2.x API Plugin](#)

Bundles Handy Uri Templates 2.x and allows it to be used by Jenkins plugins

[2.1.6-1.0](#)[Uninstall](#)[HTML Publisher plugin](#)

This plugin publishes HTML reports.

[1.16](#)[Downgrade to 1.15](#)[Uninstall](#)[i18n for Blue Ocean](#)

Blue Ocean Internationalization (i18n) Plugin. This plugin is a part of the Blue Ocean Plugin set.

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Icon Shim Plugin](#)

Allows plugins make full use of the <:icon> layout tag when running on newer versions of Jenkins, while still being compatible with older versions.

[2.0.3](#)[Uninstall](#)[Jackson 2 API Plugin](#)

This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.

[2.8.11.1](#)[Downgrade to 2.7.3](#)[Uninstall](#)[Javadoc Plugin](#)[1.4](#)[Uninstall](#)[JavaScript GUI Lib: ACE Editor bundle plugin](#)[1.1](#)[Uninstall](#)

JavaScript GUI Lib: ACE Editor bundle plugin.

[JavaScript GUI Lib: Handlebars bundle plugin](#)[1.1.1](#)[Uninstall](#)

JavaScript GUI Lib: Handlebars bundle plugin.

[JavaScript GUI Lib: jQuery bundles \(jQuery and jQuery UI\) plugin](#)[1.2.1](#)[Uninstall](#)

JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.

[JavaScript GUI Lib: Moment.js bundle plugin](#)[1.1.1](#)[Uninstall](#)

JavaScript GUI Lib: Moment.js bundle plugin.

[JDK Tool Plugin](#)[1.1](#)[Downgrade to 1.0](#)[Uninstall](#)

Allows the JDK tool to be installed via download from Oracle's website.

[JIRA](#)[2.5](#)[Uninstall](#)

Jenkins

Plugin Manager

[JIRA](#)[JIRA Integration for Blue Ocean](#)[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[JSch dependency plugin](#)

Jenkins plugin that brings the JSch library as a plugin dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.

[0.1.54.2](#)[Uninstall](#)[JUnit Plugin](#)

Allows JUnit-format test results to be published.

[1.24](#)[Downgrade to 1.20](#)[Uninstall](#)[JWT for Blue Ocean](#)

BlueOcean JWT plugin: Enables JWT based BlueOcean API authentication

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[LDAP Plugin](#)

Adds LDAP authentication to Jenkins

[1.20](#)[Downgrade to 1.14](#)[Uninstall](#)[Mailer Plugin](#)

This plugin allows you to configure email notifications for build results

[1.21](#)[Downgrade to 1.20](#)[Uninstall](#)[Matrix Authorization Strategy Plugin](#)

Offers matrix-based security authorization strategies (global and per-project).

[2.2](#)[Downgrade to 1.5](#)[Uninstall](#)[Matrix Project Plugin](#)

Multi-configuration (matrix) project type.

[1.13](#)[Downgrade to 1.12](#)[Uninstall](#)[Mercurial plugin](#)

This plugin integrates [Mercurial SCM](#) with Jenkins. It includes repository browsing support for hg serve/hgweb, Google Code, Bitbucket, FishEye, KilnHG and RhodeCode. Features include guaranteed clean builds, named branch support, module lists, Mercurial tool installation, and automatic caching.

[2.3](#)[Uninstall](#)[Metrics Plugin](#)

This plugin exposes the Metrics API to Jenkins plugins.

[3.1.2.11](#)[Downgrade to 3.1.2.9](#)[Uninstall](#)[OWASP Markup Formatter Plugin](#)

Uses the [OWASP Java HTML Sanitizer](#) to allow safe-seeming HTML markup to be entered in project descriptions and the like.

[1.5](#)[Uninstall](#)[PAM Authentication plugin](#)

Adds Unix Pluggable Authentication Module (PAM) support to Jenkins

[1.3](#)[Uninstall](#)[Personalization for Blue Ocean](#)

Blue Ocean Personalization

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)

Jenkins

Plugin Manager

[Phabricator Differential Plugin](#)

This plugin integrates Phabricator and Harbormaster with Jenkins and Uberalls.

[1.9.7](#)[Uninstall](#)[Pipeline](#)

A suite of plugins that lets you orchestrate automation, simple or complex. See [Pipeline as Code with Jenkins](#) for more details.

[2.5](#)[Uninstall](#)[Pipeline Graph Analysis Plugin](#)

Provides a REST API to access pipeline and pipeline run data.

[1.6](#)[Downgrade to 1.3](#)[Uninstall](#)[Pipeline implementation for Blue Ocean](#)

This plugin is a part of BlueOcean Plugin

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Pipeline SCM API for Blue Ocean](#)

This plugin is a part of BlueOcean Plugin

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Pipeline: API](#)

Plugin that defines Pipeline API.

[2.27](#)[Downgrade to 2.26](#)[Uninstall](#)[Pipeline: Basic Steps](#)

Commonly used steps for Pipelines.

[2.7](#)[Downgrade to 2.6](#)[Uninstall](#)[Pipeline: Build Step](#)

Adds the Pipeline step build to trigger builds of other jobs.

[2.7](#)[Downgrade to 2.5](#)[Uninstall](#)[Pipeline: Declarative](#)

An opinionated, declarative Pipeline.

[1.2.9](#)[Downgrade to 1.2.7](#)[Uninstall](#)[Pipeline: Declarative Agent API](#)

Replaced by Pipeline: Declarative Extension Points API plugin.

[1.1.1](#)[Uninstall](#)[Pipeline: Declarative Extension Points API](#)

APIs for extension points used in Declarative Pipelines.

[1.2.9](#)[Downgrade to 1.2.7](#)[Uninstall](#)[Pipeline: GitHub Groovy Libraries](#)

Allows Pipeline Groovy libraries to be loaded on the fly from GitHub.

[1.0](#)[Uninstall](#)[Pipeline: Groovy](#)

Pipeline execution engine based on continuation passing style transformation of Groovy scripts.

[2.51](#)[Downgrade to 2.45](#)[Uninstall](#)[Pipeline: Input Step](#)

Adds the Pipeline step input to wait for human input or approval.

[2.8](#)[Downgrade to 2.5](#)[Uninstall](#)[Pipeline: Job](#)

Defines a new job type for pipelines and provides their generic user interface.

[2.21](#)[Downgrade to 2.12.2](#)[Uninstall](#)

Jenkins

Plugin Manager

Plugin that provides the milestone step

[Pipeline: Model API](#)

Model API for Declarative Pipeline.

[1.2.9](#)[Downgrade to 1.2.7](#)[Uninstall](#)[Pipeline: Multibranch](#)

Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.

[2.18](#)[Downgrade to 2.16](#)[Uninstall](#)[Pipeline: Nodes and Processes](#)

Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection.

[2.19](#)[Downgrade to 2.10](#)[Uninstall](#)[Pipeline: REST API Plugin](#)

Provides a REST API to access pipeline and pipeline run data.

[2.10](#)[Downgrade to 2.9](#)[Uninstall](#)[Pipeline: SCM Step](#)

Adds a Pipeline step to check out or update working sources from various SCMs (version control).

[2.6](#)[Downgrade to 2.4](#)[Uninstall](#)[Pipeline: Shared Groovy Libraries](#)

Shared libraries for Pipeline scripts.

[2.9](#)[Downgrade to 2.7](#)[Uninstall](#)[Pipeline: Stage Step](#)

Adds the Pipeline step stage to delineate portions of a build.

[2.3](#)[Downgrade to 2.2](#)[Uninstall](#)[Pipeline: Stage Tags Metadata](#)

Library plugin for Pipeline stage tag metadata.

[1.2.9](#)[Downgrade to 1.2.7](#)[Uninstall](#)[Pipeline: Stage View Plugin](#)

Pipeline Stage View Plugin.

[2.10](#)[Downgrade to 2.9](#)[Uninstall](#)[Pipeline: Step API](#)

API for asynchronous build step primitive.

[2.14](#)[Downgrade to 2.9](#)[Uninstall](#)[Pipeline: Supporting APIs](#)

Common utility implementations to build Pipeline Plugin

[2.18](#)[Downgrade to 2.14](#)[Uninstall](#)[Plain Credentials Plugin](#)

Allows use of plain strings and files as credentials.

[1.4](#)[Uninstall](#)[Pub-Sub "light" Bus](#)

A simple Publish-Subscribe light-weight event bus for Jenkins

[1.12](#)[Downgrade to 1.7](#)[Uninstall](#)[Resource Disposer Plugin](#)

Dispose resources asynchronously. Utility plugin for resources that require more retries or take a long time to delete.

[0.8](#)[Downgrade to 0.6](#)[Uninstall](#)

Jenkins

Plugin Manager

This plugin is a part of Blue Ocean UI

[REST Implementation for Blue Ocean](#)

This plugin is a part of Blue Ocean UI

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[SCM API Plugin](#)

This plugin provides a new enhanced API for interacting with SCM systems.

[2.2.7](#)[Downgrade to 2.2.6](#)[Uninstall](#)[Script Security Plugin](#)

Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.

[1.44](#)[Downgrade to 1.43](#)[Uninstall](#)[Server Sent Events \(SSE\) Gateway Plugin](#)

Server Sent Events (SSE) Gateway.

[1.15](#)[Uninstall](#)[SSH Credentials Plugin](#)

Allows storage of SSH credentials in Jenkins

[1.13](#)[Uninstall](#)[SSH Slaves plugin](#)

Allows to launch agents over SSH, using a Java implementation of the SSH protocol.

[1.26](#)[Downgrade to 1.16](#)[Uninstall](#)[Structs Plugin](#)

Library plugin for DSL plugins that need names for Jenkins objects.

[1.14](#)[Downgrade to 1.6](#)[Uninstall](#)[Throttle Concurrent Builds Plug-in](#)

This plugin allows for throttling the number of concurrent builds of a project running per node or globally.

[2.0.1](#)[Downgrade to 1.9.0](#)[Uninstall](#)[Timestamper](#)

Adds timestamps to the Console Output

[1.8.9](#)[Downgrade to 1.8.8](#)[Uninstall](#)[Token Macro Plugin](#)

This plug-in adds reusable macro expansion capability for other plug-ins to use.

[2.5](#)[Downgrade to 2.4](#)[Uninstall](#)[Variant Plugin](#)

This user-invisible library plugin allows other multi-modal plugins to behave differently depending on where they run.

[1.1](#)[Uninstall](#)[Web for Blue Ocean](#)

Blue Ocean core

[1.5.0](#)[Downgrade to 1.3.5](#)[Uninstall](#)[Windows Slaves Plugin](#)

Allows you to connect to Windows machines and start slave agents on them.

[1.3.1](#)[Uninstall](#)[Workspace Cleanup Plugin](#)

This plugin deletes the project workspace after a build is finished.

[0.34](#)[Downgrade to 0.32](#)[Uninstall](#)

