Jenkins ▸ VisReleL1l2o1 ▸ DOXiS4_CSB-Integration_Matrix-Comb ▸ j-l1l2o1 ▸ #594   AUTO-AKTUALISIERUNG EINSCHALTEN

- 🔼 **Zurück zum Projekt**
- 🔍 **Status**
- 📝 **Änderungen**
- 🖥 **Console Output**
- 📝 **Build-Informationen editieren**
- 🚫 **Build löschen**
- 📋 **Metadata**
- 📋 **Downstream build view**
- 📄 **Environment Variables**
- 📄 **Parameter**
- **Matrix Reloaded**
- 🗄 **Compare environment**
- ◀ **Vorheriger Build**
- ▶ **Nachfolgender Build**

🔵 **Build #594 (20.06.2016 14:52:12)**

Diesen Build unbefristet aufbewahren

Vor 1 Tag 17 Stunden gestartet
Dauer: 1 Stunde 28 Minuten auf Master

📝Beschreibung hinzufügen

Subproject Builds

DOXiS4_CSB-Integration_Matrix-Main 🔵#4303

📝 Keine Änderungen.

🖥 **Assigned Label**   —

Master

🔶 Gestartet durch vorgelagertes Projekt DOXiS4_CSB-Integration_Matrix-Comb , Build 594
ursprünglich ausgelöst durch:

- Gestartet durch vorgelagertes Projekt DOXiS4_CSB-Start_Test-Build , Build 652
  ursprünglich ausgelöst durch:
  - Gestartet durch anonymes Benutzerkonto

🕐 This run spent:

- 51 ms waiting in the queue;
- 1 Stunde 28 Minuten building on an executor;
- 1 Stunde 28 Minuten total from scheduled to completion.

⭐ Promote Build   ▸

📄 **Parameters**   —

CSB_RELE_OK	true
CSB_SNAP_OK	true
CSB_TS_FW_1	false
CSB_TS_FW_2	false

CSB_TS_STORAGE	false
CSB_TS_LOCATOR	false
CSB_TS_BL_1	false
CSB_TS_BL_2	false
CSB_TS_BL_3	false
CSB_TS_BL_4	false
CSB_TS_BL_SIC	false
CSB_NO_CENTERA	false
CSB_NO_CLOUD	false
CSB_NO_NETAPP	false
CSB_NO_SAFELOCK	false
CSB_NO_FILESYS	false
CSB_NO_IBMSSAM	false
CSB_NO_EMCVNX	false
CSB_NO_WORMLOCK	false
CSB_NO_HPICAS	false
CSB_NO_HCP	false
CSB_NO_ISILON	false
CSB_NO_SERITA	false
CSB_TS_BLUELINE	false

Jenkins ▸ VisReleL1l2o1 ▸ DOXiS4_CSB-Integration_Matrix-Comb ▸ j-l1l2o1 ▸ #594

CSB_CREATE_CUST	true
CSB_DELETE_DATA	true
CSB_MODIFY_CUST	true
CSB_CREATE_SYST	false
CSB_REL_STR	REL_03_02_2
CSB_VC_SNAPSHOT	V0302P0-E
STORAGE_WAS	Tomcat
CSB_OS	Linux
CSB_VCHOST	4
CSB_APPSERVER	Weblogic
CSB_PORT	7001
CSB_PORT_SSL	7002
CSB_ADM_PORT	9080
CSB_NODE_FUNC	FrameWare
CSB_ALLOW_RELEASE	REL_03_00 REL_03_01 REL_03_02 REL_03_03
CSB_AVAIL_SNAPSHOT	V0300P0-L V0302P0-E V0302P1-E
CSB_DB_TYPE	ORACLE
CSB_STORE_TYPE	Tomcat-7
CSB_FULLT_TYPE	Mindserver
CSB_DEP_NODE	

CSB_NODE	sst-j-l1l2o1
CSB_BUILD_DIR	rel_BUILD_154339
NODES	Not applicable. Applicable only to multi-configuration projects.
CUR_TEST_RUN	2
CUR_BUILD_NR	154339
CSB_VERS_STR	V03.02P2
CSB_START_CONF	sedna_current
CSB_TEST_NODES	j-l1l2o1 j-r6e6o1
WAIT_SEC	60

Count of seconds to wait between the starts of the tests for the vms with reset to the snapshot

WAIT_STO_T	180

Count of seconds to wait between the starts of the storage tests after update to the test build

CSB_VM_RESET	☑

Set VM to snapshot before starting the test

CSB_INSTALL	☑

Would you like to deploy the CSB .EAR to the selected AppServer and install the CSB packages on the selected node?

CSB_EXEC_TEST	☑

If activated, the tests are started for the configured vm nodes. Which tests should be executed is given in the configuration file for every node

CSB_DOWN	☐

stop the vm with the test nodes

CSB_ADD_TESTLINK	☐

Not yet implemented, try to import the testresults to the tool testlink

TEST_2_STEP	☑

If checked, execute first preparation of testconditons and tests in a second step, if not checked, execute the test in one step with preparatin and test

Environment Variables(200)	14 different
Slave Information(198)	8 different