

[Back to Dashboard](#)[Manage Jenkins](#)Filter: [Updates](#)[Available](#)[Installed](#)[Advanced](#)

Enabled	Name ↓	Version	Previously installed version	Pinned	Uninstall
<input checked="" type="checkbox"/>	<a href="#">Amazon EC2 Container Service plugin</a> Use Amazon EC2 Container Service to provide elastic slaves.	<a href="#">1.8</a>	<a href="#">Downgrade to 1.7</a>		<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Amazon EC2 Container Service plugin with autoscaling capabilities</a> Use Amazon EC2 Container Service to provide elastic slaves.	<a href="#">1.0</a>			<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Amazon EC2 plugin</a> Allow Jenkins to start slaves on <a href="#">EC2</a> or <a href="#">Eucalyptus</a> on demand, and kill them as they get unused.	<a href="#">1.36</a>			<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Amazon ECR plugin</a> This plugin generates Docker authentication token from Amazon Credentials to access Amazon ECR.	<a href="#">1.4</a>			<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Amazon Web Services SDK</a> This plugin provides <a href="#">AWS SDK for Java</a> for other plugins.	<a href="#">1.11.68</a>			<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Ant Plugin</a> This plugin adds <a href="#">Apache Ant</a> support to Jenkins.	<a href="#">1.4</a>			<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Authentication Tokens API Plugin</a> This plugin provides an API for converting credentials into authentication tokens in Jenkins.	<a href="#">1.3</a>			<a href="#">Uninstall</a>
	<a href="#">Bitbucket Plugin</a>				



Integrates with BitBucket

[1.1.5](#)[Uninstall](#)[Blue Ocean beta](#)[1.0.0-b17](#)[Downgrade to 1.0.0-b16](#)[Uninstall](#)[BlueOcean Display URL plugin](#)[1.3](#)[Uninstall](#)[blueocean-autofavorite](#)[0.5](#)[Uninstall](#)[bouncycastle API Plugin](#)

Provides an stable API to Bouncy Castle related tasks.

[2.16.0](#)[Downgrade to 1.11.1](#)[Uninstall](#)[Branch API Plugin](#)[2.0.0](#)[Uninstall](#)[Build Pipeline Plugin](#)

This plugin renders upstream and downstream connected jobs that typically form a build pipeline. In addition, it offers the ability to define manual triggers for jobs that require intervention prior to execution, e.g. an approval process outside of Jenkins.

[1.5.6](#)[Uninstall](#)[build timeout plugin](#)[1.18](#)[Uninstall](#)[CloudBees Amazon Web Services Credentials Plugin](#)[1.17](#)[Downgrade to 1.16](#)[Uninstall](#)[Common API for Blue Ocean](#)[1.0.0-b17](#)[Downgrade to 1.0.0-b16](#)[Uninstall](#)

This plugin is a part of Blue Ocean UI

## Conditional BuildStep

A buildstep wrapping any number of other buildsteps, controlling their execution based on a defined condition (e.g. BuildParameter).

[1.3.5](#)

[Uninstall](#)

## Config API for Blue Ocean

BlueOcean Analytics Tools plugin

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

## Credentials Binding Plugin

Allows credentials to be bound to environment variables for use from miscellaneous build steps.

[1.10](#)

[Uninstall](#)

## Credentials Plugin

This plugin allows you to store credentials in Jenkins.

[2.1.10](#)

[Uninstall](#)

## Dashboard for Blue Ocean

Blue Ocean Dashboard

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

## Dashboard View

Customizable dashboard that can present various views of job information.

[2.9.10](#)

[Uninstall](#)

## Display URL API

\ Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications. URLs can be requested/extended for these UI locations: \* Root page. \* Job. \* Run. \* Run changes. \* Test result.

[0.5](#)

[Uninstall](#)

## Docker Commons Plugin

Provides the common shared functionality for various Docker-related plugins.

[1.6](#)

[Downgrade to 1.5](#)

[Uninstall](#)

## Docker Pipeline

Build and use Docker containers from pipelines.

[1.9.1](#)

[Uninstall](#)

## Durable Task Plugin

Library offering an extension point for processes which can run outside of Jenkins yet be monitored.

[1.12](#)

[Uninstall](#)

<input checked="" type="checkbox"/>	<a href="#">Email Extension Plugin</a>	<a href="#">2.53</a>	<a href="#">Uninstall</a>
	This plugin is a replacement for Jenkins's email publisher		
<input checked="" type="checkbox"/>	<a href="#">Events API for Blue Ocean</a>	<a href="#">1.0.0-b17</a>	<a href="#">Downgrade to 1.0.0-b16</a> <a href="#">Uninstall</a>
	Blue Ocean Events		
<input checked="" type="checkbox"/>	<a href="#">External Monitor Job Type Plugin</a>	<a href="#">1.7</a>	<a href="#">Uninstall</a>
	Adds the ability to monitor the result of externally executed jobs.		
<input checked="" type="checkbox"/>	<a href="#">Favorite</a>	<a href="#">2.0.4</a>	<a href="#">Uninstall</a>
	This plugin allows users to favorite a job.		
<input checked="" type="checkbox"/>	<a href="#">Folders Plugin</a>		
	This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc.	<a href="#">5.16</a>	<a href="#">Downgrade to 5.15</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Git client plugin</a>		
	Shared library plugin for other Git related Jenkins plugins.	<a href="#">2.2.1</a>	<a href="#">Downgrade to 2.2.0</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">Git Pipeline for Blue Ocean</a>	<a href="#">1.0.0-b17</a>	<a href="#">Downgrade to 1.0.0-b16</a> <a href="#">Uninstall</a>
	BlueOcean Git SCM pipeline creator		
<input checked="" type="checkbox"/>	<a href="#">Git plugin</a>		
	This plugin integrates <a href="#">Git</a> with Jenkins.	<a href="#">3.0.2</a>	<a href="#">Downgrade to 3.0.1</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">GIT server Plugin</a>		
	Allows Jenkins to act as a Git server.	<a href="#">1.7</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">GitHub API Plugin</a>		
	This plugin provides <a href="#">GitHub API</a> for other plugins.	<a href="#">1.84</a>	<a href="#">Downgrade to 1.82</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">GitHub Authentication plugin</a>		
	Authentication plugin using GitHub OAuth to provide authentication and authorization capabilities for GitHub and GitHub Enterprise.	<a href="#">0.25</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<a href="#">GitHub Branch Source Plugin</a>		



Multibranch projects and organization folders from GitHub.  
Maintained by CloudBees, Inc.

[2.0.0](#)

[Downgrade to 1.10.1](#)

[Uninstall](#)

### [GitHub Issues Plugin](#)



This plugin creates GitHub issues when builds fail, and automatically closes the issue when the build starts passing again.

[1.2](#)

[Uninstall](#)

### [GitHub Organization Folder Plugin](#)



The functionality that was provided by this plugin has been moved to the [GitHub Branch Source plugin](#). You can safely delete this plugin once there are no plugins that depend on this plugin installed.

[1.6](#)

[Downgrade to 1.5](#)

[Uninstall](#)

### [GitHub Pipeline for Blue Ocean](#)



BlueOcean GitHub organization pipeline creator

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

### [GitHub plugin](#)



This plugin integrates [GitHub](#) to Jenkins.

[1.25.1](#)

[Downgrade to 1.25.0](#)

[Uninstall](#)

### [Gradle Plugin](#)



This plugin allows Jenkins to invoke [Gradle](#) build scripts directly.

[1.25](#)

[Uninstall](#)

### [i18n for Blue Ocean](#)



Blue Ocean Internationalization (i18n) Plugin. This plugin is a part of the Blue Ocean Plugin set.

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

### [Icon Shim Plugin](#)



This plugin allows other Jenkins plugins to take advantage of the <!icon> tag.

[2.0.3](#)

[Uninstall](#)

### [Jackson 2 API Plugin](#)



This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.

[2.7.3](#)

[Uninstall](#)

### [Javadoc Plugin](#)



This plugin adds Javadoc support to Jenkins.

[1.4](#)

[Uninstall](#)

[JavaScript GUI Lib: ACE Editor](#)[bundle plugin](#)[1.1](#)[Uninstall](#)

JavaScript GUI Lib: ACE Editor  
bundle plugin.

[JavaScript GUI Lib: Handlebars](#)[bundle plugin](#)[1.1.1](#)[Uninstall](#)

JavaScript GUI Lib: Handlebars  
bundle plugin.

[JavaScript GUI Lib: jQuery bundles](#)[\(jQuery and jQuery UI\) plugin](#)[1.2.1](#)[Uninstall](#)

JavaScript GUI Lib: jQuery  
bundles (jQuery and jQuery UI)  
plugin.

[JavaScript GUI Lib: Moment.js](#)[bundle plugin](#)[1.1.1](#)[Uninstall](#)

JavaScript GUI Lib: Moment.js  
bundle plugin.

[jQuery plugin](#)[1.11.2-0](#)[Uninstall](#)

This allows other plugins to use  
jQuery in UI.

[JUnit Plugin](#)[1.19](#)[Uninstall](#)

Allows JUnit-format test results  
to be published.

[JWT for Blue Ocean](#)[1.0.0-b17](#)[Downgrade to 1.0.0-b16](#)[Uninstall](#)

BlueOcean JWT plugin: Enables  
JWT based BlueOcean API  
authentication

[LDAP Plugin](#)[1.13](#)[Uninstall](#)

Adds LDAP authentication to  
Jenkins

[Mailer Plugin](#)[1.18](#)[Uninstall](#)

This plugin allows you to  
configure email notifications for  
build results. This is a break-out  
of the original core based email  
component.

[MapDB API Plugin](#)[1.0.9.0](#)[Uninstall](#)

This plugin provides a shared  
dependency on the [MapDB](#)  
library so that other plugins can  
co-operate when using this  
library.

[Matrix Authorization Strategy Plugin](#)

<input checked="" type="checkbox"/>	Offers matrix-based security authorization strategies (global and per-project).	<a href="#">1.4</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>Matrix Project Plugin</b> Multi-configuration (matrix) project type.	<a href="#">1.8</a>	<b>Downgrade to 1.7.1</b> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>Maven Integration plugin</b> This plugin provides an advanced integration for Maven 2/3 projects.	<a href="#">2.14</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>Mercurial plugin</b> This plugin integrates <a href="#">Mercurial SCM</a> with Hudson. It includes repository browsing support for hg serve/hgweb, Google Code, Bitbucket, FishEye, KilnHG and RhodeCode.  Features include guaranteed clean builds, named branch support, module lists, Mercurial tool installation, and automatic caching.	<a href="#">1.58</a>	<b>Downgrade to 1.57</b> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>Metrics Plugin</b> This plugin exposes the Metrics API to Jenkins plugins.	<a href="#">3.1.2.9</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>Node Iterator API Plugin</b> This plugin provides support for iterating through all the Node instances that are in use by Jenkins, even those Node instances that are not traditionally attached to Jenkins. The API exposed by this plugin can be used by cloud provider plugins to identify unused provisioned resource.	<a href="#">1.5.0</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>NodeJS Plugin</b> NodeJS Plugin executes <a href="#">NodeJS</a> script as a build step.	<a href="#">0.2.2</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<b>OWASP Markup Formatter Plugin</b> Uses the <a href="#">OWASP Java HTML Sanitizer</a> to allow safe-seeming HTML markup to be entered in project descriptions and the like.	<a href="#">1.5</a>	<a href="#">Uninstall</a>
	<b>PAM Authentication plugin</b>		

<input checked="" type="checkbox"/>	Adds Unix Pluggable Authentication Module (PAM) support to Jenkins.	<a href="#">1.3</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Parameterized Trigger plugin</a></u> This plugin lets you trigger new builds when your build has completed, with various ways of specifying parameters for the new build.	<a href="#">2.32</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Personalization for Blue Ocean</a></u> Blue Ocean Personalization	<a href="#">1.0.0-b17</a>	<a href="#">Downgrade to 1.0.0-b16</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline</a></u> A suite of plugins that lets you orchestrate automation, simple or complex. See <a href="#">Pipeline as Code with Jenkins</a> for more details.	<a href="#">2.4</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline Graph Analysis Plugin</a></u> Provides a REST API to access pipeline and pipeline run data.	<a href="#">1.3</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline REST API for Blue Ocean</a></u> This plugin is a part of BlueOcean Plugin	<a href="#">1.0.0-b17</a>	<a href="#">Downgrade to 1.0.0-b16</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: API</a></u> Plugin that defines Pipeline API.	<a href="#">2.8</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: Basic Steps</a></u> Commonly used steps for Pipelines.	<a href="#">2.3</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: Build Step</a></u> Adds the Pipeline step build to trigger builds of other jobs.	<a href="#">2.4</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: Declarative Agent API</a></u> API for declarative agents in Declarative Pipeline.	<a href="#">0.8.2</a>	<a href="#">Downgrade to 0.8.1</a> <a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: GitHub Groovy Libraries</a></u> Allows Pipeline Groovy libraries to be loaded on the fly from GitHub.	<a href="#">1.0</a>	<a href="#">Uninstall</a>
<input checked="" type="checkbox"/>	<u><a href="#">Pipeline: Groovy</a></u> Pipeline execution engine based on continuation passing style transformation of Groovy scripts.	<a href="#">2.23</a>	<a href="#">Uninstall</a>

## [Pipeline: Input Step](#)

[2.5](#)

Adds the Pipeline step `input` to wait for human input or approval.

[Uninstall](#)

## [Pipeline: Job](#)

Defines a new job type for pipelines and provides their generic user interface.

[2.9](#)

[Uninstall](#)

## [Pipeline: Milestone Step](#)

Provides the milestone step in Pipeline scripts.

[1.3](#)

[Uninstall](#)

## [Pipeline: Model API](#)

Model API for Declarative Pipeline.

[0.8.2](#)

[Downgrade to 0.8.1](#)

[Uninstall](#)

## [Pipeline: Model Definition](#)

An opinionated, declarative Pipeline.

[0.8.2](#)

[Downgrade to 0.8.1](#)

[Uninstall](#)

## [Pipeline: Multibranch](#)

Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.

[2.10](#)

[Downgrade to 2.9.2](#)

[Uninstall](#)

## [Pipeline: Nodes and Processes](#)

Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection.

[2.8](#)

[Downgrade to 2.7](#)

[Uninstall](#)

## [Pipeline: REST API Plugin](#)

Provides a REST API to access pipeline and pipeline run data.

[2.4](#)

[Uninstall](#)

## [Pipeline: SCM Step](#)

Adds a Pipeline step to check out or update working sources from various SCMs (version control).

[2.3](#)

[Uninstall](#)

## [Pipeline: Shared Groovy Libraries](#)

Shared libraries for Pipeline scripts.

[2.5](#)

[Uninstall](#)

## [Pipeline: Stage Step](#)

Adds the Pipeline step `stage` to delineate portions of a build.

[2.2](#)

[Uninstall](#)

## [Pipeline: Stage Tags Metadata](#)

[0.8.2](#)

[Pipeline: Stage View Plugin](#)

[2.4](#)

Pipeline Stage View Plugin.

[Uninstall](#)

[Pipeline: Step API](#)

[2.7](#)

[Downgrade to 2.6](#)

[Uninstall](#)

[Pipeline: Supporting APIs](#)

[2.12](#)

[Downgrade to 2.11](#)

[Uninstall](#)

[Plain Credentials Plugin](#)

[1.3](#)

[Uninstall](#)

[Resource Disposer Plugin](#)

[0.6](#)

[Downgrade to 0.5](#)

[Uninstall](#)

[REST API for Blue Ocean](#)

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

[REST Implementation for Blue Ocean](#)

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

[Run Condition Plugin](#)

[1.0](#)

[Uninstall](#)

Core conditions to select whether to execute a build step or publisher. Used by the [Flexible Publish Plugin] and the [Conditional BuildStep Plugin].

[SCM API Plugin](#)

[2.0.1](#)

[Downgrade to 1.3](#)

[Uninstall](#)

This plugin provides a new enhanced API for interacting with SCM systems.

[Script Security Plugin](#)

[1.25](#)

[Uninstall](#)

Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.

[Server Sent Events \(SSE\) Gateway Plugin](#)

[1.12](#)

[Downgrade to 1.11](#)

[Uninstall](#)

Server Sent Events (SSE) Gateway.

## [Slack Notification Plugin](#)



This plugin is a Slack notifier that can publish build status to Slack channels.

[2.1](#)

[Uninstall](#)

## [Slack Upload Plugin](#)



Allows users to upload files to [Slack](#)

[1.7](#)

[Uninstall](#)

## [SSH Credentials Plugin](#)



This plugin allows you to store SSH credentials in Jenkins.

[1.12](#)

[Uninstall](#)

## [SSH Slaves plugin](#)



This plugin allows you to manage slaves running on \\*nix machines over SSH.

[1.12](#)

[Uninstall](#)

## [Structs Plugin](#)



Library plugin for DSL plugins that need names for Jenkins objects.

[1.5](#)

[Uninstall](#)

## [Subversion Plug-in](#)



This plugin adds the Subversion support (via SVNKit) to Jenkins.

[2.7.1](#)

[Uninstall](#)

## [Timestamper](#)



Adds timestamps to the Console Output.

[1.8.7](#)

[Uninstall](#)

## [Token Macro Plugin](#)



This plug-in adds reusable macro expansion capability for other plug-ins to use.

[2.0](#)

[Uninstall](#)

## [Variant Plugin](#)



This user-invisible library plugin allows other multi-modal plugins to behave differently depending on where they run.

[1.1](#)

[Uninstall](#)

## [Web for Blue Ocean](#)



Blue Ocean core

[1.0.0-b17](#)

[Downgrade to 1.0.0-b16](#)

[Uninstall](#)

## [Windows Slaves Plugin](#)



Allows you to connect to Windows machines and start slave agents on them.

[1.2](#)

[Uninstall](#)

## [Workspace Cleanup Plugin](#)



This plugin deletes the project workspace after a build is

[0.32](#)

[Uninstall](#)

finished.