


MEANS, X21000.ybp



MEANS without sp removed, X21000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X20000.ybp



MEANS without sp removed, X20000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X19000.ybp



MEANS without sp removed, X19000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X18000.ybp



MEANS without sp removed, X18000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X17000.ybp



MEANS without sp removed, X17000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X16000.ybp



MEANS without sp removed, X16000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X15000.ybp



MEANS without sp removed, X15000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X14000.ybp



MEANS without sp removed, X14000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X13000.ybp



MEANS without sp removed, X13000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X12000.ybp



MEANS without sp removed, X12000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X11000.ybp



MEANS without sp removed, X11000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X10000.ybp



MEANS without sp removed, X10000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X9000.ybp



MEANS without sp removed, X9000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X8000.ybp



MEANS without sp removed, X8000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X7000.ybp



MEANS without sp removed, X7000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X6000.ybp



MEANS without sp removed, X6000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X5000.ybp



MEANS without sp removed, X5000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X4000.ybp



MEANS without sp removed, X4000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X3000.ybp



MEANS without sp removed, X3000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X2000.ybp



MEANS without sp removed, X2000.ybp





Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X1000.ybp



MEANS without sp removed, X1000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X0.ybp



MEANS without sp removed, X0.ybp



Species skipped = *Fraxinus quadrangulata*, GCM = Beyer