


MEANS, X21000.ybp




MEANS without sp removed, X21000.ybp



MEANS, X20000.ybp



MEANS without sp removed, X20000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Lorenz_ccsm

MEANS, X19000.ybp




MEANS without sp removed, X19000.ybp



MEANS, X18000.ybp




MEANS without sp removed, X18000.ybp



MEANS, X17000.ybp



MEANS without sp removed, X17000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Lorenz_ccsm

MEANS, X16000.ybp



MEANS without sp removed, X16000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Lorenz_ccsm

MEANS, X15000.ybp




MEANS without sp removed, X15000.ybp



MEANS, X14000.ybp




MEANS without sp removed, X14000.ybp



MEANS, X13000.ybp



MEANS without sp removed, X13000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Lorenz_ccsm

MEANS, X12000.ybp




MEANS without sp removed, X12000.ybp



MEANS, X11000.ybp




MEANS without sp removed, X11000.ybp



MEANS, X10000.ybp




MEANS without sp removed, X10000.ybp



MEANS, X9000.ybp




MEANS without sp removed, X9000.ybp



MEANS, X8000.ybp




MEANS without sp removed, X8000.ybp



MEANS, X7000.ybp





MEANS without sp removed, X7000.ybp



MEANS, X6000.ybp




MEANS without sp removed, X6000.ybp



MEANS, X5000.ybp



MEANS without sp removed, X5000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Lorenz_ccsm

MEANS, X4000.ybp




MEANS without sp removed, X4000.ybp



MEANS, X3000.ybp




MEANS without sp removed, X3000.ybp



MEANS, X2000.ybp




MEANS without sp removed, X2000.ybp



MEANS, X1000.ybp



MEANS without sp removed, X1000.ybp



MEANS, X0.ybp



MEANS without sp removed, X0.ybp

