



MEANS, X21000.ybp




MEANS without sp removed, X21000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X20000.ybp




MEANS without sp removed, X20000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X19000.ybp




MEANS without sp removed, X19000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X18000.ybp




MEANS without sp removed, X18000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X17000.ybp




MEANS without sp removed, X17000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X16000.ybp




MEANS without sp removed, X16000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X15000.ybp




MEANS without sp removed, X15000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X14000.ybp




MEANS without sp removed, X14000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X13000.ybp




MEANS without sp removed, X13000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X12000.ybp




MEANS without sp removed, X12000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer

MEANS, X11000.ybp




MEANS without sp removed, X11000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer


MEANS, X10000.ybp




MEANS without sp removed, X10000.ybp




MEANS, X9000.ybp




MEANS without sp removed, X9000.ybp




MEANS, X8000.ybp




MEANS without sp removed, X8000.ybp




MEANS, X7000.ybp




MEANS without sp removed, X7000.ybp



MEANS, X6000.ybp




MEANS without sp removed, X6000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer


MEANS, X5000.ybp




MEANS without sp removed, X5000.ybp



MEANS, X4000.ybp




MEANS without sp removed, X4000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer


MEANS, X3000.ybp




MEANS without sp removed, X3000.ybp



MEANS, X2000.ybp




MEANS without sp removed, X2000.ybp




Species skipped = *Fraxinus quadrangulata*, GCM = Beyer


MEANS, X1000.ybp



MEANS without sp removed, X1000.ybp



MEANS, X0.ybp



MEANS without sp removed, X0.ybp

