
MEANS, X21000.ybp

MEANS without sp removed, X21000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X20000.ybp

MEANS without sp removed, X20000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X19000.ybp

MEANS without sp removed, X19000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0

Species skipped = Fraxinus americana, GCM = Beyer


**MEANS, X18000.ybp**

**MEANS without sp removed, X18000.ybp**

0.6
0.5
0.4
0.3
0.2
0.1
0.0
1.
0.8
0.6
0.4
0.2
0.

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X17000.ybp

MEANS without sp removed, X17000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X16000.ybp

MEANS without sp removed, X16000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X15000.ybp

MEANS without sp removed, X15000.ybp

0.6
0.5
0.4
0.3
0.2
0.1
0.0
1.
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X14000.ybp

MEANS without sp removed, X14000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X13000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X13000.ybp
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X12000.ybp

MEANS without sp removed, X12000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X11000.ybp

MEANS without sp removed, X11000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X10000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X10000.ybp

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X9000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X9000.ybp
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X8000.ybp

MEANS without sp removed, X8000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X7000.ybp

MEANS without sp removed, X7000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X6000.ybp

MEANS without sp removed, X6000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X5000.ybp

MEANS without sp removed, X5000.ybp

0.5
0.4
0.3
0.2
0.1
0.0
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer

MEANS, X4000.ybp


0.5
0.4
0.3
0.2
0.1
0.0

MEANS without sp removed, X4000.ybp



Species skipped = Fraxinus americana, GCM = Beyer



MEANS, X3000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X3000.ybp
1.0
0.8
0.6
0.4
0.2
0.0

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X2000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X2000.ybp
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer


MEANS, X1000.ybp
0.5
0.4
0.3
0.2
0.1
0.0
MEANS without sp removed, X1000.ybp
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer



**MEANS, X0.ybp**

**MEANS without sp removed, X0.ybp**

0.5
0.4
0.3
0.2
0.1
0.0
1.
0.
0.
0.
0.
0.

Species skipped = Fraxinus americana, GCM = Beyer