

The Language of Medicine

13th edition

Davi-Allen Chabner

Chapter 22

Psychiatry

Chapter Goals (Slide 1 of 3)

- Differentiate between a psychiatrist, a psychologist, and other mental health specialists.
- Learn of tests used by clinical psychologists to evaluate a patient's mental health and intelligence.
- Define terms that describe major psychiatric disorders.

Chapter Goals (Slide 2 of 3)

- Identify terms that describe psychiatric symptoms.
- Compare different types of therapy for psychiatric disorders.
- Learn the categories and names of common psychiatric drugs.

Chapter Goals (Slide 3 of 3)

- Define combining forms, suffixes, prefixes, and abbreviations related to psychiatry.
- Apply your new knowledge to understanding medical terms in their proper contexts, such as medical reports and records.

Chapter 22

Lesson 22.1

Introduction

Psychiatry is the branch of medicine that deals with the diagnosis, treatment, and prevention of mental illness.

- Psychiatrist
- Psychologist
- Clinical psychologist

Tools Used by Psychiatrists

- Psychotherapy
- Psychoanalysis
- Drug therapy

Tools Used by Clinical Psychologists

- Psychotherapy
- Psychoanalysis
- Intelligence tests
- Mental processing tests
- Memory tests
- Personality tests

Psychiatric Disorders Background

- Sigmund Freud and personality structure:
 - Id
 - Ego
 - Superego
- Defense mechanisms

Psychiatric Disorders Samples

- Anxiety disorders
- Bipolar disorders
- Depressive disorders
- Dissociative disorders
- Eating disorders
- Neurocognitive disorders

Anxiety Disorders

Characterized by unpleasant tension, distress, troubled feelings, and avoidance behavior

- **Phobic disorders:** agoraphobia, acrophobia, claustrophobia, zoophobia
- **Post-traumatic stress disorder:** fear, helplessness, insomnia, nightmares
- **Generalized anxiety disorder (GAD):** chronic anxiety and exaggerated worry and tension even when there is little or nothing to provoke such feelings

Bipolar Disorders

- Prolonged emotion that dominates a person's entire mental life
- **Bipolar disorder:** alternating manic and depressive episodes
- **Cyclothymic disorder:** mild bipolar with at least 2 years of hypomania and numerous depressive episodes
- **Depressive disorder:** major depression, severe dysphoria

Depressive Disorders

- Prolonged emotion that dominates a person's entire mental life
- **Depressive disorder:** major depression, severe dysphoria
- **Dysthymic disorder**
- **Seasonal affective disorder (SAD)**

Dissociative Disorders

- Chronic or sudden disturbances of memory, identity, consciousness, or perception of the environment not caused by brain damage or drugs
- **Dissociative identity disorder:** two personalities take over
- **Dissociative amnesia:** memory loss of personal information
- **Dissociative fugue:** sudden unexpected travel

Eating Disorders

- **Anorexia nervosa:** refusal to maintain body weight, conscious relentless attempt to diet, excessive overactivity and exercise
- **Bulimia:** binge and purge eating using vomiting and misuse of laxatives or enemas

Neurocognitive Disorders

Disorders of abnormal cognition (thinking, perception, reasoning, judgement)

- **Delirium:** mental confusion, incoherent speech, sensory misperception, disorientation, memory impairment
- **Dementia:** gradual loss of intellectual abilities involving impairment of judgment, memory, abstract thinking, and personality

Neurodevelopmental Disorders

- Intellectual Disability
- Communication Disorders
- Autistic Spectrum Disorders
- Attention-Deficit/Hyperactivity Disorder
- Specific Learning Disorders
- Motor Disorders

Personality Disorders (Slide 1 of 4)

- Enduring pattern of thinking and behavior contrary to what is culturally acceptable. Pervasive and inflexible it has an onset in early adulthood and leads to distress or conflict with others.
- Personality disorders are divided into 3 cluster categories.

Personality Disorders (Slide 2 of 4)

CLUSTER A

- Paranoid
- Schizoid
- Schizotypal

Personality Disorders (Slide 3 of 4)

CLUSTER B

- Antisocial
- Borderline
- Histrionic
- Narcissistic

Personality Disorders (Slide 4 of 4)

CLUSTER C

- Avoidant
- Dependent
- Obsessive-Compulsive

Chapter 22

Lesson 22.2

Schizophrenia Spectrum Disorder

- Chronic disorder characterized by disturbed thinking & disorganized speech
- Delusions
- Hallucinations
- Disorganized thinking
- Abnormal motor behavior
- Negative symptoms
 - Flat affect
 - Unwillingness to initiate purposeful activities

Somatic Symptom Disorders

- **Conversion disorder:** Repressed conflicts expressed as physical symptoms
- **Illness Anxiety Disorder:** Preoccupation with having or acquiring a serious illness.
- One or more somatic symptoms that are distressing or result in significant disruption of daily life.

Substance-Related & Addictive Disorders

- **Psychological dependence:** Compulsion to take a drug despite adverse consequences
- **Physiologic dependence:** Withdrawal when the drug is abruptly discontinued
- **Tolerance:** Declining effect of a drug so the dose must increase

Substances Associated with Abuse

- Alcohol
- Amphetamines
- Cannabis (marijuana)
- Cocaine
- Hallucinogens
- Opioids
- Sedatives, hypnotics, anxiolytics

Chapter 22

Lesson 22.3


Therapeutic Modalities

- Psychotherapy
- Electroconvulsive therapy (ECT)
- Drug therapy

Psychotherapy

- Cognitive behavior therapy (CBT)
- Family therapy
- Group therapy
- Hypnosis
- Insight-oriented psychotherapy
- Play therapy
- Psychoanalysis
- Supportive psychotherapy

Drug Therapies and Specific Drugs



Vocabulary – General Terms, Symptoms, and Disorders (Slide 1 of 12)

Term	Meaning/Definition
affect	External expression of emotion
amnesia	Loss of memory
anorexia nervosa	Eating disorder with excessive dieting and refusal to maintain normal body weight
anxiety disorders	Characterized by unpleasant tension, distress, and avoidance behavior

Vocabulary – General Terms, Symptoms, and Disorders (Slide 2 of 12)

Term	Meaning/Definition
apathy	Absence of emotions; lack of interest or emotional involvement
autism	Neurodevelopmental disorder characterized by inhibited social interaction and communication and by restricted, repetitive behavior
bipolar disorder	These disorders are marked by alternating periods of mania and depression
bulimia nervosa	Eating disorder with binge eating followed by vomiting, purging, and depression

Vocabulary – General Terms, Symptoms, and Disorders (Slide 3 of 12)

Term	Meaning/Definition
cannabis	Substance from which marijuana is made
compulsion	Uncontrollable urge to perform an act repeatedly
conversion disorder	Condition marked by neurological symptoms with no organic basis, appearing as a result of anxiety and unconscious inner conflict
defense mechanism	Unconscious technique a person uses to resolve or conceal conflicts and anxiety

Vocabulary – General Terms, Symptoms, and Disorders (Slide 4 of 12)

Term	Meaning/Definition
delirium	Acute episodes of confused thinking, disorientation, changes in alertness, difficulty paying attention, and fearfulness; usually reversible
delusion	Fixed, false belief that cannot be changed by logical reasoning or evidence
dementia	Progressive loss of intellectual abilities with impairment of memory, judgment, and reasoning as well as changes in personality
depression	Major psychiatric disorder with chronic sadness, loss of energy, hopelessness, worry, and discouragement, and, commonly, suicidal impulses and thoughts

Vocabulary – General Terms, Symptoms, and Disorders (Slide 5 of 12)

Term	Meaning/Definition
dissociative disorder	Conditions involving breakdown in memory, identity, or perceptions
ego	Central coordinating branch of the personality or mind
fugue	Unconscious flight from customary surroundings

Vocabulary – General Terms, Symptoms, and Disorders (Slide 6 of 12)

Term	Meaning/Definition
hallucination	False sensory perception
id	Major unconscious part of the personality; energy from instinctual drives and desires
labile	Unstable; undergoing rapid emotional change
mania	Elevated expansive state (euphoria) with hyperactivity, talkativeness and racing thoughts

Vocabulary – General Terms, Symptoms, and Disorders (Slide 7 of 12)

Term	Meaning/Definition
mutism	No, or very little ability to speak
neurodevelopmental disorders	Group of childhood disorders characterized by delays in socialization and communication skills.
obsession	Involuntary persistent idea, urge or emotion
obsessive-compulsive disorder	Disorder in which recurrent thoughts and repetitive acts dominate behavior
paranoia	Overly suspicious system of thinking

Vocabulary – General Terms, Symptoms, and Disorders (Slide 8 of 12)

Term	Meaning/Definition
paraphilia	Recurrent intense sexual urge, fantasy, or behavior that involves objects, activities, or situations
personality disorders	Lifelong personality patterns marked by impairment of social functioning

Vocabulary – General Terms, Symptoms, and Disorders (Slide 9 of 12)

Term	Meaning/Definition
phobia	Irrational or disabling fear of an object or situation
post-traumatic stress disorder	Anxiety-related symptoms appear after personal experience of a traumatic event
projective (personality) test	Diagnostic personality test using stimuli to evoke responses that reflect aspects of an individual's personality
psychiatrist	Physician (MD) with medical training in the diagnosis, prevention, and treatment of mental disorders

Vocabulary – General Terms, Symptoms, and Disorders (Slide 10 of 12)

Term	Meaning/Definition
psychologist	Nonmedical professional specializing in mental processes and how the brain functions in health and disease
psychosis	Disorder marked by loss of contact with reality
reality testing	Psychological process that distinguishes fact from fantasy
repression	Defense mechanism by which unacceptable thoughts, feelings, and impulses are automatically pushed into the unconscious

Vocabulary – General Terms, Symptoms, and Disorders (Slide 11 of 12)

Term	Meaning/Definition
schizophrenia	Chronic psychotic disorder that may include hallucinations, disorganized speech and behavior, flat affect, and lack of initiative
sexual disorders	Paraphilic disorders and sexual disorders
somatic symptom disorder	Presence of physical symptoms that cannot be explained by an actual physical disorder or other well-described mental disorder

Vocabulary – General Terms, Symptoms, and Disorders (Slide 12 of 12)

Term	Meaning/Definition
substance-related disorder	Regular overuse of or dependence on psychoactive substances that affect the central nervous system
superego	Internalized conscience and moral part of the personality

Vocabulary – Therapy (Slide 1 of 6)

Term	Meaning/Definition
amphetamines	CNS stimulants that may be used to treat attention deficit-hyperactivity disorder and depression
atypical antipsychotics	Drugs that treat psychotic symptoms and behavior
benzodiazepines	Drugs that lessen anxiety, tension, agitation, and panic attacks
cognitive behavioral therapy	Focuses on the connection between behavior and thoughts

Vocabulary – Therapy (Slide 2 of 6)

Term	Meaning/Definition
electroconvulsive therapy	Electric current is used to produce convulsions and loss of consciousness; effective in the treatment of major depression
family therapy	Treatment of an entire family to resolve and shed light on conflicts
first generation antipsychotic drugs	Early neuroleptic medications that reduce psychotic symptoms.
free association	Psychoanalytic technique in which the patient verbalizes, without censorship, the passing contents of his or her mind

Vocabulary – Therapy (Slide 3 of 6)

Term	Meaning/Definition
group therapy	Group of patients with similar problems gains insight into their personalities through discussion and interaction with each other
hypnosis	Induced trance (state of altered consciousness)
insight-oriented therapy	Face-to-face discussion of life problems and associated feelings; psychodynamic therapy

Vocabulary – Therapy (Slide 4 of 6)

Term	Meaning/Definition
lithium	Medication used to treat bipolar
neuroleptic drug	Any drug that favorably modifies psychotic symptoms
phenothiazines	Antipsychotic (neuroleptic) drugs
play therapy	Treatment in which a child, through use of toys in a playroom setting, expresses conflicts and feelings unable to be communicated in a direct manner

Vocabulary – Therapy (Slide 5 of 6)

Term	Meaning/Definition
psychoanalysis	Treatment that allows the patient to explore inner emotions and conflicts so as to understand and change current behavior
psychodrama	Group therapy in which a patient expresses feelings by acting out family and social roles with others
psychopharmacology	Treatment of psychiatric disorders with drugs
sedatives	Drugs that lessen anxiety

Vocabulary – Therapy (Slide 6 of 6)

Term	Meaning/Definition
supportive psychotherapy	Offering encouragement, support, and hope to patients facing difficult life transitions and events
transference	Psychoanalytic process in which the patient relates to the therapist as though he/she were a prominent childhood figure
tricyclic antidepressants	Drugs used to treat severe depression

Abbreviations (Slide 1 of 4)

Abbreviation	Meaning/Definition
AD	Alzheimer disease
ADHD	Attention-deficit hyperactivity disorder
ADLs	Activities of daily living
AIMS	Abnormal involuntary movement scale
ASD	Autism spectrum disorder
BZD	Benzodiazepine
CA	Chronological age
CBT	Cognitive behavioral therapy
CNS	Central nervous system

Abbreviations (Slide 2 of 4)

Abbreviation	Meaning/Definition
DSM-5TR	Diagnostic and Statistical Manual of Mental Disorders, 5th edition, Text Revision
DT	Delirium tremens
ECT	Electroconvulsive
GAD	Generalized anxiety disorder
ID	Intellectual disability
IQ	Intelligence quotient
LSD	Lysergic acid diethylamide
MA	Mental age
MAOI	Monoamine oxidase inhibitor
MDD	Major depressive disorder

Abbreviations (Slide 3 of 4)

Abbreviation	Meaning/Definition
MMPI	Minnesota Multiphasic Personality Inventory
OCD	Obsessive-compulsive disorder
PTSD	Post-traumatic stress disorder
Rx	Therapy
SAD	Seasonal affective disorder
SNRI	Serotonin norepinephrine reuptake inhibitor
SSRI	Selective serotonin reuptake inhibitor

Abbreviations (Slide 4 of 4)

Abbreviation	Meaning/Definition
TAT	Thematic Apperception Test
TCA	Tricyclic antidepressants
TD	Tardive dyskinesia
THC	Delta-9-tetrahydrocannabinol
WAIS	Wechsler Adult Intelligence Scale
WISC	Wechsler Intelligence Scale for Children
Ψ	Symbol for psychiatry
ΨRx	Psychotherapy

Combining Forms, Suffixes, Prefixes, and Terminology (Slide 1 of 4)

Combining Form	Meaning
anxi/o	uneasy, anxious
auto-	self
hallucin/o	hallucination
hypn/o	sleep
iatr/o	treatment
ment/o	mind
neur/o	nerve

Combining Forms, Suffixes, Prefixes, and Terminology (Slide 2 of 4)

Combining Form	Meaning
phil/o	attraction to, love
phren/o	mind
psych/o	mind
schiz/o	split
somat/o	body

Combining Forms, Suffixes, Prefixes, and Terminology (Slide 3 of 4)

Suffix	Meaning
-genic	produced by
-leptic	to seize hold of
-mania	obsessive
-phobia	fear
-phoria	feeling
-thymia	mind

Combining Forms, Suffixes, Prefixes, and Terminology (Slide 4 of 4)

Prefix	Meaning
-a-, an-	no, not
bi-	two
cata-	down
hypo-	deficient, less than
para-	abnormal

QUICK QUIZ (Slide 1 of 3)

1. Fear of strangers is called:

- A. kleptomania
- B. agoraphobia
- C. xenophobia
- D. pyromania

QUICK QUIZ (Slide 2 of 3)

2. Which of these health professionals has an MD degree?

- A. Psychologist
- B. Psychiatrist
- C. Clinical psychologist

QUICK QUIZ (Slide 3 of 3)

3. An uncontrollable urge to perform an act repeatedly is called:

- A. delusion
- B. compulsion
- C. dissociation
- D. amnesia