Group 3 · dibimbing.id

October - 10 - 2026

UAT PLAN



Change Phone Number with OTP Verification

A release-readiness plan for a new e-commerce feature.

Presented to:
Patricia Christiana, Mentor
BA & PM Bootcamp · dibimbing.id

Presented by Group 3:
Akbar Maulana Setiawan
Jenna Gozali
Zeni Fauziatun Nafisah
An-Nur Jibril Awwalul Muharram Al-Prasad

INTRO-DUCTION

Our group acted as the Product and Business Analyst team preparing User Acceptance Testing (UAT) for a new e-commerce feature. This deck walks through the full UAT plan, from scope to the final go/no-go call.

The feature

Buyers change their phone number from Profile or the Activation flow, verified by OTP on the old and the new number.

The user story

“As a buyer, I want to change my phone number so I receive OTP on my active number at login, checkout or verification.”

The question


Are we confident enough to release? Every part of this plan exists to answer that one question.

PROBLEM STATEMENT

Some buyers never receive their OTP because their phone number is stored differently across systems. When one service holds an outdated number, login, checkout and verification can fail.

Inconsistent data Profile, OTP service and CRM can each hold a different number.

Business impact Missed OTPs block checkout, lock buyers out and push them to Customer Service.



Can a verified buyer change their number end to end, with every OTP after the change going to the new number?

The question this UAT must answer before release.

UAT OBJECTIVE

Make sure the original problem, “OTP not received because the number is inconsistent”, cannot happen again. UAT passes when:

- Buyers finish the change without help from Customer Service
- Wrong, expired and over-limit OTPs are handled clearly, with no data changed
- The new number is identical in every related system right after the change
- Buyers get a clear message on success and on failure

SCOPE: IN & OUT

Our rule: if a failure here would delay the release, it belongs in UAT scope.

In scope

- Change number from Profile
- Change number from the Activation flow
- OTP to the old and the new number
- Wrong, expired and resent OTP, plus resend limit
- New-number validation: format, duplicate, same as old
- Data sync to user DB, OTP service and CRM
- Success and failure messages, change notification

Out of scope

- Login and registration flows not touched by this change
- Changing email or other profile fields
- Load and performance testing of the OTP service
- Security and penetration testing
- SMS delivery issues caused by mobile carriers
- Buyers who lost their old number (see risks)
- UI redesign and nice-to-have improvements

PARTICIPANTS

A customer-facing feature, so real buyers do the testing. The internal team supports, validates and decides.

Role	Who	Type	Responsibility
End-user testers	8–10 real buyers with a verified account and a past order	External	Run the scenarios on their own phones and give feedback on clarity
Business validator	Customer Service team lead	Internal	Check user messages; confirm CS sees the new number in CRM
Product / BA	Group 3 (our team)	Internal	Own scope, scenarios and acceptance criteria; lead triage; recommend go/no-go
QA / Engineer	QA lead and backend engineer (OTP service)	Internal	Prepare environment and test accounts, check backend data, fix defects
Sign-off owner	Product Manager, Account & Security	Internal	Final approval; accepts any remaining known issues

ENVIRONMENT & DATA

STEP 1 · QA

SIT by the QA team. Must pass with no open S1/S2 defects before UAT starts.

→

STEP 2 · STAGING (UAT)

Production-like: same build, config and integrations, with an SMS gateway sandbox.

→

STEP 3 · PRODUCTION

Not used for UAT. Release happens only after sign-off.

TEST DATA · ALL DUMMY, NO REAL CUSTOMER NUMBERS

Account A

Verified, active old number, past orders

Account B

Not yet activated, uses the Activation flow

Account C

Its number is reused to test “already registered”

Account D

Unverified, for the permission check

Plus: test SIM 1 and 2, invalid numbers (too short, letters, wrong country code) and OTP codes that are valid, wrong, expired or already used.

UAT SCENARIOS

Seven scenarios from the user story, covering all six key flows of the feature.

ID	Scenario	Type	Priority
SC-01	Verified buyer changes number from Profile, gets OTP on old and new number, and receives a change notification	Happy path	High
SC-02	Not-yet-activated buyer changes number in the Activation flow (no old-number OTP needed)	Happy path	High
SC-03	Wrong, expired or used OTP is rejected with a clear message; number unchanged; new OTP can be requested	Negative path	High
SC-04	Unverified buyer cannot change number from Profile and sees a clear message	Role / permission	High
SC-05	Resend is blocked after 3 attempts, with a clear cooldown message	Edge case	Medium
SC-06	Invalid, already-registered or same-as-old numbers are rejected	Negative path	Medium
SC-07	New number syncs to user DB, OTP service and CRM, so the next OTP goes to the new number	Backend impact	High

TEST CASES

Three scenarios in full detail: the happy path, the most common failure and the root problem.

TC-001 · SC-01

Change number from Profile

Given a verified buyer, **when** they confirm OTP on the old and new number, **then** the new number is saved.

Expected: success page within 3 s, Profile updated, notification within 1 min.

Evidence: screenshots of success page, Profile and notification.

TC-002 · SC-03

Wrong OTP is rejected

Given the buyer is on an OTP screen, **when** they enter a wrong code, **then** “Kode OTP salah” shows and they stay there.

Expected: Profile still shows the old number; no change notification sent.

Evidence: screenshots of both error screens and Profile.

TC-003 · SC-07 · KEY TEST

Next OTP goes to the new number

Given the buyer just changed number, **when** OTP is triggered at login or checkout, **then** it reaches the new number.

Expected: user DB, OTP service and CRM match; passes on Android and iOS.

Evidence: SMS screenshot plus QA query or log for all three systems.

DEFECT LOG

A defect is only useful if an engineer can reproduce it without asking the tester. Every entry carries 12 fields:

- Defect ID
- Linked TC
- Summary
- Steps to reproduce
- Actual result
- Expected result
- Severity
- Priority
- Owner
- Environment
- Evidence
- Status

EXAMPLE · DEF-001 · FROM TC-003

Checkout OTP still goes to the old number after the buyer changes number from Profile

S1 · P0 · Owner: backend engineer (OTP service) · Staging, Android 14 · Status: Open

Too vague: “OTP not working.” This summary says what broke, for whom, and when.

Status flow: Open → In progress → Fixed → Retest → Closed or Accepted risk

SEVERITY & PRIORITY

Severity is the impact. **Priority** is the urgency. Any S1 or S2 defect is automatically P0 and blocks the release.

S1

Blocker or wrong data

New number not synced; buyer locked out of their account

P0 · Blocks release

S2

Main flow broken

OTP to the new number is never sent

P0 · Blocks release

S3

Workaround exists

Resend button disabled, but the buyer can restart the flow

P1–P2 · In triage

S4

Cosmetic or minor

Typo or misaligned icon on the success page

P2–P3 · Backlog

Exception: wrong legal or consent text is low severity, but can still be P0 because it blocks compliance sign-off.

GO / NO-GO CRITERIA

GO: all five must be true

- All 3 test cases pass; TC-003 passes on Android and iOS
- At least 90% of all scenario runs pass
- No open S1 or S2 defects
- Open S3/S4 defects are logged as known issues and accepted
- Customer Service confirms the new number shows in CRM

NO-GO: any one blocks release

- OTP still goes to the old number after a change
- A buyer can get locked out of their account
- The number changes without a valid OTP

Sign-off owner: Product Manager, Account & Security, with input from the QA lead and CS team lead.

RISKY ASSUMPTIONS

What we assumed, and how we protect the plan if we are wrong.

Assumption	Risk if wrong	Mitigation
Buyer still has access to the old number	Buyers who lost their SIM cannot pass the first OTP	Out of scope now; CS-assisted ID check in a later phase
OTP: 6 digits, 5 minutes, max 3 resends	Test cases check the wrong limits	Confirm with engineering before UAT day 1
Staging SMS gateway behaves like production	SMS delays in production go unnoticed	Smoke test on production with an internal account after release
Only user DB, OTP service and CRM store the number	Another service keeps the old number	Get the full list from engineering and add it to TC-003

IN ONE SLIDE

Are we confident enough to release? Here is how our plan answers it.

What we test

- Profile and Activation flows
- Wrong, expired and resent OTP
- New-number validation
- Permission for unverified buyers
- Data sync across 3 systems
- Success and failure messages

What we don't test

- Unaffected login and registration
- Performance and security
- Carrier SMS delivery issues
- Buyers who lost their old number
- Nice-to-have UI changes

What blocks release

- Any open S1 or S2 defect
- OTP still going to the old number
- A buyer locked out of their account
- A number changed without valid OTP

THANK YOU



QUESTIONS & FEEDBACK

Presented to:
Patricia Christiana, Mentor
BA & PM Bootcamp · dibimbing.id

Presented by Group 3:
Akbar Maulana Setiawan
Jenna Gozali
Zeni Fauziatun Nafisah
An-Nur Jibril Awwalul Muharram Al-Prasad