INLAND FAMILY optometry
Vision & Eye Wellness Center

YOUR PERSONALIZED

At-Home Dry Eye Plan

PATIENT _____ DATE _____ FOLLOW-UP _____

Dry eye is a long-term condition, and what you do at home every day is what keeps in-office results lasting. Follow the steps your doctor checked below, **in this order**.

1 WARM — Heat therapy

Use a moist-heat eye mask for **10–15 minutes** to melt thickened oils in your eyelid glands.

- ☐ Once a day ☐ Twice a day ☐ Before bed
- ☐ Other _____

2 CLEANSE — Lid hygiene

Gently clean your lids and lash line **after heat** to clear oil, debris and bacteria.

- ☐ Once a day ☐ Twice a day ☐ Spray
- ☐ Wipes ☐ Foam

3 HYDRATE — Lubricating drops

Use preservative-free drops through the day. Use gels or ointments **only at bedtime** and never with contact lenses in.

- ☐ 2× a day ☐ 4× a day ☐ As needed
- ☐ Gel at bedtime

4 NOURISH — Supplement

Take an omega-3 supplement (re-esterified triglyceride form) **with a meal**. Results build over 2–3 months.

- ☐ 2 capsules daily ☐ 2 capsules twice daily
- ☐ Other _____

Recommended products

Available in our office. Ask us which brand is right for you.

- ☐ Moist-heat eye mask ☐ Hypochlorous lid & lash spray
- ☐ Lid cleansing wipes ☐ Tea tree wipes (Demodex)
- ☐ Preservative-free tears ☐ Overnight gel / ointment

Prescription drops

One drop in each eye as directed. Wait 5 minutes between drops.

- ☐ Restasis ☐ Cequa ☐ Vevye ☐ Xiidra ☐ Miebo
- ☐ Xdemvy (6 weeks) ☐ Steroid drop _____
- ☐ Other _____

Everyday habits that help

20-20-20 rule
Every 20 minutes of screen time, look 20 feet away for 20 seconds.

Full blinks
Close gently and squeeze for 2 seconds, 10 times, a few times a day.

Protect the air
Use a humidifier, point vents and fans away from your face, and drink plenty of water.

Remove contact lenses before drops unless your doctor says otherwise. If you have pain, sudden vision change or a red, sticky eye, call us right away.

Questions about your care? Call us: **Rancho Cucamonga (909) 345-6100 · Chino (909) 345-9809**
inlandfamilyvision.com

INLAND FAMILY optometry
Vision & Eye Wellness Center

NEW PATIENT

Dry Eye History

PATIENT NAME _____ DATE OF BIRTH _____ TODAY'S DATE _____

Symptoms

Check everything you experience. Circle the one that bothers you most.

- ☐ Dryness
- ☐ Burning
- ☐ Itching
- ☐ Grittiness / sandy feeling
- ☐ Excessive watering
- ☐ Redness
- ☐ Light sensitivity
- ☐ Blurry vision that clears with blinking
- ☐ Eye fatigue
- ☐ Crusty or sticky lids
- ☐ Contact lens discomfort
- ☐ Stringy discharge

How long have you had symptoms?

☐ < 6 months ☐ 6–12 months ☐ 1–3 years ☐ 3+ years

Symptoms are worse...

☐ Morning ☐ Afternoon ☐ Evening ☐ On screens ☐ Outdoors / wind

Medical history

- ☐ Rosacea
- ☐ Thyroid condition
- ☐ Sjögren's, lupus or rheumatoid arthritis
- ☐ Diabetes
- ☐ Seasonal allergies
- ☐ Menopause / hormone therapy
- ☐ High blood pressure
- ☐ Skin cancer
- ☐ Cold sores (herpes simplex)
- ☐ Seizures triggered by light
- ☐ Pacemaker or implanted device
- ☐ Currently pregnant or nursing

Medications

- ☐ Antihistamines / allergy pills
- ☐ Antidepressants / anti-anxiety
- ☐ Blood pressure medication
- ☐ Hormone therapy / birth control
- ☐ Accutane (isotretinoin), now or past 6 months
- ☐ Acne / antibiotic (doxycycline, minocycline)
- ☐ Retinol or retinoid creams
- ☐ Sleep medication
- ☐ Glaucoma drops

OTHER MEDICATIONS / SUPPLEMENTS _____

Eye history

- ☐ LASIK / PRK
- ☐ Cataract surgery
- ☐ Eyelid surgery / blepharoplasty
- ☐ Botox or filler near eyes
- ☐ Lash extensions or lash serum
- ☐ Wear contact lenses
- ☐ Wear eye makeup daily
- ☐ Sleep with a fan or CPAP

Habits

	YES	NO	HOW MUCH?
Do you smoke or vape?	☐	☐	_____ per day
Do you drink alcohol?	☐	☐	_____ drinks per week
Do you use cannabis?	☐	☐	_____ per week
Screen time (computer, phone, tablet)			_____ hours per day
Water intake / sleep			_____ glasses · _____ hours of sleep

Please continue on the back.

INLAND FAMILY optometry
Vision & Eye Wellness Center

NEW PATIENT

Dry Eye History

Environment

- ☐ Air conditioning / heating vents
- ☐ Fans or ceiling fans
- ☐ Dry or dusty workplace
- ☐ Driving long distances
- ☐ Frequent flying
- ☐ Outdoor work or sports
- ☐ Swimming pools / chlorine
- ☐ Wildfire smoke / allergens

What have you tried?

- ☐ Artificial tears
- ☐ Warm compresses
- ☐ Lid wipes / sprays
- ☐ Omega-3
- ☐ Restasis / Cequa / Xiidra
- ☐ Punctal plugs
- ☐ IPL
- ☐ Radiofrequency
- ☐ Other _____

WHAT HELPED, AND WHAT DIDN'T? _____

Your goals

Many of our dry eye treatments also improve the skin around the eyes. Check what matters to you.

- ☐ More comfortable eyes
- ☐ Wear contacts longer
- ☐ Less dependence on drops
- ☐ Clearer vision on screens
- ☐ Less facial redness
- ☐ Brighter, firmer lid skin
- ☐ Fewer fine lines around the eyes

Anything else we should know?

FOR OFFICE USE

SPEED _____ TBUT OD/OS _____ MEIBOGRAPHY _____ OSMOLARITY _____

FITZPATRICK _____ DEMODEX _____ MMP-9 _____ STAINING _____

Diagnosis: ☐ Evaporative / MGD ☐ Aqueous deficient ☐ Mixed ☐ Blepharitis ☐ Demodex ☐ Ocular rosacea

PATIENT SIGNATURE _____ DATE _____

INLAND FAMILY optometry
Vision & Eye Wellness Center

SYMPTOM SCORE

SPEED Questionnaire

PATIENT NAME _____ DATE OF BIRTH _____ DATE _____

Standard Patient Evaluation of Eye Dryness. Answer each question by checking or circling the response that best describes you.

1 · When do you have these symptoms?

	AT THIS VISIT		WITHIN PAST 72 HOURS		WITHIN PAST 3 MONTHS	
	YES	NO	YES	NO	YES	NO
Dryness, grittiness or scratchiness	☐	☐	☐	☐	☐	☐
Soreness or irritation	☐	☐	☐	☐	☐	☐
Burning or watering	☐	☐	☐	☐	☐	☐
Eye fatigue	☐	☐	☐	☐	☐	☐

2 · How often? (circle one)

	NEVER	SOMETIMES	OFTEN	CONSTANT
Dryness, grittiness or scratchiness	0	1	2	3
Soreness or irritation	0	1	2	3
Burning or watering	0	1	2	3
Eye fatigue	0	1	2	3

3 · How severe? (circle one)

	NO PROBLEMS	TOLERABLE	UNCOMFORTABLE	BOTHERSOME	INTOLERABLE
Dryness, grittiness or scratchiness	0	1	2	3	4
Soreness or irritation	0	1	2	3	4
Burning or watering	0	1	2	3	4
Eye fatigue	0	1	2	3	4

Severity guide. 0 = no problems · 1 = tolerable, not perfect but not uncomfortable · 2 = uncomfortable, irritating but doesn't interfere with my day · 3 = bothersome, irritating and interferes with my day · 4 = intolerable, unable to do my daily tasks

Do you use eye drops for lubrication?

☐ Yes ☐ No

If yes, how often?

☐ 1–2× day ☐ 3–4× day ☐ 5+× day

OFFICE USE

Total SPEED score _____ / 28

Frequency + severity

SPEED™ questionnaire developed by Korb et al. Reproduced for clinical use.

IS IT DRY EYE?

You don't have to *just live with it.*

Dry eye affects millions of people and is one of the most common reasons patients visit us. If any of these sound familiar, it's time for a dry eye evaluation.

- Burning
- Gritty, sandy feeling
- Redness
- Watery eyes
- Tired eyes
- Blurry vision on screens
- Contact lens discomfort
- Light sensitivity

Common causes

- Screens and less blinking
- Hormones, menopause and aging
- Medications such as antihistamines
- Contact lenses, LASIK and eye makeup
- Rosacea and Demodex mites
- Dry climate, A/C and Santa Ana winds

Take the first step

Ask about our dry eye evaluation. We image your oil glands and tear film to find the cause, not just the symptoms.

Scan to book your dry eye evaluation
inlandfamilyvision.com

VISIT US

Rancho Cucamonga

8977 Foothill Blvd, Suite C, Rancho Cucamonga, CA 91730
(909) 345-6100

Chino

5250 Philadelphia St, Suite D, Chino, CA
(909) 345-9809

Dr. Quynh Tran, OD
Dr. Nancy Banh, OD
Dr. Deborah Duan, OD

INLAND FAMILY optometry
Vision & Eye Wellness Center



DRY EYE CARE

Comfort you can *see* and feel.

A clearer view, the Inland way.

UNDERSTANDING DRY EYE

What is *dry eye?*

Dry eye is a **chronic, progressive** condition. Your tears don't keep the front of your eye comfortable and protected, either because you don't make enough or because they evaporate too fast.

In most people the cause is **meibomian gland dysfunction (MGD)**. The tiny oil glands in your eyelids clog, so tears evaporate in seconds.

Why treat it early?

Untreated, inflammation can permanently shrink the oil glands and damage the surface of the eye. Consistent care protects your glands and your vision.

Your dry eye evaluation

- Symptom questionnaire
- Gland imaging (meibography)
- Tear film and lid exam
- A personalized treatment plan

IN-OFFICE TREATMENTS

How we *treat it*

- **Lumenis IPL**
  Gentle pulses of light calm inflammation and the tiny blood vessels along the lids, so the oil glands can work again. A bonus: it also softens redness, sun spots and uneven tone.
- **OptiLIFT**
  Gentle muscle stimulation tones the lower lids and supports a full, healthy blink, which spreads oil across the eye. No needles, no downtime.
- **Eye Spa lid care**
  In-office lid cleaning and warm gland care in our Eye Spa to clear blocked glands and reset your lids before or between treatments.

Complimentary consultation

Not sure which treatment is right for you? Book a complimentary IPL or OptiLIFT consultation at inlandfamilyvision.com.

YOUR PLAN

What to *expect*

1. **Evaluate**
   We find the type and cause of your dry eye.
2. **Treat**
   A series of in-office treatments that target the cause.
3. **Maintain**
   A simple daily home routine plus maintenance visits keep results lasting.

At home

- **Warm:** heated eye mask, 10–15 min
- **Cleanse:** lid & lash cleanser
- **Hydrate:** preservative-free drops
- **Nourish:** omega-3 supplement

Also at Inland Family

Dry Eye Center · Eye Spa · Myopia management · Specialty contact lenses

INLAND FAMILY optometry
Vision & Eye Wellness Center

PRESCRIBED BY YOUR DOCTOR

Dry Eye Treatment Plan

PATIENT _____ DOCTOR _____ DATE _____

Diagnosis

☐ Evaporative / MGD ☐ Aqueous deficient ☐ Mixed
☐ Blepharitis ☐ Demodex ☐ Ocular rosacea
☐ Contact lens related

Severity

☐ Mild ☐ Moderate ☐ Severe

SPEED SCORE _____

In-office treatments

TREATMENT	SERIES	INTERVAL	AREA
☐ **Lumenis IPL** Typical: 4 sessions, 2–4 weeks apart	____ sessions	every ____ wks	OD ☐ OS ☐ Face ☐
☐ **OptiLIFT** Typical: 4 sessions, about 1 week apart	____ sessions	every ____ wks	OD ☐ OS ☐ Face ☐
☐ **Eye Spa lid care** Typical: As recommended	____ sessions	every ____ wks	OD ☐ OS ☐ Face ☐

At-home therapy

☐ Heated eye mask ☐ Lid & lash cleanser ☐ Tea tree wipes ☐ Preservative-free tears ☐ Overnight gel ☐ Omega-3
☐ Humidifier ☐ See At-Home Plan

Prescriptions

☐ Restasis ☐ Cequa ☐ Vevye ☐ Xiidra ☐ Miebo ☐ Xdemvy ☐ Steroid _____ ☐ Oral doxycycline ☐ Other _____

RETURN TO CLINIC

In _____ weeks / months

ESTIMATED INVESTMENT

$ _____

See pricing on the back

PATIENT SIGNATURE _____ DATE _____

INLAND FAMILY optometry
Vision & Eye Wellness Center

INVESTING IN YOUR EYES

Treatments & Packages

Dry eye is chronic, so treatment is a series followed by maintenance. Packages give you the best value and the best results.

TREATMENT	SINGLE SESSION	SERIES PACKAGE	MAINTENANCE
Dry eye evaluation & gland imaging	$ _____	n/a	n/a
Lumenis IPL	$ _____	$ _____	$ _____
OptiLIFT	$ _____	$ _____	$ _____
Eye Spa lid care	$ _____	$ _____	$ _____
At-home starter kit (mask, cleanser, drops)	$ _____	n/a	n/a

PACKAGE

Dry Eye Starter

Evaluation + 4 Lumenis IPL sessions + home kit

$ _____

PACKAGE

Lift & Glow

4 Lumenis IPL + 4 OptiLIFT sessions, our most complete result

$ _____

PACKAGE

Maintenance Club

A treatment every 6–12 months + ____% off home care

$ _____

Good to know

- In-office dry eye treatments are usually not covered by insurance. Your evaluation may be.
- HSA and FSA cards are accepted for most treatments.
- Packages are paid at the first session and are non-transferable.
- Results vary. Most patients notice a difference after 2–3 sessions.

Questions about your care? Call us: **Rancho Cucamonga (909) 345-6100 · Chino (909) 345-9809**
inlandfamilyvision.com

INLAND FAMILY optometry
Vision & Eye Wellness Center

After your *IPL*

Lumenis IPL · eye & skin care

What's normal

- Mild warmth, redness or puffiness for a few hours
- Temporary blurry vision for up to an hour
- Pigmented spots darken and look like coffee grounds, then flake off in 7–21 days. Don't pick them.
- Dry eye symptoms may fluctuate between sessions

First 48 hours

- Avoid sun. Apply mineral SPF 30+ every 2 hours outdoors.
- No saunas, hot tubs, hard workouts or hot showers on the face for 24 hrs
- Skip makeup for 4–6 hrs and retinols, acids or scrubs for 1 week
- Use a gentle cleanser and moisturizer only
- Keep up your at-home plan: warm, cleanse, hydrate

Call us if

- You have blistering, oozing or worsening pain
- Redness lasts more than 48 hours
- Your vision changes

NEXT SESSION IN ____ WEEKS

Questions? **Rancho Cucamonga (909) 345-6100 · Chino (909) 345-9809**
inlandfamilyvision.com

INLAND FAMILY optometry
Vision & Eye Wellness Center

After *OptiLIFT*

Muscle stimulation for lids & blink

What's normal

- Slight warmth, tingling or pinkness that fades within an hour
- Mild muscle soreness, like after a workout
- A lighter, more open feeling around the eyes

First 24 hours

- Drink plenty of water
- Makeup and normal skincare are fine the same day
- Avoid facial massage or devices on the treated area

Best results

- Complete all 4 sessions, about 1 week apart
- Pair with IPL for the full dry eye benefit
- Maintenance every 3–6 months

Keep your eyes comfortable

- Warm mask 10–15 min, then lid cleanser
- Preservative-free drops as directed
- Omega-3 daily with a meal

BOOK YOUR NEXT VISIT · INLANDFAMILYVISION.COM

Questions? **Rancho Cucamonga (909) 345-6100 · Chino (909) 345-9809**
inlandfamilyvision.com

INLAND FAMILY optometry
Vision & Eye Wellness Center

LUMENIS IPL

IPL Treatment Log

PATIENT _____ DATE OF BIRTH _____ SKIN TYPE _____

Mark treated areas on the face diagram. Record any test spot first.

DATE _____ SESSION # _____ PROVIDER _____


FITZPATRICK I · II · III · IV · V | SHIELD S · M · L · XL

FILTER / SETTING | FLUENCE J/CM²

CHEEKS & NOSE PULSES | UPPER LIDS (IF USED)

COOLING GEL Y · N | PATIENT COMFORT 0–10

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


FITZPATRICK I · II · III · IV · V | SHIELD S · M · L · XL

FILTER / SETTING | FLUENCE J/CM²

CHEEKS & NOSE PULSES | UPPER LIDS (IF USED)

COOLING GEL Y · N | PATIENT COMFORT 0–10

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


FITZPATRICK I · II · III · IV · V | SHIELD S · M · L · XL

FILTER / SETTING | FLUENCE J/CM²

CHEEKS & NOSE PULSES | UPPER LIDS (IF USED)

COOLING GEL Y · N | PATIENT COMFORT 0–10

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


FITZPATRICK I · II · III · IV · V | SHIELD S · M · L · XL

FILTER / SETTING | FLUENCE J/CM²

CHEEKS & NOSE PULSES | UPPER LIDS (IF USED)

COOLING GEL Y · N | PATIENT COMFORT 0–10

NOTES / REACTIONS _____



INLAND FAMILY optometry
Vision & Eye Wellness Center

MUSCLE STIMULATION

OptiLIFT Treatment Log

PATIENT _____ DATE OF BIRTH _____ SERIES _____

Before/after photos at session 1 and the final session, same lighting and angle.

DATE _____ SESSION # _____ PROVIDER _____


PROGRAM _____ INTENSITY L / R _____

AREAS Lower lids · Periorbital · Forehead DURATION (MIN) _____

RF COMBINED Y · N MUSCLE RESPONSE Good · Fair · Low

PATIENT COMFORT 0–10 _____ PHOTO TAKEN Y · N

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


PROGRAM _____ INTENSITY L / R _____

AREAS Lower lids · Periorbital · Forehead DURATION (MIN) _____

RF COMBINED Y · N MUSCLE RESPONSE Good · Fair · Low

PATIENT COMFORT 0–10 _____ PHOTO TAKEN Y · N

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


PROGRAM _____ INTENSITY L / R _____

AREAS Lower lids · Periorbital · Forehead DURATION (MIN) _____

RF COMBINED Y · N MUSCLE RESPONSE Good · Fair · Low

PATIENT COMFORT 0–10 _____ PHOTO TAKEN Y · N

NOTES / REACTIONS _____



DATE _____ SESSION # _____ PROVIDER _____


PROGRAM _____ INTENSITY L / R _____

AREAS Lower lids · Periorbital · Forehead DURATION (MIN) _____

RF COMBINED Y · N MUSCLE RESPONSE Good · Fair · Low

PATIENT COMFORT 0–10 _____ PHOTO TAKEN Y · N

NOTES / REACTIONS _____



INLAND FAMILY optometry
Vision & Eye Wellness Center

BEFORE YOUR TREATMENT

Pre-Treatment Checklist

PATIENT _____ DATE OF BIRTH _____ TREATMENT DATE _____

Recommendations & timeline

4 WEEKS BEFORE
- Avoid sun, tanning and self-tanner
- Tell us about any new medication

1 WEEK BEFORE
- Stop retinols, acids and exfoliants
- No waxing, peels or laser on the area

DAY OF
- Arrive with a clean face, no makeup or lotion
- Remove contact lenses
- Bring sunglasses

AFTER
- SPF 30+ daily
- Follow the aftercare card
- Keep up your home routine

Health screening

	YES	NO
Are you pregnant, trying to become pregnant or nursing?	☐	☐
Have you taken Accutane (isotretinoin) in the last 6 months?	☐	☐
Are you taking photosensitizing medication (doxycycline, minocycline, St. John's wort)?	☐	☐
Do you have a recent sunburn, tan or spray tan (past 2–4 weeks)?	☐	☐
Any active cold sore, rash or infection in the treatment area?	☐	☐
History of skin cancer or suspicious lesions in the area?	☐	☐
History of seizures triggered by light?	☐	☐
Do you have a pacemaker, defibrillator or other implanted electronic device?	☐	☐
Metal implants, fillers or threads in the face (list dates)?	☐	☐
Eye or eyelid surgery in the last 6 months?	☐	☐
History of keloids or abnormal scarring?	☐	☐
Do you have tattoos or permanent makeup in the area?	☐	☐

IF YES TO ANY, PLEASE EXPLAIN _____

Office use · Cleared for: ☐ Lumenis IPL ☐ OptiLIFT ☐ Eye Spa lid care

PATIENT SIGNATURE _____ DATE _____

REVIEWED BY (DOCTOR) _____ DATE _____

Questions about your care? Call us: **Rancho Cucamonga (909) 345-6100 · Chino (909) 345-9809**
inlandfamilyvision.com

INLAND FAMILY optometry
Vision & Eye Wellness Center

INFORMED CONSENT

Intense Pulsed Light (IPL)

PATIENT _____ DATE OF BIRTH _____ DATE _____

I authorize Inland Family Optometry to perform Lumenis IPL intense pulsed light treatment on the skin below the eyes and around the nose and cheeks (and the upper lids if indicated) to treat dry eye disease and meibomian gland dysfunction. IPL delivers filtered pulses of light while protective eye shields are worn.

Expected benefits

Improvement in dry eye signs and symptoms. Results vary, a series of treatments is usually needed, and maintenance treatments are recommended. No specific result is guaranteed.

Possible risks & side effects

- Temporary redness, swelling, warmth or a sunburn-like feeling
- Darkening and flaking of pigmented spots (expected, 7–21 days)
- Blistering, crusting or, rarely, scarring
- Lightening or darkening of skin color (hypo/hyperpigmentation), usually temporary but possibly permanent
- Loss of eyebrow or facial hair in treated areas
- Eye injury if shields are removed during treatment
- Cold sore flare in those with a history

Alternatives

Warm compresses, lid hygiene, artificial tears, prescription eye drops, oral medication, and other in-office gland treatments.

I understand and agree that

- ☐ I have given a complete and honest medical history and will report any changes before each session.
- ☐ I have read the pre-treatment and aftercare instructions and will follow them.
- ☐ I have had the chance to ask questions, and they were answered to my satisfaction.
- ☐ I consent to before/after photos for my medical record. ☐ I also allow anonymous use for education/marketing.
- ☐ I understand this treatment is elective and may not be covered by insurance.

PATIENT SIGNATURE _____ DATE _____

WITNESS / PROVIDER _____ DATE _____

Template provided for Inland Family Optometry. Review with your legal counsel and malpractice carrier before use.

INLAND FAMILY optometry
Vision & Eye Wellness Center

INFORMED CONSENT

OptiLIFT Muscle Stimulation

PATIENT _____ DATE OF BIRTH _____ DATE _____

I authorize Inland Family Optometry to perform OptiLIFT treatment. Applicators deliver gentle electrical muscle stimulation to tone the muscles around the eyes, support a more complete blink, and improve the look of the lids and surrounding skin.

Expected benefits

Improvement in dry eye signs and symptoms. Results vary, a series of treatments is usually needed, and maintenance treatments are recommended. No specific result is guaranteed.

Possible risks & side effects

- Tingling, warmth or muscle twitching during treatment
- Muscle soreness for 1–2 days
- Temporary redness under the applicator
- Rarely, skin irritation or a burn
- Not suitable with pacemakers, implanted electronic devices, metal implants in the face, pregnancy or epilepsy

Alternatives

Blink exercises, lid hygiene, artificial tears, prescription drops and other in-office dry eye treatments.

I understand and agree that

- ☐ I have given a complete and honest medical history and will report any changes before each session.
- ☐ I have read the pre-treatment and aftercare instructions and will follow them.
- ☐ I have had the chance to ask questions, and they were answered to my satisfaction.
- ☐ I consent to before/after photos for my medical record. ☐ I also allow anonymous use for education/marketing.
- ☐ I understand this treatment is elective and may not be covered by insurance.

PATIENT SIGNATURE _____ DATE _____

WITNESS / PROVIDER _____ DATE _____

Template provided for Inland Family Optometry. Review with your legal counsel and malpractice carrier before use.