

RaspberryMatic-2017-09-08 (2).log

```
Sep 8 10:37:55 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:55 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:55 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:55 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:58 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:58 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:58 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:37:58 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:01 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:01 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:01 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:01 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:03 homematic-raspi local0.err ReGaHss: Error: XmlRpc: Error in XmlRpcClient::writeRequest: write
error (error 111). [iseXmlRpc.h:281]
Sep 8 10:38:03 homematic-raspi local0.err ReGaHss: Error: IseXmlRpc::CallXmlRpcMethod: execute failed; method
=getDeviceDescription Params = {"System"} result= nil [iseXmlRpc.cpp:2608]
Sep 8 10:38:03 homematic-raspi local0.err ReGaHss: Error: IseXmlRpc::CallGetDeviceDescription: CallXmlRpcMethod
failed [iseXmlRpc.cpp:2198]
Sep 8 10:38:04 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:04 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:04 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:04 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:07 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:07 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:07 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:07 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:35:24"; [iseESPexec.cpp:12519]
Sep 8 10:38:10 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
```


RaspberryMatic-2017-09-08 (2).log

```
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:13 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:13 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:13 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:13 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:16 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:16 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:16 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:16 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:21 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:21 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:21 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:21 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:22 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:22 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 10:45:22 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 10:40:53"; [iseESPexec.cpp:12519]
Sep 8 11:00:00 homematic-raspi cron.info crond[203]: USER root pid 2859 cmd /bin/SetInterfaceClock
127.0.0.1:2001
Sep 8 11:00:00 homematic-raspi cron.info crond[203]: USER root pid 2860 cmd /bin/setHwClock.sh
Sep 8 11:10:57 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError:
system.SetSessionVar("sessionCTV", "true"); [iseESPexec.cpp:12519]
Sep 8 11:10:57 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError:
system.SetSessionVar("sessionCTV", "true"); [iseESPexec.cpp:12519]
Sep 8 11:10:57 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError:
system.SetSessionVar("sessionCTV", "true"); [iseESPexec.cpp:12519]
Sep 8 11:10:57 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError:
system.SetSessionVar("sessionCTV", "true"); [iseESPexec.cpp:12519]
Sep 8 11:11:00 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:00 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
```


RaspberryMatic-2017-09-08 (2).log

```
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:39 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:39 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:39 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:39 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:41 homematic-raspi daemon.warn openvpn[753]: WARNING: INSECURE cipher with block size less than 128
bit (64 bit). This allows attacks like SWEET32. Mitigate by using a --cipher with a larger block size (e.g.
AES-256-CBC).
Sep 8 11:11:41 homematic-raspi daemon.warn openvpn[753]: WARNING: INSECURE cipher with block size less than 128
bit (64 bit). This allows attacks like SWEET32. Mitigate by using a --cipher with a larger block size (e.g.
AES-256-CBC).
Sep 8 11:11:42 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:42 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:42 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:42 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:45 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:45 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:45 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:45 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:48 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:48 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:48 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:48 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
Sep 8 11:11:51 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"2025";string timestamps = "08.09.2017 11:05:35"; [iseESPexec.cpp:12519]
```



```

"";string timestamps = ""; [iseESPexec.cpp:12519]
Sep 8 11:23:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"";string timestamps = ""; [iseESPexec.cpp:12519]
Sep 8 11:23:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"";string timestamps = ""; [iseESPexec.cpp:12519]
Sep 8 11:23:36 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =
"";string timestamps = ""; [iseESPexec.cpp:12519]
Sep 8 11:23:38 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: ^M {^M if(
system.IsVar("id") )^M {^M object to = dom.GetObject( system.GetVar("id") );^M if( to )^M {^M
if( to.IsTypeOf( OT_VARDP ) || to.IsTypeOf( OT_ALARMDP ) )^M {^M integer itoVT = to.ValueType();^M
integer itoST = to.ValueSubType();^M boolean btoLogic = ( (itoVT==ivtBinary) && (itoST==istBool)
);^M boolean btoList = ( (itoVT==ivtInteger) && (itoST==istEnum) );^M boolean btoNumber =
( (itoVT==ivtFloat) && (itoST==istGeneric) );^M boolean btoAlarm = ( (itoVT==ivtBinary) &&
(itoST==istAlarm) );^M boolean btoString = ( (itoVT==ivtString) && (itoST==istChar8859));^M
if( btoLogic || btoAlarm )^M {^M if ( (svalue == "0") || (svalue == "") )^M {^M
sRet=sRet#to.ValueName0();^M }^M else^M {^M
sRet=sRet#to.ValueName1();^M }^M }^M if( btoList ) ^M { ^M
Sep 8 11:23:38 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: ^M {^M if(
system.IsVar("id") )^M {^M object to = dom.GetObject( system.GetVar("id") );^M if( to )^M {^M
if( to.IsTypeOf( OT_VARDP ) || to.IsTypeOf( OT_ALARMDP ) )^M {^M integer itoVT = to.ValueType();^M
integer itoST = to.ValueSubType();^M boolean btoLogic = ( (itoVT==ivtBinary) && (itoST==istBool)
);^M boolean btoList = ( (itoVT==ivtInteger) && (itoST==istEnum) );^M boolean btoNumber =
( (itoVT==ivtFloat) && (itoST==istGeneric) );^M boolean btoAlarm = ( (itoVT==ivtBinary) &&
(itoST==istAlarm) );^M boolean btoString = ( (itoVT==ivtString) && (itoST==istChar8859));^M
if( btoLogic || btoAlarm )^M {^M if ( (svalue == "0") || (svalue == "") )^M {^M
sRet=sRet#to.ValueName0();^M }^M else^M {^M
sRet=sRet#to.ValueName1();^M }^M }^M if( btoList ) ^M { ^M
Sep 8 11:23:38 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: ^M {^M if(
system.IsVar("id") )^M {^M object to = dom.GetObject( system.GetVar("id") );^M if( to )^M {^M
if( to.IsTypeOf( OT_VARDP ) || to.IsTypeOf( OT_ALARMDP ) )^M {^M integer itoVT = to.ValueType();^M
integer itoST = to.ValueSubType();^M boolean btoLogic = ( (itoVT==ivtBinary) && (itoST==istBool)
);^M boolean btoList = ( (itoVT==ivtInteger) && (itoST==istEnum) );^M boolean btoNumber =
( (itoVT==ivtFloat) && (itoST==istGeneric) );^M boolean btoAlarm = ( (itoVT==ivtBinary) &&
(itoST==istAlarm) );^M boolean btoString = ( (itoVT==ivtString) && (itoST==istChar8859));^M
if( btoLogic || btoAlarm )^M {^M if ( (svalue == "0") || (svalue == "") )^M {^M
sRet=sRet#to.ValueName0();^M }^M else^M {^M
sRet=sRet#to.ValueName1();^M }^M }^M if( btoList ) ^M { ^M
Sep 8 11:23:38 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: ^M {^M if(
system.IsVar("id") )^M {^M object to = dom.GetObject( system.GetVar("id") );^M if( to )^M {^M
if( to.IsTypeOf( OT_VARDP ) || to.IsTypeOf( OT_ALARMDP ) )^M {^M integer itoVT = to.ValueType();^M
integer itoST = to.ValueSubType();^M boolean btoLogic = ( (itoVT==ivtBinary) && (itoST==istBool)
);^M boolean btoList = ( (itoVT==ivtInteger) && (itoST==istEnum) );^M boolean btoNumber =
( (itoVT==ivtFloat) && (itoST==istGeneric) );^M boolean btoAlarm = ( (itoVT==ivtBinary) &&
(itoST==istAlarm) );^M boolean btoString = ( (itoVT==ivtString) && (itoST==istChar8859));^M
if( btoLogic || btoAlarm )^M {^M if ( (svalue == "0") || (svalue == "") )^M {^M
sRet=sRet#to.ValueName0();^M }^M else^M {^M
sRet=sRet#to.ValueName1();^M }^M }^M if( btoList ) ^M { ^M

```


RaspberryMatic-2017-09-08 (2).log

```
Sep  8 11:24:12 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:15 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:15 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:15 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:15 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:18 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:18 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:18 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]  
Sep  8 11:24:18 homematic-raspi local0.err ReGaHss: Error: IseESP::ScriptRuntimeError: string channels =  
"";string timestamps = ""; [iseESPexec.cpp:12519]
```