






Distribution of Bike Rentals
Frequency
0
500
1000
1500
2000
0
500
1000
1500
2000
2500
3000
3500
Number of Rentals



Temperature vs. Bike Rentals
Number of Rentals
0
500
1000
1500
2000
2500
3000
3500
−20
−10
0
10
20
30
40
Temperature (°C)



Humidity vs. Bike Rentals
Number of Rentals
0
500
1000
1500
2000
2500
3000
3500
0
20
40
60
80
100
Humidity (%)



Bike Rentals by Season
Number of Rentals
0
500
1000
1500
2000
2500
3000
3500
Autumn
Spring
Summer
Winter
Season



Simple Linear Regression
Number of Rentals
0
500
1000
1500
2000
2500
3000
3500
−20
−10
0
10
20
30
40
Temperature (°C)



Bike Rentals by Season
Autumn
Spring
Summer
Winter
Rentals
2000
1500
1000
500
0
−500
−20
−10
0
10
20
30
40
Temperature


Residuals in Observation Order
Residual
2000
1000
0
−1000
0
2000
4000
6000
8000
Observation Order


Residuals vs Fitted
Residuals
Fitted values
4819
5011
−1000
0
1000
0
500
1000
1500


Q−Q Residuals
Standardized residuals
Theoretical Quantiles
4819
−2
0
2
4
−4
−2
0
2
4


Scale−Location
√|Standardized residuals|
Fitted values
4819
5011
0.0
0.5
1.0
1.5
2.0
0
500
1000
1500


Residuals vs Leverage
Standardized residuals
Leverage
Cook's distance
−2
0
2
4
0.000
0.001
0.002
0.003
0.004
0.005