

red= fallback, green = bng2 multiscrypt, blue= beng multiscrypt.

- 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a □□a „ $\pi$ “ a „Б“
- {multiscrypt=cyrl\_grek\_beng}:
  - Why does multiscrypt trigger fallback fonts?
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {multiscrypt=cyrl\_grek\_bng2}:
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {multiscrypt=cyrl\_grek\_beng,fallback=myfallback}:
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {multiscrypt=cyrl\_grek\_bng2,fallback=myfallback}:
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {multiscrypt=cyrl,fallback=myfallback}:
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {multiscrypt=auto,fallback=myfallback}:
  - Why is the last !? in latin modern?
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- {fallback=myfallback}:
  - What are the draw backs of the missing multiscrypt?
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- fallback=mygreekfallback
  - is the script wrong for cyrillic?
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a a „ $\pi$ “ a „Б“
- fallback=mycyrlfallback
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a a „ $\pi$ “ a „Б“
- multiscrypt=auto+cyrl\_grek\_bng2,fallback=myfallback
  - Does cyrl\_grek\_bng2 anything here?
  - 1234 á  $\pi$  a!?  $\pi$ 123!? a БН123!? a  $\pi$ a „ $\pi$ “ a „Б“
- How to setup the  $\pi$  in dejavu (with script grek), the БН in cambria (script cyrl), and all !? in latin modern (script=latn)?
- How to handle that some fonts cover one script and some more?