

red= fallback, green = bng2 multiscrypt, blue= beng multiscrypt.

- 1234 á π a!? π 123!? a БН123!? a □□a „ π “ a „Б“
- {multiscrypt=cyrl_grek_beng}:
 - Why does multiscrypt trigger fallback fonts?
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {multiscrypt=cyrl_grek_bng2}:
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {multiscrypt=cyrl_grek_beng,fallback=myfallback}:
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {multiscrypt=cyrl_grek_bng2,fallback=myfallback}:
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {multiscrypt=cyrl,fallback=myfallback}:
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {multiscrypt=auto,fallback=myfallback}:
 - Why is the last !? in latin modern?
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- {fallback=myfallback}:
 - What are the draw backs of the missing multiscrypt?
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- fallback=mygreekfallback
 - is the script wrong for cyrillic?
 - 1234 á π a!? π 123!? a БН123!? a a „ π “ a „Б“
- fallback=mycyrlfallback
 - 1234 á π a!? π 123!? a БН123!? a a „ π “ a „Б“
- multiscrypt=auto+cyrl_grek_bng2,fallback=myfallback
 - Does cyrl_grek_bng2 anything here?
 - 1234 á π a!? π 123!? a БН123!? a π a „ π “ a „Б“
- How to setup the π in dejavu (with script grek), the БН in cambria (script cyrl), and all !? in latin modern (script=latn)?
- How to handle that some fonts cover one script and some more?