red= fallback, green = bng2 multiscript, blue= beng multiscript.

- 1234 á π́ a!? π123!? a БЍА123!? a □ a □□a „π" a „Б"

- `{fallback=myfallback}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{fallback=myfallback,multiscript=auto}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{fallback=myfallbacknoscript,multiscript=auto}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{fallback=myfallbacknoscript}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{multiscript=cyrl_grek_beng}`:
  -- Why does multiscript trigger fallback fonts?
  1234 á π́ a!? π123!? a БЍА123!? a   a किa „π" a „Б"

- `{multiscript=cyrl_grek_bng2}`:
  1234 á π́ a!? π123!? a БЍА123!? a   a किa „π" a „Б"

- `{multiscript=cyrl_grek_beng,fallback=myfallback}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{multiscript=cyrl_grek_bng2,fallback=myfallback}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{multiscript=cyrl,fallback=myfallback}`:
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{multiscript=auto,fallback=myfallback}`:
  -- Why is the last !? in latin modern?
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `{fallback=myfallback}`:
  -- What are the draw backs of the missing multiscript?
  1234 á π́ a!? π123!? a БЍА123!? a α a किa „π" a „Б"

- `fallback=mygreekfallback`
  -- is the script wrong for cyrillic?
  1234 á π́ a!? π123!? a БЍА123!? a   a   a „π" a „Б"

- `fallback=mycyrlfallback`
  1234 á π́ a!? π123!? a БЍА123!? a α a   a „π" a „Б"

- `multiscript=auto+cyrl_grek_bng2,fallback=myfallback`

  -- Does `cyrl_grek_bng2` anything here?

  1234 á ń a!? π123!? a БЮ123!? a α a किa „π“ a „Б“

- How to setup the π in dejavu (with script grek), the БЮ in cambria (script cyrl), and all !? in latin modern (script=latn?)?

- How to handle that some fonts cover one script and some more?