

red= fallback, green = bng2 multiscript, blue= beng multiscript.

- 1234 á π a!? π 123!? a БН123!? a □ a □□a „ π “ a „Б“
- {fallback=myfallback}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {fallback=myfallback,multiscript=auto}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {fallback=myfallbacknoscript,multiscript=auto}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {fallback=myfallbacknoscript}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {multiscript=cyrl_grek_beng}:
-- Why does multiscript trigger fallback fonts?
1234 á π a!? π 123!? a БН123!? a a κ a „ π “ a „Б“
- {multiscript=cyrl_grek_bng2}:
1234 á π a!? π 123!? a БН123!? a a κ a „ π “ a „Б“
- {multiscript=cyrl_grek_beng,fallback=myfallback}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {multiscript=cyrl_grek_bng2,fallback=myfallback}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {multiscript=cyrl,fallback=myfallback}:
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {multiscript=auto,fallback=myfallback}:
-- Why is the last !? in latin modern?
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- {fallback=myfallback}:
-- What are the draw backs of the missing multiscript?
1234 á π a!? π 123!? a БН123!? a α a κ a „ π “ a „Б“
- fallback=mygreekfallback
-- is the script wrong for cyrillic?
1234 á π a!? π 123!? a БН123!? a a a „ π “ a „Б“
- fallback=mycyrlfallback
1234 á π a!? π 123!? a БН123!? a α a a „ π “ a „Б“

- `multiscript=auto+cyrl_grek_bng2,fallback=myfallback`
-- Does `cyrl_grek_bng2` anything here?
1234 á ŋ a!? π123!? a BH123!? a α a ক a „π“ a „B“
- How to setup the π in dejavu (with script grek), the BH in cambria (script cyrl), and all !? in latin modern (script=latn)?
- How to handle that some fonts cover one script and some more?