

CompTIA Linux+ (XK0-005)

Editing Files in Linux

- Introduction
 - Lab Topology
 - Exercise 1 - Work with the Vi Text Editor
 - Exercise 2 - Use the Vim Text Editor
 - Exercise 3 - Use the Nano Text Editor
 - Review
-

Introduction

XK0-005

Vi Editor

Vim Editor

Nano Editor

Welcome to the **Editing Files in Linux** Practice Lab. In this module, you will be provided with the instructions and devices needed to develop your hands-on skills.

Learning Outcomes

In this module, you will complete the following exercises:

- Exercise 1 - Work with Vi Text Editor
- Exercise 2 - Use the Vim Text Editor
- Exercise 3 - Use the Nano Text Editor

After completing this module, you should be able to:

- Create and Manipulate a File using Vi Text Editor
- Manipulate Text and Edit Files using the Vim Text Editor
- Manipulate Text and Edit Files using the Nano Text Editor

Exam Objectives

The following exam objectives are covered in this module:

1.2 Given a scenario, manage files and directories

- File editing

Lab Duration

It will take approximately **1 hour** to complete this lab.

Help and Support

For more information on using Practice Labs, please see our **Help and Support** page. You can also raise a technical support ticket from this page.

Click **Next** to view the Lab topology used in this module.

Lab Topology

During your session, you will have access to the following lab configuration.

Depending on the exercises, you may or may not use all of the devices, but they are shown here in the layout to get an overall understanding of the topology of the lab.

- **PLABSRV01** - Ubuntu 20.04 - Stand-Alone Ubuntu Server (Console)
- **PLABSRV02** - Alma Linux 8.5 - Stand-Alone Linux Server (GUI)
- **PLABCLIENT01** - Ubuntu 20.04 - Stand-Alone Ubuntu Workstation (GUI)
- **PLABWIN10** - Windows 10 - Stand-Alone Workstation

Click **Next** to proceed to the first exercise.

Exercise 1 - Work with the Vi Text Editor

In this exercise, you will launch the Vi text editor. You will also use the text editor to manipulate the file in Linux.

Learning Outcomes

After completing this exercise, you should be able to:

- Create and Manipulate a File using Vi

Your Devices

You will be using the following device in this lab. Please power this on now.

- **PLABCLIENT01** - Ubuntu 20.04 - Stand-Alone Ubuntu Workstation (GUI)

Task 1 - Create and Manipulate a File using Vi

In this task, you will launch the Vi text editor and then create and manipulate the file using the text editor.

Step 1

Connect to **PLABCLIENT01**.

Login as **administrator** using the following **Password**:

Passw0rd

Press **Enter**.




Figure 1.1 Screenshot of PLABCLIENT01: The login screen is displayed, showing the required credentials typed in.

Step 2

Click the **Show applications** icon on the bottom left corner.

Scroll down and select **Terminal**.




Figure 1.2 Screenshot of PLABCLIENT01: Show applications icon is clicked, and Terminal is selected.

Step 3

In the **Terminal** window, type the following command to navigate to the **Documents** folder:

```
cd Documents/
```

Press **Enter**.




Figure 1.3 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered and executed.

Step 4

In the **Terminal** window, type the following command and press **Enter**:

```
vi prog_tools.txt
```




Figure 1.4 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered.

Note: The **vi** command will open the **prog_tools.txt** file in the Vi text editor.

Step 5

The **Vi** text editor window is displayed.




Figure 1.5 Screenshot of PLABCLIENT01: The Vi text editor window is displayed.

Note: Vi is an earlier text editor with very few features and is not really user-friendly. Within Linux, there are programming tools like **sed**, **awk** and **printf**. There is a description of each of these within this file. Take a moment to read about them. These tools allow you to manipulate files.

Step 6

In the **Vi** text editor window, try typing over the word **Linux** in the first line with:

```
linux
```

Notice you are unable to type the word.




Figure 1.6 Screenshot of PLABCLIENT01: The Vi text editor window is displayed, showing the close icon on the top right corner selected.

Step 7

Delete the **Linux Programming Tools** line using the **Backspace** key.




Figure 1.7 Screenshot of PLABCLIENT01: The Vi text editor window is displayed, showing the required text removed.

Step 8

Click **Close Terminal** on the **Close this terminal?** pop-up window.




Figure 1.8 Screenshot of PLABCLIENT01: Close this terminal? pop-up window is displayed, showing Close terminal selected.

Step 9

Click the **Show applications** icon and re-open the **Terminal** window.

In the **Terminal** window, type the following command and press **Enter**:

```
cd Documents/
```

Next, type the following command and press **Enter**:

```
vi prog_tools.txt
```

Notice the error that appears. It's because the file is still open.

Press **Enter**.




Figure 1.9 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing an error notification.

Step 10

In the **Vi** text editor window, notice the text that was deleted now appears. This is because the file was not saved. You will now quit from the file.

Press the **Escape** key on the keyboard to change the mode.

Next, type the following:

```
:q
```

Press **Enter**.




Figure 1.10 Screenshot of PLABCLIENT01: The Vi editor window is displayed, showing q entered.

Step 11

In the **Terminal** window, type the following command and press **Enter**:

```
clear
```




Figure 1.11 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered.

Note: The *clear* command will clear the Terminal window.

Keep the **Terminal** window open.

Exercise 2 - Use the Vim Text Editor

In this exercise, you will install and use the Vim text editor to edit and manipulate files in Linux.

Learning Outcomes

After completing this exercise, you should be able to:

- Manipulate Text and Edit Files using the Vim Editor

Your Devices

You will be using the following device in this lab. Please power this on now.

- **PLABCLIENT01** - Ubuntu 20.04 - Stand-Alone Ubuntu Workstation (GUI)

Task 1 - Manipulate Text and Edit Files using the Vim Text Editor

In this task, you will manipulate text and edit files using the Vim editor.

Step 1

Ensure you are connected to **PLABCLIENT01** and the **Terminal** window is open.

In the **Terminal** window, type the following command and press **Enter**:

```
cd /
```

Then, type the following command to navigate to the **Books** folder:

```
cd /home/administrator/Books
```

Press **Enter**.




Figure 2.1 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered and executed.

Step 2

In the **Terminal** window, type the following command and press **Enter**:

```
sudo apt install vim
```

In the **Do you want to continue? [Y/n]** prompt, type:

```
Y
```

Press **Enter**.




Figure 2.2 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered and executed.

Note: The above command will install the **vim** text editor. **Vim** is the improved version of the **vi** text editor.


Step 3

In the **Terminal** window, type the following command and press **Enter**:

```
cp dracula.txt Dracula.txt
```

Then, type the following command and press **Enter**:

vim Dracula.txt



```
PLABCLIENT01 Device Popup - Work - Microsoft Edge
https://stg.practice-labs.com/app/platform/device-popup.aspx?hostname=PLABCLIENT01

PLABCLIENT01
Activities Terminal May 2 05:13
administrator@plabclient01: ~/Books

vim-runtime
Suggested packages:
  ctags vim-doc vim-scripts
The following NEW packages will be installed:
  vim vim-runtime
0 upgraded, 2 newly installed, 0 to remove and 0 not upgraded.
Need to get 7,116 kB of archives.
After this operation, 34.6 MB of additional disk space will be used.
Do you want to continue? [Y/n] Y
Get:1 http://security.ubuntu.com/ubuntu focal-security/main amd64 vim-runtime all 2:8.1.2269-1ubuntu5.14
  [5,875 kB]
Get:2 http://security.ubuntu.com/ubuntu focal-security/main amd64 vim amd64 2:8.1.2269-1ubuntu5.14 [1,24
  1 kB]
Fetched 7,116 kB in 1s (5,571 kB/s)
Selecting previously unselected package vim-runtime.
(Reading database ... 250753 files and directories currently installed.)
Preparing to unpack .../vim-runtime_2%3a8.1.2269-1ubuntu5.14_all.deb ...
Adding 'diversion of /usr/share/vim/vim81/doc/help.txt to /usr/share/vim/vim81/doc/help.txt.vim-tiny by
vim-runtime'
Adding 'diversion of /usr/share/vim/vim81/doc/tags to /usr/share/vim/vim81/doc/tags.vim-tiny by vim-run
time'
Unpacking vim-runtime (2:8.1.2269-1ubuntu5.14) ...
Selecting previously unselected package vim.
Preparing to unpack .../vim_2%3a8.1.2269-1ubuntu5.14_amd64.deb ...
Unpacking vim (2:8.1.2269-1ubuntu5.14) ...
Setting up vim-runtime (2:8.1.2269-1ubuntu5.14) ...
Setting up vim (2:8.1.2269-1ubuntu5.14) ...
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vim (vim) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vimdiff (vimdiff) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rvim (rvim) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rview (rview) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vi (vi) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/view (view) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/ex (ex) in auto mode
Processing triggers for man-db (2.9.1-1) ...
administrator@plabclient01:~/Books$ cp dracula.txt Dracula.txt
administrator@plabclient01:~/Books$ vim Dracula.txt
```

Figure 2.3 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered and executed.

Note: The **cp** command will create a copy file named **dracula.txt** and rename it to **Dracula.txt** within the same directory.

The **vim** command will open the **Dracula.txt** file in the **vim** text editor window.

Step 4

In the **vim** text editor window, press the **Escape** key on the keyboard.

Then type the following and press **Enter**:

:set number




Figure 2.4 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.

Note: Notice the **:set number** you type will appear at the bottom of the text editor window.


Step 5

Notice the line numbers now appear in the text editor window.

To go to a particular line number, press the **Escape** key, then type:

:7883

Press **Enter**.



```
PLABCLIENT01 Device Popup - Work - Microsoft Edge
https://stg.practice-labs.com/app/platform/device-popup.aspx?hostname=PLABCLIENT01

PLABCLIENT01
Activities Terminal Menu May 2 05:23
administrator@plabclient01: ~/Books

1 The Project Gutenberg EBook of Dracula, by Bram Stoker
2
3 This eBook is for the use of anyone anywhere at no cost and with
4 almost no restrictions whatsoever. You may copy it, give it away or
5 re-use it under the terms of the Project Gutenberg License included
6 with this eBook or online at www.gutenberg.org
7
8
9 Title: Dracula
10
11 Author: Bram Stoker
12
13 Release Date: May 30, 2014 [EBook #45839]
14
15 Language: English
16
17 Character set encoding: ISO-8859-1
18
19 *** START OF THIS PROJECT GUTENBERG EBOOK DRACULA ***
20
21
22
23
24 Produced by Juliet Sutherland, Reiner Ruf, James Adcock
25 and the Online Distributed Proofreading Team at
26 http://www.pgdp.net
27
28
29
30
31
32
33 Transcriber's Note
34 #####
35 This e-text is based on a reproduction of the original 1897 edition.
36 All modern material has been removed.
37
:7883
```

Figure 2.5 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.

Step 6

You are now in line **7883**.

To return to line number **1**, press the **Escape** key, then type:

:1

Press **Enter**.




Figure 2.6 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.

Step 7

In the **Text editor** window, to search for a particular word, press the **Escape** key, then type:

```
:/Harker
```

Press **Enter**.

To search for the next instance of the word, press the **n** key on the keyboard. Press the **n** key **4** more times to find more instances of the word.

Press the **Shift+n** keys to return to the previous search instance of the word.




Figure 2.7 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the search text highlighted.

Step 8

In the **Text editor** window, to perform a search and replace of a word on a single line (line 126), press the **Escape** key, then type:

```
:126
```

Press **Enter**.

Next, press the **Escape** key and type:

:s/Harker's/PracticeLabs's

Press **Enter**.




Figure 2.8 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.

Note: Notice the text is now replaced with **PracticeLabs's**.

Step 9

In the **Text editor** window, to perform a search throughout the file, press the **Escape** key, then type:

:%s/Harker's/PracticeLabs's

Press **Enter**.




Figure 2.9 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.

Note: You can press the **Escape** key and type `:/ PracticeLabs's` to find the number of instances the text was replaced.

Step 10

To quit from the file, press the **Escape** key and type:

:q!

Press **Enter**.

```

PLABCLIENT01 Device Popup - Work - Microsoft Edge
https://stg.practice-labs.com/app/platform/device-popup.aspx?hostname=PLABCLIENT01

PLABCLIENT01
Activities Terminal Menu 06:10
administrator@plabclient01: ~/Books

15069
15070 Before I left the castle I so fixed its entrances that never more can
15071 the Count enter there Un-Dead.
15072
15073 When I stepped into the circle where Madam Mina slept, she woke from
15074 her sleep, and seeing me, cried out in pain that I had endured too much.
15075
15076 "Come!" she said, "come away from this awful place! Let us go to meet
15077 my husband, who is, I know, coming towards us." She was looking thin
15078 and pale and weak; but her eyes were pure and glowed with fervour. I
15079 was glad to see her paleness and her illness, for my mind was full of
15080 the fresh horror of that ruddy Vampire sleep.
15081
15082 And so with trust and hope, and yet full of fear, we go eastward to
15083 meet our friends--and _him_--whom Madam Mina tell me that she _know_
15084 are coming to meet us.
15085
15086
15087 _Mina PracticeLabs's Journal._
15088
15089 _6 November._--It was late in the afternoon when the Professor and I
15090 took our way towards the east whence I knew Jonathan was coming. We
15091 did not go fast, though the way was steeply downhill, for we had to
15092 take heavy rugs and wraps with us; we dared not face the possibility of
15093 being left without warmth in the cold and the snow. We had to take some
15094 of our provisions too, for we were in a perfect desolation, and, so
15095 far as we could see through the snow-fall, there was not even the sign
15096 of a habitation. When we had gone about a mile, I was tired with the
15097 heavy walking and sat down to rest. Then we looked back and saw where
15098 the clear line of Dracula's castle cut the sky; for we were so deep
15099 under the hill whereon it was set that the angle of perspective of the
15100 Carpathian mountains was far below it. We saw it in all its grandeur,
15101 perched a thousand feet on the summit of a sheer precipice, and with
15102 seemingly a great gap between it and the steep of the adjacent mountain
15103 on any side. There was something wild and uncanny about the place. We
15104 could hear the distant howling of wolves. They were far off, but the
15105 sound, even though coming muffled through the deadening snowfall, was
:q!
  
```

Figure 2.10 Screenshot of PLABCLIENT01: The vim text editor window is displayed, showing the required text entered.


Note: The following other options are available:

- **ZZ** - exit and save changes
- **w!** - save overwriting file
- **q!** - quit ignoring any changes
- **e** - switch to another file
- **e!** - switch to another file without saving over the file

Step 11

In the **Terminal** window, type the following command and press **Enter**:

clear



```
PLABCLIENT01 Device Popup - Work - Microsoft Edge
https://stg.practice-labs.com/app/platform/device-popup.aspx?hostname=PLABCLIENT01

PLABCLIENT01
Activities Terminal Menu 06:10
administrator@plabclient01: ~/Books

vim vim-runtime
0 upgraded, 2 newly installed, 0 to remove and 0 not upgraded.
Need to get 7,116 kB of archives.
After this operation, 34.6 MB of additional disk space will be used.
Do you want to continue? [Y/n] Y
Get:1 http://security.ubuntu.com/ubuntu focal-security/main amd64 vim-runtime all 2:8.1.2269-1ubuntu5.14 [5,875 kB]
Get:2 http://security.ubuntu.com/ubuntu focal-security/main amd64 vim amd64 2:8.1.2269-1ubuntu5.14 [1,241 kB]
Fetched 7,116 kB in 1s (5,571 kB/s)
Selecting previously unselected package vim-runtime.
(Reading database ... 250753 files and directories currently installed.)
Preparing to unpack .../vim-runtime_2%3a8.1.2269-1ubuntu5.14_all.deb ...
Adding 'diversion of /usr/share/vim/vim81/doc/help.txt to /usr/share/vim/vim81/doc/help.txt.vim-tiny by vim-runtime'
Adding 'diversion of /usr/share/vim/vim81/doc/tags to /usr/share/vim/vim81/doc/tags.vim-tiny by vim-runtime'
Unpacking vim-runtime (2:8.1.2269-1ubuntu5.14) ...
Selecting previously unselected package vim.
Preparing to unpack .../vim_2%3a8.1.2269-1ubuntu5.14_amd64.deb ...
Unpacking vim (2:8.1.2269-1ubuntu5.14) ...
Setting up vim-runtime (2:8.1.2269-1ubuntu5.14) ...
Setting up vim (2:8.1.2269-1ubuntu5.14) ...
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vim (vim) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vimdiff (vimdiff) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rvim (rvim) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rview (rview) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vi (vi) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/view (view) in auto mode
update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/ex (ex) in auto mode
Processing triggers for man-db (2.9.1-1) ...
administrator@plabclient01:~/Books$ cp dracula.txt Dracula.txt
administrator@plabclient01:~/Books$ vim Dracula.txt

[No write since last change]
Press ENTER or type command to continue
administrator@plabclient01:~/Books$ clear
```

Figure 2.11 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered.

Keep the **Terminal** window open.

Exercise 3 - Use the Nano Text Editor

In this exercise, you will use the **Nano** text editor to edit and manipulate files in Linux.

Learning Outcomes

After completing this exercise, you should be able to:

- Manipulate Text and Edit Files using the Nano Text Editor

Your Devices

You will be using the following device in this lab. Please power this on now.

- **PLABCLIENT01** - Ubuntu 20.04 - Stand-Alone Ubuntu Workstation (GUI)

Task 1 - Manipulate Text and Edit Files using the Nano Editor

In this task, you will manipulate text and edit files using the Nano Text editor.

Step 1

Connect to **PLABCLIENT01**, where the **Terminal** window is open.

In the **Terminal** window, type the following command and press **Enter**:

```
nano frankenstein.txt
```




Figure 3.1 Screenshot of PLABCLIENT01: The Terminal window is displayed, showing the required command entered.

Step 2

The **Nano** text editor window is displayed.




Figure 3.2 Screenshot of PLABCLIENT01: The Nano text editor window is displayed.

Note: Notice the additional title bar and menu options at the bottom of the screen. The Nano Text editor is a lot more user-friendly. It is the default editor in Debian/Ubuntu. It provides powerful functions with simple help documentation. Try some of them you see at the bottom of the editor. You can use the arrow keys on the keyboard to navigate through the file.

Step 3

In the **Nano** text editor window, to go to a particular line number, press the **Ctrl+Shift+ _** (underscore) keys, then type:

2023

Press **Enter**.




Figure 3.3 Screenshot of PLABCLIENT01: The nano text editor window is displayed, showing the required text entered.

Note: You will be navigated to line **2023**.

Step 4

In the **Nano** text editor window, to get help, press the **Ctrl+G** keys on the keyboard.

PLABCLIENT01

https://stg.practice-labs.com/app/platform/device-popup.aspx?hostname=PLABCLIENT01

Activities Terminal Menu 06:47

administrator@plabclient01: ~/Books

Main nano help text

The nano editor is designed to emulate the functionality and ease-of-use of the UW Pico text editor. There are four main sections of the editor. The top line shows the program version, the current filename being edited, and whether or not the file has been modified. Next is the main editor window showing the file being edited. The status line is the third line from the bottom and shows important messages. The bottom two lines show the most commonly used shortcuts in the editor.

Shortcuts are written as follows: Control-key sequences are notated with a '^' and can be entered either by using the Ctrl key or pressing the Esc key twice. Meta-key sequences are notated with 'M-' and can be entered using either the Alt, Cmd, or Esc key, depending on your keyboard setup. Also, pressing Esc twice and then typing a three-digit decimal number from 000 to 255 will enter the character with the corresponding value. The following keystrokes are available in the main editor window. Alternative keys are shown in parentheses:

^G	(F1)	Display this help text
^X	(F2)	Close the current buffer / Exit from nano
^O	(F3)	Write the current buffer (or the marked region) to disk
^R	(Ins)	Insert another file into current buffer (or into new buffer)
^W	(F6)	Search forward for a string or a regular expression
^_	(M-R)	Replace a string or a regular expression
^K	(F9)	Cut current line (or marked region) and store it in cutbuffer
^U	(F10)	Paste the contents of cutbuffer at current cursor position
^J	(F4)	Justify the current paragraph
^T	(F12)	Invoke the spell checker, if available
^C	(F11)	Display the position of the cursor
^_	(M-G)	Go to line and column number
M-U		Undo the last operation

^L Refresh ^W Where Is M-Q Previous ^P Prev Line ^Y Prev Page M-_ First Line
^X Close ^O Where Was M-W Next ^N Next Line ^V Next Page M-/ Last Line

Figure 3.4 Screenshot of PLABCLIENT01: The nano text editor window is displayed, showing the Help menu.

Note: Notice the Help window is displayed.

Step 5

In the **Nano** text editor window, press the **Ctrl+X** keys to exit the Help window.

Next, press the **Ctrl+O** keys.

In the bottom of the window, move the cursor to the **`f`** in **frankenstein.txt**. Change it to **F** to save the file as **Frankenstein.txt**.

Press **Enter**.




Figure 3.5 Screenshot of PLABCLIENT01: The nano text editor window is displayed, showing the file name changed.

Step 6

In the **Save file under DIFFERENT NAME?** prompt, type:

Y




Figure 3.6 Screenshot of PLABCLIENT01: The nano text editor window is displayed, showing the Save file under DIFFERENT NAME? prompt.

Step 7

Press the **Ctrl+X** keys to exit from the text editor window.




Figure 3.7 Screenshot of PLABCLIENT01: The nano text editor window is displayed.

Close the **Terminal** window.

Keep all devices that you have powered on in their current state and proceed to the review section.

Review

Well done, you have completed the **Editing Files in Linux** Practice Lab.

Summary

You completed the following exercises:

- Exercise 1 - Work with Vi Text Editor
- Exercise 2 - Use the Vim Editor
- Exercise 3 - Use the Nano Text Editor

You should now be able to:

- Create and Manipulate a File using the Vi Text Editor
- Manipulate Text and Edit Files using the Vim Text Editor
- Manipulate Text and Edit Files using the Nano Text Editor

Feedback

Shutdown all virtual machines used in this lab. Alternatively, you can log out of the lab platform.