ICS Engineering Manual

for an Inventory System with JIRA and EPICS

	Name (Role/Title)
Author	Jeong Han Lee (han.lee@esss.se)
Reviewer	TBD
Owner	ICS
Approver	ICS

Contents

Description	Engineering Manual
Document number	ESS-XXXXXXXX
Date	August 24, 2017
Revision	0.1
State	Early Draft
Classification	Public

1 Overview

There are infinite ways to develop and maintain an inventory system. However, this inventory is the unique and **temporary** solution for the ICS Lab, especially, where the author works at. This inventory system is designed to minimize our time when we register an item to the existent JIRA ICS HW&I group inventory task. Therefore, it does **NOT** provide any fancy and beautiful ways to interact with users, BUT provide the minimal tool to monitor and track any equipment in ICS, ESS, and any IK partner. And the system only provide the following three features :

- Do stock an item to JIRA, and do Add-and-Print its barcodes.
- Do add-and-print the barcodes of the item, which was registered in JIRA before.
- Delete an item from JIRA

1.1 Inventory Workflow

1.1.1 How to stock an item at the first time to JIRA

The mandatory steps are defined the following procedures :

1. Scan the Serial Number on the equipment with the Xenon 190x barcode scanner.
2. Scan one of 3.3 Model Codes in the manual with the Xenon 190x scanner.
3. Both case in below, the created labels are attached in the JIRA issue.
    a) Scan Enable Label Printing after JIRA action if one wants to print labels (Default)
    b) Scan Disable Label Printing after JIRA action if one wants not print labels
4. Scan Create an JIRA issue in the manual
5. Attach two barcodes in the reserved box, an equipment, or both.

1.1.2 How to add and print barcodes for an Item which has registered in JIRA

1. Define the TAG number which one wants to delete it via caput
   `caput ICSLAB:IssueNumber TAG-XXX`
2. Scan the Serial Number on the equipment with the Xenon 190x barcode scanner.
3. Scan Model Name in the manual with the Xenon 190x scanner.
4. Both case in below, the updated labels are attached in the JIRA issue.

a) Scan Enable Label Printing after JIRA action if one wants to print the updated label (Default)

b) Scan Disable Label Printing after JIRA action if one wants not print the updated label

5. Scan Update an JIRA issue in the manual

1.1.3 How to delete the existent Item

1. Define the TAG number which one wants to delete it via caput
   `caput ICSLAB:IssueNumber TAG-XXX`

2. Scan Delete an JIRA issue Barcode in the manual with the Xenon 190x barcode scanner.

1.2 Components

1.2.1 Hardware

- Honeywell Xenon 1900g (Wire) or 1902g (Wireless) Barcode scanner
- DYMO LabelWriter 450 Duo

1.2.2 Software

- Linux OS
- EPICS IOC https://github.com/jeonghanlee/hw-xenon1900
- JIRA https://jira.esss.lu.se/projects/TAG/summary
- DYMO LabelWriter 450 Duo CUP Driver
  http://www.dymo.com/en-US/dymo-label-sdk-and-cups-drivers-for-linux-dymo-label-sdk-cups-linux-p--1

1.3 Troubleshooting

2 Honeywell Xenon Scanners 1900 and 1902g

Note that there are different procedure to setup Xenon 1900 corded scanner and Xenon 1902g cordless scanner. Please consult each manual in detail.

2.1 Basic Configuration

Figure 1 Default Settings.

Figure 2 USB Serial Setting.

Figure 3 Silent Mode for Corded Scanner.

Figure 4 Silent Mode for Cordless Scanner.

3 Predefined Bar Codes

3.1 Vendor Codes

undefined

ess

mrf

ioxos

moxa

nat

concurrent

schroff

struck

caen

raritan

dymo

Honeywell

3.2 FormFactor Codes

undefined

MTCA

PCIE

VME

FMC

3.3 Model Codes

undefined

PCIE EVR 300DC

MTCA EVR 300U

Concurrent CPU

MTCA 3U Crate

NAT Power Module

NAT MCH PHYS

Barcode Scanner Xenon 190x

Dymo LabelWriter 450 Duo

IOxOS ADC 3110 A0

IOxOS ADC 3117

IOxOS IFC1410

IOxOS IFC1420

4 Action Bar Codes

Clear all scanned PVs

——— place holder ———-

Enable Label Printing after JIRA action

Disable Label Printing after JIRA action

Print the last existent label

——— place holder ———-

Create an JIRA issue

Update an JIRA issue (Define the issue number first)

Delete an JIRA issue (Define the issue number first)

5 Outlook