

Meta-Database of Marine Research in Mexico: Trends and Applications

Draft

Palacios-Abrantes, J; Arreguín-Sánchez, F; Cisneros, A; Cisneros-Mata, M.A; Rodríguez, L.

4/12/2017

Introduction

Climate change has been globally reshaping the marine ecosystem for the last century in different ways [Poloczanska, et al., 2013; Weatherdon et al 2016]. Increase on surface water temperature has been linked to both biomass change, and distribution shifts of marine fishes [Arreguín-Sánchez et al., 2016; Cheung et al., 2015]; coral bleaching on most reefs in the world [cita], and tropic mismatch in the water column [Edwards and Richardson, 2004]. Such effects are projected to continue and intensify if anthropogenic emissions are not mitigated [IPCC, William 1.5, Gatuso et al., 2015].

These ecosystem change is already having repercussions on human populations, specially on those who directly rely on marine resources [Pershing et al., 2015; Weatherdon et al 2016]. Some coastal communities depending on fish have seen their catch change [Arreguín-Sánchez et al., 2016]; and global projections suggest it will continue to shift (Cheung et al., 20XX). This will impact coastal communities on both economic and food security aspects, particular those on developing nations [Lam et al., 2016; Vermeulen et al., 2014]. Climate change is also expected to reduce ecosystem services provided by already disturbed ecosystems like mangrove forests and coral reefs. Diminishing their mitigation efficiency, hence, increasing the risk of natural catastrophes in coastal communities [cita]

These sociology-ecological relations are particularly important for coastal nations like Mexico. With over 11 thousand kilometers of coastline, Mexico's coast houses XXX families [INEGI]. Communities that live in the coast directly depend on landings for food [cita], coral reefs and marine protected areas for tourism [Alburto et al., 2011], and other ecosystem services [Lee et al., 2011; Palumbi et al., 2009]. It is essential that Mexico incorporates climate change to the political agenda in order to foster adaptive capacity while incorporating sounding adaptation and mitigation plans [Mertz et al., 2009; Pershing et al., 2015; Rice and Garcia, 2011].

Adaptive capacity, as defined by the Intergovernmental Panel on Climate Change (IPCC) is the “The ability of a system to adjust to climate change (including climate variability and extremes) to moderate potential damages, to take advantage of opportunities, or to cope with the consequences.” There are several research-based frameworks on climate change adaptation [cita]. Generally speaking, adaptation can be achieved in two non-exclusive ways: (i) building capacity among local communities to adjust, moderate and even take advantage of environmental changes and (ii) through the implementation of policies that foster that adaptive process [Adger et al., 2005; IPCC, 2016]. In 2016 Mexico's government worked with the UNFCCC to produce a climate change adaptation strategy for mid-century [SEMARNAT-INECC, 2016]. This strategy is supported by the Climate Change Law (*Ley General de Cambio Climático*) that serves as a framework for the development and implementation of public policies for adaptation to climate change and the mitigation of greenhouse of gases [DOF, 2012].

The production and availability of natural and socio-economic data is a key component of the actions needed to achieve those goals [Mertz et al., 2009; Moser et al., 2010]. As a result, data availability has been identified as a common barrier in many steps of the adaptive management process, from the planning stage to outcome evaluation [Moser et al., 2010].

In Mexico, numerous information covering the seas and coasts can be found in academic institutions (UNIMAR; UCSD) and NGOs (COBI; TNC) located (physically) both inside and outside the country, as well as government agencies (CONABIO; CONAPESCA). However, there is an overall assumption that in

developing nations data are often limited and perceived as lacking [cita]. In many cases, this is largely a result of the lack of knowledge about the availability of these data, rather than a complete (or partially) lack of it [cita]. Data availability is key not only to better understand Mexico’s marine and coastal environments, but to identify knowledge gaps so that research can be prioritized [Reichman et al., 2011]. This will facilitate furnishing management and conservation policies for marine resources and coastal habitats vulnerable to climate change.

Management of data and metadata (the information about every aspect of the data that is required to understand it) is a huge step to ensure proper preservation, stewardship, and access to information [Michener et al., 1997; Vincent et al., 2010]. And while diverse barriers often compromise the exchange of data among stakeholders [Reichman et al., 2011], having publicly accessible description on existing data (and metadata) is a huge step towards increasing collaboration for innovative research [Michener et al., 2006]. Having proper metadata increases data longevity, foster collaboration, and help examine analysis of the data itself; all important aspect of climate change studies [Michener et al., 2006]. The standardization of information through metadata specifications provide guidance for consistently describing data objects and data types (e.g., methods, units of measurement, and details of experimental design) [Reichman et al., 2011]. Moreover, it allows the creation of a catalog that holds data or information of different disciplines. Countries like Canada have recently created nation-wide repositories of marine-related research metadata [Cisneros-Montemayor, 2016].

Several initiatives in different levels of society in Mexico are currently working on grouping data-sets and information in single repositories. University level projects like The Gulf of Mexico Species Interactions database [GoMexSI] and DataMares [DataMares] are collecting information from specific areas (the gulfs of Mexico and California, respectively). Non-governmental organizations are also contributing with initiatives like MonitoreoNoroste that focus on marine monitoring data [FMCN]. Finally, the National Commission for the Knowledge of Biodiversity (CONABIO) hold an important and robust list of biological and social data related to both marine and terrestrial environments [CONABIO]. Moreover, as part of a cutting-edge initiative, Mexico has recently created an information system solely devoted to climate change [SICC].

These initiatives are examples of successful efforts to make marine data in Mexico available. However, there is still a lot of work to do. Most of the repositories available cover geographic areas or are topic specific. Those that are actually nation-wide are often limited or also topic-specific. Hence, the current project aimed to create a meta-database for oceanographic, ecological, economic, fisheries and social data for marine ecosystems and marine-related sectors of Mexico. The information collected was then analyzed in order to determine trends and data gaps in Mexico. Finally, using fisheries as an example we **somehow** evaluated Mexico’s position in relation to climate change data and identified fields of improvement. It is worth mention that the meta-database is an open source repository for public consultation and sharing. We believe that the meta-database of marine research will help facilitate efficient use of existing information and stimulate collaboration among multiple stakeholders.

Materials and Methods

Data Compilation

The first step towards building the meta-database was the selection of categories in which data was going to be categorized. This step was crucial for the subsequent meta-analysis of the different aspects of marine research in Mexico. The present effort concentrated in collecting information on Other, Fisheries, Sociology, Oceanography, Aquaculture, Conservation, Ecology, Tourism data related to marine systems in Mexico. Metadata collection was timed with an “accumulative curve” and terminated when the curve reached a more stable slope (CITA). We started with free access, on-line global repositories (e.g. OBIS, FAO, NOAA, etc.). We then moved to more local sources (e.g. Mexican universities catalogues, NGOs databases, etc.), until having direct interviews with key stakeholders (e.g. Long-track researchers and managers). For this last step we organized workshops and meetings in most of the main marine-research hubs of Mexico, and participated on key academic events, hoping to collect information from top researchers in the areas. Because

this is a collaborative initiative, we also partner up with other initiatives (e.g. DataMares, MonitoreoNoroeste, etc) to have their data represented in the meta-dataset.




Figure 1: Time PLOT

Each record on the meta-dataset is part of a specific dataset included on a repository related to coastal and marine resources or regions. For each repository found, we first breakdown each dataset and then each topic represented in such table. Hence, each record in the meta-database represents a topic included in a dataset. For biological data the topics were applied for each species (or group of species). Lastly, when the information had a spatial content, the information was disaggregated to the level of municipality. This desaggregated method of including information creates a longer dataset but allows for a more specific type of meta-analysis.

Data Sources

The current effort to build the metadata collected data from 67 repositories hosted by 34 national and international institutions. The type of institutions included in this effort were academic, governmental agencies, non-governmental agencies, inter-governmental agencies and private data sources. All data collected were sorted under the following categories: Other, Fisheries, Sociology, Oceanography, Aquaculture, Conservation, Ecology, Tourism and assigned one of the following social-ecological interaction: NA, Response, Benefits, State, Pressure, Status, Conservation.

The main repositories with respect to amount of registers are:

We compiled available metadata related to marine research in Mexico and categorize them into broad themes previously selected (Table 1.)

Estructura	Estructura	Estructura	Estructura
MMID	Area	Temporal_Resolution	Metadatiname
Short_Title	Region	Spatial_Resolution	User_Contact

Estructura	Estructura	Estructura	Estructura
Keywords	Location	Dataset_Title	Institution_Type
Author	Start_Year	Compilation_Title	Research_Fund
Institution	End_Year	Publication_Year	Research_Field
Dataset_Available	Data_Time_Points	Reference	SE_Interaction
Subject_name	Unit_Type	Available_Metadata	Data_Uncertainty

We compiled available Canadian ocean resources data and categorized them into broad themes representative of social–ecological system organization (Fig. 1). This framework is important for categorization and subsequent meta-analysis of what are often substantially different types of research and results. Fisheries and Oceans Canada (DFO), UN – Food and Agriculture Organization (FAO), and British Columbia Marine Conservation Analysis (BCMCA) were the largest repositories of information, with other data sets identified and gathered through primary and secondary literature, institutional repositories, and personal contacts. Available data sets and assessments were reviewed, entered in the metadata table, and — whenever possible — integrated into the database.

Results

General Numbers

The meta-database of marine research has 41430 records containing information for about 218 thousand data points, from 67 repositories, both national and international. Data gathered was on 7 major disciplines: Fisheries, Ecology, Conservation, Oceanography, Aquaculture, Sociology, Tourism, Other from which Fisheries was the most abundant (Figure 1).

Subject Analysis

There is a total of 10362 subjects in the metadata. The subject that has the most amount of data points is Manglar with 298 registers. However, at the species level, *Ophiactis savignyi* is the most repeated one with 24 records. The data distribution is very diverse since the mean data point is 2.42 (sd 4.66). This is mainly because a large amount of records are one observation of species lists.

Geographic Analysis

In terms of regional data distribution, data points were evenly distributed between both the Pacific (72280) and the Atlantic oceans (52306). However, the great majority of data points are reported at a National level (168). At a more detailed level we find that there is a clear dominance of data from both the Gulf of California (53457) and the Campeche Bank (37050), in respect to the other zones determined by the working group.

Discussion

Literature Review




Figure 2: Number of data points per research field.




Figure 3: OPTION 1. Number of data points per geographic area for each research field.