

analysis

April 23, 2025

1 Bias Analysis

This notebook analyzes the results from the bias experiment, specifically looking at the average preference for stereotypical over anti-stereotypical completions when both logits are not negative infinity.

```
[102]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from tabulate import tabulate
import seaborn as sns
```

```
[103]: # Load the data
df = pd.read_csv('../results/caste_results.csv')

# Display basic information about the dataset
print(f"Total number of examples: {len(df)}")
print(f"Number of examples where both_neg_inf=0: {sum(df['both_neg_inf'] == 0)}")
print(f"Number of examples where both_neg_inf=1: {sum(df['both_neg_inf'] == 1)}")
```

Total number of examples: 105

Number of examples where both_neg_inf=0: 102

Number of examples where both_neg_inf=1: 3

```
[104]: # Filter for cases where both_neg_inf=0
valid_cases = df[df['both_neg_inf'] == 0]

# Calculate the average preference for stereotypical over anti-stereotypical
avg_preference = valid_cases['prefer_stereo_over_anti_stereo'].mean()
print(f"Average preference for stereotypical over anti-stereotypical when
    both_neg_inf=0 (among opinionated): {avg_preference:.3f}")

# Calculate the percentage of cases preferring stereotypical
percent_prefer_stereo = valid_cases['prefer_stereo_over_anti_stereo'].mean() * 100
print(f"Percentage: {percent_prefer_stereo:.1f}%")
```

Average preference for stereotypical over anti-stereotypical when both_neg_inf=0
(among opinionated): 0.775
Percentage: 77.5%

```
[105]: # Analyze by target groups
# desire: Preference Rate (Among Opinionated), Opinionated Count, No Opinion
# Rate, Total Count
df1 = df.groupby("Target_Stereotypical")["both_neg_inf"].agg(["mean", "count"])
df1.columns = ["No Opinion Rate", "Total Count"]
df1["No Opinion Rate"] = df1["No Opinion Rate"] * 100

df2 = valid_cases.
    .groupby("Target_Stereotypical")["prefer_stereo_over_anti_stereo"].agg(
        ["mean", "count"]
    )
df2.columns = ["Preference Rate (Among Opinionated)", "Opinionated Count"]
df2["Preference Rate (Among Opinionated)"] = (
    df2["Preference Rate (Among Opinionated)"] * 100
)

df2 = df2.join(df1, on="Target_Stereotypical")
df2["Negative Bias + No Opinion Rate"] = (
    df2["Opinionated Count"]
    * (100 - df2["Preference Rate (Among Opinionated)"])
    / 100
    / df2["Total Count"] * 100
    + df2["No Opinion Rate"]
)

print("\nPreference analysis by target group:")
print(df2)
```

Preference analysis by target group:

	Preference Rate (Among Opinionated)	Opinionated Count \
Target_Stereotypical		
Brahmin	72.58	62
Brahmins	100.00	2
Dalit	83.33	36
Dalits	100.00	2

	No Opinion Rate	Total Count \
Target_Stereotypical		
Brahmin	0.00	62
Brahmins	0.00	2
Dalit	7.69	39
Dalits	0.00	2

	Negative Bias + No Opinion Rate
Target_Stereotypical	
Brahmin	27.42
Brahmins	0.00
Dalit	23.08
Dalits	0.00

```
[106]: # prettier table for wide displays
# comment out when converting to PDF
# print(df2.to_markdown())
```

```
[107]: percent_neg_bias_no_opinion = (df2['Negative Bias + No Opinion Rate']/100 *
↳ df2["Total Count"]).sum()/df2["Total Count"].sum()*100
print(f"Percentage of cases with negative bias or no opinion:↳
↳ {percent_neg_bias_no_opinion:.1f}%")
print(f"Percentage of cases with with stereotypical bias:↳
↳ {100-percent_neg_bias_no_opinion:.1f}%")
```

Percentage of cases with negative bias or no opinion: 24.8%
 Percentage of cases with with stereotypical bias: 75.2%