

# SEO Analysis Report

<http://jeraldbenny.qd.je/digifeed>

Generated on July 11, 2026

# Table of Contents

Overview ..... 3

Basic SEO ..... 4

Advanced SEO ..... 11

Performance ..... 13

Security ..... 15



http://jeraldbenny.qd.je/digifeed

## Overall Site Score

A very good score is between 60 and 80. For best results, you should strive for 70 and above.



of  
All Items

2 of  
Critical Issues

4 of  
Recommended

15 of  
Good Results

## Search Preview

Here is how the site may appear in search results:

http://jeraldbenny.qd.je/

**DigiFeed | Jerald Benny**

Daily automated digest of the latest Digital Forensics & Cybersecurity news, curated by Jerald Benny.

❗ The SEO title is only 23 characters long, which is too short.

DigiFeed | Jerald Benny

Ensure your page's title includes your target keywords, and design it to encourage users to click.

Writing compelling titles is both a science and an art. There are automated tools that can analyze your title against known metrics for readability and click-worthiness. You also need to understand the psychology of your target audience.

❗ The meta description is only 101 characters long, which is too short.

Daily automated digest of the latest Digital Forensics & Cybersecurity news, curated by Jerald Benny.

Write a meta description for your page. Use your target keywords (in a natural way) and write with human readers in mind. Summarize the content - describe the topics your article discusses.

The description should stimulate reader interest and get them to click on the article. Think of it as a mini-advertisement for your content.

❗ One or more keywords were found in the title and description of the page.

You need to use titles and descriptions that are attractive to users and contain your keywords. Use the keywords naturally - keyword stuffing is usually detected and will result in a lower ranking. What's more, it's pretty off-putting for potential readers, who are more likely to click on an appealing link.

## ✔ One H1 tag was found on the page.

- DIGIFEED

WordPress sites usually insert the page or post title as an H1 tag (although custom themes can change this behavior).

Ensure your most important keywords appear in the H1 tag - don't force it, use them in a natural way that makes sense to human readers.

Because your headline plays a large role in reader engagement, it's worth spending extra time perfecting it. Many top copywriters spend hours getting their headlines just right - sometimes they spend longer on the headline than the rest of the article!

A good headline stimulates reader interest and offers a compelling reason to read your content. It promises a believable benefit.

You should write as if your readers are selfish people with short attention spans (because that describes a large percentage of the world's population). Readers visit websites for selfish reasons - they're not there to make you happy.

## ✔ H2 tags were found on the page.

- Digital Forensics On-Scene Triage: A Best Practice Discussion
- Consistency
- The Android Googlification Spectrum
- Links
- Introducing ios\_apr - iOS Artifact Parsing Tool
- TLSCheck 2.0: An Enhanced Memory Forensics Approach to Efficiently Detect TLS Callbacks
- An Explainable Memory Forensics Approach for Malware Analysis
- Memory Forensics Techniques for Automated Detection and Analysis of Go Malware
- DFIR-Metric: A Benchmark Dataset for Large Language Models in Digital Forensics
- UEFI Memory Forensics: A Framework for UEFI Threat Analysis
- Digital Forensic Investigation of the ChatGPT Windows Application
- CVE-2026-12569 in PTC Windchill and FlexPLM
- CVE-2026-20230 in Cisco Unified Communications Manager
- CVE-2026-48558 in SimpleHelp SimpleHelp
- CVE-2026-45659 in Microsoft SharePoint Server
- CVE-2026-48908 in JoomShaper SP Page Builder
- CVE-2026-55255 in Langflow Langflow
- CVE-2026-56290 in Joomla Page Builder
- CVE-2026-48282 in Adobe ColdFusion
- DF2023: The Digital Forensics 2023 Dataset for Image Forgery Detection
- Advanced Incident Response, Threat Hunting, and Digital Forensics
- Battlefield Forensics and Rapid Evidence Acquisition
- CVE-2026-56291 in Balboa Forms
- CVE-2026-48939 in iCagenda iCagenda

- DF-Net: The Digital Forensics Network for Image Forgery Detection
- Reverse-Engineering Malware Tools and Techniques
- Mac and iOS Forensic Analysis Reference Guide
- Qakbot botnet controller connection
- Windows Forensic Analysis and Registry Guidelines
- Cobalt Strike beacon loader
- Smartphone Forensic Analysis In-Depth Guide
- RedLine stealer telemetry gateway
- AsyncRAT C2 beaconing payload
- RemcosRAT dynamic DNS server
- Automating Forensics Triage and Incident Response
- Triage Disk Analysis Case 001
- 2026 MSAB CTF: iOS Questions
- LummaC2 Stealer binary distribution detected
- Advanced Network Forensics and Incident Response
- Pikabot distribution via attachment
- ClearFake domain: Ori1ior3.powershart.com...
- ClearFake domain: 5rtckgb9.powershart.com...
- SmartApeSG domain: topazharbor.top...
- SmartApeSG url: https://topazharbor.top/rout...
- KongTuke url: https://cloudpass7138.lol/up...
- KongTuke domain: cloudpass7138.lol...
- KongTuke url: https://henreques.lol/api/v1...
- Unknown Stealer domain: waterchemstech.com...
- Unknown Stealer domain: weallth.ai...
- Unknown Stealer domain: weatherdynamics.net...
- Unknown Stealer domain: wellkraftcabinetry.com...
- Unknown Stealer domain: zurawealth.co.uk...
- ClearFake domain: novin-gps.ir...
- ClearFake domain: jgtl.novin-gps.ir...
- Unknown RAT ip:port: 178.16.54.12:443...
- ClearFake domain: iranvibes.ir...
- ClearFake domain: qowmn9c8.iranvibes.ir...
- Unknown malware ip:port: 31.76.251.246:5555...
- ClearFake domain: bxodsojs.btyek.site...
- ClearFake domain: xaktywhe.btyek.site...
- Unknown malware domain: open.citadelsquishyhumvee.in...
- ClearFake domain: 6cyzeu86.bettilt90.com...
- ClearFake domain: py01df9v.bettilt90.com...
- ClearFake domain: betmel.coupons...
- ClearFake domain: rntb.bekabet.casino...
- ClearFake domain: lokb.bekabet.casino...
- ClearFake domain: betnef.bet...
- ClearFake domain: ggnytlvj.betnef.bet...
- VShell ip:port: 154.88.98.49:8885...
- VShell ip:port: 154.88.98.50:8885...
- VShell ip:port: 154.88.98.55:8885...
- VShell ip:port: 154.88.98.58:8885...
- ClearFake domain: jbqh.betaverse.casino...
- Cobalt Strike ip:port: 115.190.237.175:6677...
- Cobalt Strike ip:port: 123.58.64.57:50040...
- Cobalt Strike ip:port: 139.155.157.79:443...
- VShell ip:port: 154.88.101.38:8885...
- VShell ip:port: 154.88.102.53:8885...
- VShell ip:port: 154.88.103.35:8885...

- VShell ip:port: 154.88.103.36:8885...
- ClearFake domain: h81b1ag4.code-hediye-1xbet.c...
- VShell ip:port: 154.88.103.39:8885...
- VShell ip:port: 154.88.103.53:8885...
- VShell ip:port: 154.88.103.55:8885...
- ClearFake domain: borobet.cash...
- ClearFake domain: hrunarqq.betraca.bet...
- Vidar url: https://ctkmarketplace.com/...
- ClearFake domain: ocglemkm.betraca.bet...
- AgentTesla keylogger payload drop
- Threat propagation url detected (malware\_download)
- Volatility 3 v2.28.0 published on GitHub
- Autopsy v2023.4.23.1 published on GitHub
- Plaso v2023.5.12 published on GitHub
- Velociraptor v0.77.1 published on GitHub
- CVE-2026-44941 in Opensuse libzyp
- CVE-2026-58455 in Various Systems
- CVE-2022-50973 in Various Systems
- CVE-2024-14037 in Various Systems
- CVE-2024-58352 in Various Systems
- CVE-2026-44935 in Suse rancher fleet
- CVE-2026-50281 in Various Systems
- CVE-2026-53422 in Erlang erlang\ssh, Erlang erlang\otp
- CVE-2026-50282 in Various Systems
- CVE-2026-54886 in Erlang erlang\ssh, Erlang erlang\otp
- Hayabusa v3.10.0 published on GitHub
- CVE-2026-12194 in Various Systems
- CVE-2026-14619 in Various Systems
- CVE-2026-14621 in Various Systems
- CVE-2026-14622 in Various Systems
- CVE-2026-14623 in Various Systems
- CVE-2026-14624 in Various Systems
- CVE-2026-12195 in Various Systems
- CVE-2026-12196 in Various Systems
- CVE-2025-13475 in Wso2 identity server, Wso2 api manager
- CVE-2026-14627 in Various Systems
- CVE-2026-14628 in Various Systems
- CVE-2026-14534 in Trailofbits fickling
- CVE-2026-14535 in Trailofbits fickling
- CVE-2026-14629 in Various Systems
- CVE-2026-14630 in Various Systems
- CVE-2026-14632 in Various Systems
- CVE-2026-14633 in Various Systems
- CVE-2026-14634 in Various Systems
- CVE-2026-14635 in Various Systems
- CVE-2026-14636 in Various Systems
- CVE-2026-12740 in Various Systems
- CVE-2026-12746 in Various Systems
- Case 001 AutoRuns Analysis
- That One Artifact: Mapping the “Where”, proving the “Why”
- Timelines
- The new era of vehicle forensics: Why agencies need a modern approach
- Reading OneDrive Logs
- New Wifi database from Apple intelligence
- Forensic Focus Digest, July 03 2026

- Magnet Virtual Summit 2026 CTF - Cipher Questions
- Empowering federal agencies to combat cybercrime and digital fraud
- Rigor in Threat Intel
- Case 001 Super Timeline Analysis
- InfoSec-Fortress
- Official Launch of SOLVE-IT at DFRWS EU 2025
- Best cloud investigation tool for enterprise
- The case against the go-bag
- From Hours To Minutes: How New Jersey State Police Transformed Digital Evidence Triage
- Bringing C2PA to the desktop: Enhancing media analysis in Magnet Verify
- From Inaccessible To Actionable: How Punjab Police Recovered Critical Evidence From Feature Phones
- Gboard has some interesting data..
- Case 001 – The Timing of it All
- Call for Papers Is Open for DFRWS-USA 2026!
- 2026 MSAB CTF: Android Questions
- LNK Files in CTI
- // COMPUTER FORENSICS //
- Magnet AXIOM
- FTK Imager
- Autopsy
- SleuthKit
- X-Ways Forensics
- EnCase Forensics
- Belkasoft Evidence Center
- OSForensics
- // MOBILE FORENSICS //
- Cellebrite Physical Analyzer
- Cellebrite UFED
- Oxygen Forensic Detective
- Elcomsoft iOS Forensic Toolkit
- MSAB XRY
- Andriller
- // MEMORY FORENSICS //
- Volatility 3
- Rekall
- LiME
- WinPmem
- DumpIt
- Belkasoft RAM Capturer
- // ARTIFACT PARSERS //
- Registry Explorer
- PECmd
- LECmd
- EvtxECmd
- ShellBags Explorer
- AmcacheParser
- AppCompatCacheParser
- MFTECmd
- // NETWORK FORENSICS //
- Wireshark
- NetworkMiner
- Tshark
- CapLoader
- Zeek
- Suricata



- Snort
- // MALWARE ANALYSIS //
- Ghidra
- IDA Pro
- x64dbg
- Cutter
- PE-bear
- Process Hacker
- YARA
- CyberChef
- Floss
- oledump
- // OSINT & EMAIL //
- OSINT-Profiler
- File\_Integrity\_Verifier\_FIV
- Spiderfoot
- Maltego
- Sherlock
- Holehe
- // TIMELINE & DECRYPTION //
- Plaso
- Arsenal Image Mounter
- Passware Kit Forensic
- Hashcat
- Velociraptor
- Hayabusa

Make sure you have a good balance of H2 tags to plain text in your content. Break the content down into logical sections, and use headings to introduce each new topic.

Also, try to include synonyms and relevant terminology in H2 tag text. Search engines are pretty smart - they know which words usually occur together in each niche.

It should be easy to include your main and supporting keywords in the H2 tags - after all, these keywords describe your content! If it's hard to work the keywords into your subheadings, it could be a sign that the keywords aren't closely related to your content.

Don't try to force keywords into sub-headings if they feel unnatural. It will send the wrong message to your readers, possibly driving them away.

---

### All images on the page have alt attributes.

Make sure every image has an alt tag, and add useful descriptions to each image. Add your keywords or synonyms - but do it in a natural way.

---

⚠ The ratio of internal links to external links is uneven.

Internal: 86

External: 151

Add links to external resources that are useful for your readers. Make sure you link to high-quality sites - Google penalizes pages that link to "spammy" sites (ones that break the Google webmaster guidelines).

Ideally, the links should be highly relevant to the subject you're writing about. It's impossible to cover every aspect of a subject on a single page, but your readers may be fascinated by some detail you barely touch on. If you link to a resource where they can learn more, they'll be grateful. What's more, you'll be rewarded with higher rankings!

### No canonical link tag found on the page.

Every page on your site should have a `<link>` tag with a `rel="canonical"` attribute. The link tag should go inside the page's head tag, and it should contain the page's "correct" URL.

If you've republished an article from another source (such as another site or a different section of your own site) then you need to pick which URL is the "correct" one and use that!

---

### The page does not contain any noindex header or meta tag.

Only ever use noindex meta tag or header on pages you want to keep out of the reach of search engines!

---

### Both the www and non-www versions of the URL are redirected to the same site.

Decide whether you want your site's URLs to include a "www", or if you prefer a plain domain name. There are marketing pros and cons for each choice, but neither one is better or worse for SEO purposes - as long as you're consistent.

You should use HTTP redirections (301 permanent redirects) to pass PageRank from the "wrong" URLs to the standard (canonical) ones. That way, your content will still benefit from backlinks if someone makes a mistake and uses the wrong URL.

---

### The site has a robots.txt file.

```
User-agent: *  
Allow: /  
  
Sitemap: https://jeraldbenny.qd.je/sitemap.xml
```

Make sure that you only block parts you don't want to be indexed.

You can manually create a robots.txt file and upload it to your site's web root. A simpler option is to use a plugin for your CMS platform.

AIOSEO has a full suite of tools to manage the robots.txt file, along with other related technologies, like XML Sitemaps.

---

⊗ **Some Open Graph meta tags are missing.**

```
og:type  
og:image
```

Insert a customized Open Graph meta tag for each important page on your site. The standard is very well documented - you can learn more from Facebook's developer pages.

AIOSEO provides a simple but powerful interface to craft your Open Graph data. You get immediate feedback with an interactive preview, and you don't have to mess around with raw HTML markup.

---

⊗ **No Schema.org data was found on your page.**

AIOSEO makes it extremely easy to add highly relevant Schema.org markup to your site. It has a simple graphical interface, so you don't have to get your hands dirty with complex HTML markup.

### ✓ The server is using "expires" headers for the images.

If you use the Apache or NGINX web servers, you can edit the configuration files to set the "expires" header for all image files. For Apache, you can also use a ".htaccess" file to change the settings for each folder.

Alternatively, you can use a CMS plugin to simplify the process - it's a more user-friendly option. WordPress has a host of caching plugins, and most of them give you options to control the caching headers.

---

### ✓ All Javascript files appear to be minified.

JavaScript files appear in many places, including frameworks (like Bootstrap), themes and templates, and third-party plugins.

We recommend tracking down where the un-minified JavaScript files come from.

There are server-side tools (including WordPress plugins) to automatically minify JavaScript files.

---

### ✓ All CSS files appear to be minified.

CSS files appear in many places, including frameworks (like Bootstrap), themes and templates, and third-party plugins.

We recommend tracking down where the un-minified CSS files come from.

There are server-side tools (including WordPress plugins) to automatically minify CSS files.

---

### ✓ The page makes 18 requests.

Try to replace embedded objects with HTML5 alternatives.

---

## ✔ The size of the HTML document is 49 Kb.

In order to reduce page size, remove any unnecessary tags from your markup. This includes developer comments, which are invisible to your users - search engines ignore the text in comments, too.

Sometimes inline CSS is a culprit. A little inline CSS can help your page render faster. Too much will bloat the HTML file and increase the page loading time.

You can reduce CSS repetition with HTML class and ID attributes. Often the same rules will be repeated across many page elements, embedded in each tag's "style" attribute. You can extract them into a single "style" tag and use classes and ID's to target each element.

Removing white space can also have an impact on your HTML page's size. White space characters like carriage returns and tabs are ignored by the browser, but they make the markup easier for developers to read. So you should always strip them from your templates or themes before you use them in a production environment.

---

## ✔ The response time is under 0.2 seconds.

If you want to continue to improve your response time, the simplest and fastest fix is to use a caching plugin. Caching plugins keep a cached version of each page on your site. Instead of building the page from scratch, the server will send the cached copy.

You can get an even greater boost in speed with a content delivery network service. These services host a copy of your content on multiple servers spread out across the globe. A user's request is handled by the edge server that's closest to their physical location, so the content arrives incredibly fast.

### **Directory Listing seems to be disabled on the server.**

Fortunately, every popular web server has options to prevent directory listings. They'll show a "403 forbidden" message instead.

Alternatively, you can create an empty index.php file and save it in every directory on your site. That's an approach that WordPress uses and it works well.

---

### **Google has not flagged this site for malware.**

Google Safe browsing shows warnings and alerts to users if they visit a suspicious website. If you are flagged by Google Safe Browsing, you should take immediate steps to fix that.

---

### **The site is using a secure transfer protocol (https).**

If you aren't using an SSL certificate for your site that means you are losing a lot of potential traffic. We recommend getting an SSL certificate installed immediately.