

EDTA Architecture Diagrams

Experience-Driven Targeting Architecture · Full Reference (v2.4)

1. System Context · Clients, API, External Services
2. Application Container · Code Modules & ServiceContainer
3. Logical Layer Stack · EDTA Decision Pipeline
4. End-to-End Sequence · POST /v1/recommend
5. Scenario Demo Path · POST /recommend-from-scenario
6. HAOE Four-Tier Inference Routing
7. Per-Candidate Scoring · EDS, TAPL, OSE, Ranker
8. Data & Persistence · SQLite and File Artifacts
9. API Surface Map · Auth, Demo Proxy, Public Routes
10. Cross-Cutting · Observability, Security, Events
11. Deployment Topology · Render / Docker

Figure 1 · System Context · Clients, API, External Services




Figure 2 · Application Container · Code Modules & ServiceContainer




Figure 3 · Logical Layer Stack · EDTA Decision Pipeline




Figure 4 · End-to-End Sequence · POST /v1/recommend




Figure 5 · Scenario Demo Path · POST /recommend-from-scenario



Figure 6 · HAOE Four-Tier Inference Routing




Figure 7 · Per-Candidate Scoring · EDS, TAPL, OSE, Ranker




Figure 8 · Data & Persistence · SQLite and File Artifacts



Figure 9 · API Surface Map · Auth, Demo Proxy, Public Routes




Figure 10 · Cross-Cutting · Observability, Security, Events




Figure 11 · Deployment Topology · Render / Docker

