Average Variance Portfolio Management

Jeramia Poland *

ABSTRACT

There's nothing very interesting here, but the format (achieved using the file jf.sty) makes it suitable for publication in the *Journal of Finance* even if the content doesn't. Here's a nice, informative, double-spaced abstract.

JEL classification: XXX, YYY.

^{*}Indian School of Business, email jeramia_poland@isb.edu. Acknowledgments \dots

Invented in 1867¹ and in wide spread use starting in the 1870s, the stock ticker provided the first reliable means of conveying up to the minute stock prices over a long distances and market participants have been discusing the relationship between returns, risk, and portfolios for at least as long.Rutterford and Sotiropoulos (2016) The fundamental principal that there is a "risk-premium" such that more risky investment must generate greater returns to attack capital existed from the begining. While the fundamental idea that higher risk, measured in some way, required higher return. Markowitz brought formality to the notion of risk, portfolio construction and optimization in the 1950s with modern portfolio theory and mean-variance analysis which stated that portfolios with higher variance should have higher returns. Markowitz (1952) However, several challanges have appeared to this foundational mean-variance claim. One of the most basic is commonly referred to as the "low-risk" or "low-volatilty" anomaly. Haugen and A. (1972) found there was little to no evidence for a "risk-premium" for increased portfolio volatility and it was indeed easy to construct portfolios with lower volatility which earned greater returns than those with higher volatilities over a span of 20 years. A more mordern and comprehensive treatment of the low-risk issue can be found in Moreira and Muir (2017) who show, across investment strategies and asset classes that simply managing leverage in a portfolio by its volatility produces greater expected returns and performance ratios than the underlying portfolio. As such, these results fundamentally challenge the mean-variance notion of investment risk premium. This risk-return trade off is central to modern financial theory, so naturally I want to address this problem by making it worse. By managing the market portfolio using the average variance of the individual assets in the prior quarter or month, I generate higher expected returns and significantly better performance ratios than by managing using the market portfolio volatility. Thankfully, at least in the equity market setting, this worse problem exposes evidence consistent with the leverage explaination of the low-risk anomaly and inconsistent with the lottery story, while shedding light on the risk-return trade-off dynamics in structural asset pricing theories.

Moreira and Muir (2017) demonstrate that volatility managed portfolios which decrease leverage when volatility is high produce large alphas, increase Sharpe ratios, and produce large utility gains for mean-variance investors. These results hold across investment styles, e.g. value or momentum, and in different asset classes, e.g. equities and currency portfolios. The results even hold for positions which already seek to exploit the low-risk anomaly like the "betting-against-beta" strategy of Frazzini and Pedersen (2014). Additionally, other researchers have applied similiar variance or volatility management to specific assets or trading styles.² Practioners call approaches like this rik-parity and as of 2016 at least \$150 and as much as \$400 billion dollars was invested in risk-parity funds. Steward (2010); Cao (2016) The generation of greater expected returns without a equivalent increase in portfolio volatility implies that a representative investor should time asset volatility, demanding less return when its higher meaning the investor's risk appetite must be higher in periods like recession and market downturns when its expected to be lower. In short, it seems risk does not equal reward. However, some volatility is more equal than other volatility.

Pollet and Wilson (2010) decompose market variance into the average correlation between pairs

of assets and the average variance of the individual assets yeilds a series strongly related to both future volatility and higher returns, average correlation, and a series strongly related to future volatility but unrelated to returns, average variance. Scaling investment in the market portfolio by the inverse of previous months average variance should then improve return performance over and above those managing investment by the previous monthly SV since it avoids, somewhat, decreasing investment when average correlation is high and higer future returns are expected. Average variance is also a better candidate for portfolio management because it has a better chance to pickup economic information sooner as individual assets respond to information about its own risk and expected returns as it's made public while changes in aggregate materalize as information across assets is combined. Asness, Frazzini, Gormsen, and Pedersen (2018) takes a related approach to decomposing the betting-against-beta strategy of Frazzini and Pedersen (2014) into betting-against-correlation, BAC, and betting-against-variance factors, BAV, finding the BAC factor has a significant Fama-French five factor alpha but unrelated to behavior explainations of the low-risk anomally.Fama and French (2016)

Using daily market returns from the Center for Research in Securities Prices, I follow Pollet and Wilson (2010) generating quarterly and monthly time series of stock market variance, market variance, average correlation, AC, and average variance, AV.

I. The Model

There's not actually a model here as it's not really a paper, but this is about where a model might go. Note that the first sentence of this section is indented (as required by the JF) using the indentfirst package.

A. A Subsection

Note that subsections in JF are just labeled with letters. When referring to them in the text, you need to add the section number back, e.g., Section I.B or I.B.1. This is taken care of in jf.sty. Let's also add some parenthetical citations (see ?, ?, ?).

To justify adding a subsection here, from now on, we'll assume

CONDITION 1:
$$0 < \hat{\mu} < \gamma \sigma^2$$
.

This condition might be useful if there was a model.

B. Another Subsection, With a Figure

Figures get put at the end, with a note marking where they should go in the text, like this:

[Place Figure 1 about here]

B.1. A Subsubsection with a Proposition

Let's put a proposition here.

PROPOSITION 1: If Condition 1 is satisfied, a solution to the central planner's problem, $V(B,D,t) \in C^2(\mathbb{R}^2_+ \times [0,T])$, with control $a:[0,1] \times [0,T] \to [-\lambda,\lambda]$ if $\gamma > 1$ is

$$V(B, D, t) = -\frac{(B+D)^{1-\gamma}}{1-\gamma} w\left(\frac{B}{B+D}, t\right). \tag{1}$$

Appendix A. An Appendix

Here's an appendix with an equation. Note that equation numbering is quite different in appendices and that the JF wants the word "Appendix" to appear before the letter in the appendix title. This is all handled in jf.sty.

$$E = mc^2. (A1)$$

Appendix B. Another Appendix

Here's another appendix with an equation.

$$E = mc^2. (B1)$$

Note that this is quite similar to Equation (A1) in Appendix A.

REFERENCES

- Asness, Clifford S., Andrea Frazzini, Niels Joachim Gormsen, and Lasse Heje Pedersen, 2018, Betting against correlation: testing theories of the low-risk effect.
- Barroso, Pedro, and Pedro Santa-Clara, 2015, Momentum has its moments, *Journal of Financial Economics* 116, 111–120.
- Cao, Larry, 2016, Risk Parity Made Easy: Cliffs Notes and Other Key Readings.
- Fama, Eugene F., and Kenneth R. French, 2016, Dissecting Anomalies with a Five-Factor Model, Review of Financial Studies 29, 69–103.
- Frazzini, Andrea, and Lasse Heje Pedersen, 2014, Betting against beta, *Journal of Financial Economics* 111, 1–25.
- Haugen, Robert A., and Heins A., 1972, On the evidence supporting the existence of risk premiums in the capital market, Technical report, Working Paper, University of Wisconsin-Madison.
- Kim, Abby Y., Yiuman Tse, and John K. Wald, 2016, Time series momentum and volatility scaling, Journal of Financial Markets 30, 103–124.
- Markowitz, Harry, 1952, Portfolio Selection, The Journal of Finance 7, 77.
- Moreira, Alan, and Tyler Muir, 2017, Volatility-Managed Portfolios: Volatility-Managed Portfolios, The Journal of Finance 72, 1611–1644.
- Pollet, Joshua M., and Mungo Wilson, 2010, Average correlation and stock market returns, *Journal of Financial Economics* 96, 364–380.
- Rutterford, Janette, and Dimitris P. Sotiropoulos, 2016, Financial diversification before modern portfolio theory: UK financial advice documents in the late nineteenth and the beginning of the twentieth century, *The European Journal of the History of Economic Thought* 23, 919–945.
- Steward, Martin, 2010, The truly balanced portfolio.


Notes

 $^{^{1}}$ Invented by Edward A. Calahan, an employee of the American Telegraph Company.

 $^{^2}$ See, for example, Barroso and Santa-Clara (2015) and Kim, Tse, and Wald (2016) for discussions of volatility management of the momentum portfolio.

Figure 1. Time Series of Market Statistics: The average variance of individual asset, average correlation of asset pairs, and the variance of the CRSP portfolio calculated from daily returns.

Quarterly Measures of Daily Return Statistics



Monthly Measures of Daily Return Statistics




Table ISummary Statistics

Pollet and Wilson Sample 1963Q1:2006Q4

		1 01	ict and win	on bampic.	1000 & 1.20	00&1
Statistic	N	Mean	St. Dev.	Min	Max	Autocorrelation
RET	176	1.163	8.369	-30.072	19.956	0.000
AC	176	0.230	0.090	0.034	0.648	0.572
AV	176	2.218	1.828	0.634	12.044	0.696
SV	176	0.483	0.616	0.029	6.397	0.311
			Quarte	rly 1926Q1:	2016Q4	
Statistic	N	Mean	St. Dev.	Min	Max	Autocorrelation
RET	331	1.694	8.591	-30.072	30.956	0.097
AC	364	0.282	0.121	0.034	0.678	0.578
AV	364	2.533	2.839	0.539	20.485	0.668
SV	364	0.741	1.258	0.029	11.378	0.469
			Monthl	y 1926M1:20	016M12	
Statistic	N	Mean	St. Dev.	Min	Max	Autocorrelation
RET	1,085	0.494	5.371	-34.553	33.258	0.106
AC	1,086	0.276	0.134	0.019	0.762	0.610
AV	1,086	0.642	0.729	0.129	7.867	0.794
SV	1,086	0.248	0.502	0.006	5.808	0.612

 Table IIReplication - cotemp

			Dependent variable:	
			AS	
	(1)	(2)	(3)	(4)
AC	0.042^{***} (0.004)		0.027*** (0.002)	
AV		0.281*** (0.014)	0.238*** (0.011)	
AC * AV				0.842*** (0.009)
Constant	-0.005*** (0.001)	-0.001*** (0.0004)	-0.007*** (0.001)	0.0001
Observations R ² Adjusted R ² Residual Std. Error F Statistic	176 0.387 0.005 (df = 174) 109.623*** (df = 1; 174)	$ \begin{array}{c} 176 \\ 0.698 \\ 0.696 \\ 0.003 \text{ (df} = 174) \\ 402.497^{***} \text{ (df} = 1; 174) \end{array} $	176 0.832 0.830 0.003 (df = 173) 429.338*** (df = 2, 173)	$176 \\ 0.982 \\ 0.982 \\ 0.001 \text{ (df = 174)} \\ 9,491.243^{***} \text{ (df = 1; 174)} \\ *p<0.1; **p<0.05; ***p<0.01$

 Table IIIReplication - next

			Dependent variable:		
			SV_{t+1}		
	(1)	(2)	(3)	(4)	(5)
AC	0.014^{***} (0.005)		0.005 (0.005)		
AV		0.145^{***} (0.023)	0.136*** (0.024)		
AC * AV				0.265*** (0.061)	
$^{ m NN}$					0.312*** (0.072)
Constant	0.002	0.002** (0.001)	0.001 (0.001)	0.003*** (0.001)	0.003*** (0.001)
Observations R ² Adjusted R ² Residual Std. Error F Statistic Note:	175 0.044 0.039 0.006 (df = 173) 7.997*** (df = 1; 173)	175 0.184 0.180 0.006 (df = 173) 39.136*** (df = 1; 173)	175 0.190 0.180 0.006 (df = 172) 20.152*** (df = 2; 172)	175 0.098 0.092 0.006 (df = 173) 18.694*** (df = 1; 173) *p<	175 0.097 0.092 0.006 (df = 173) 73) 18.604*** (df = 1; 173) *p<0.1; **p<0.05; ***p<0.01

 Table IVQuarterly

			$Dependent \ variable:$		
			SV_{t+1}		
	(1)	(2)	(3)	(4)	(5)
AC	0.044^{***} (0.005)		0.010* (0.005)		
AV		0.276*** (0.018)	0.252^{***} (0.022)		
AC * AV				0.459*** (0.033)	
$^{ m SV}$					0.555*** (0.044)
Constant	-0.005*** (0.002)	0.0004 (0.001)	-0.002 (0.001)	0.003*** (0.001)	0.003*** (0.001)
Observations R ² Adjusted R ² Residual Std. Error F Statistic	363 0.176 0.173 0.011 (df = 361) 76.897*** (df = 1; 361)	363 0.387 0.386 0.010 (df = 361) 228.220*** (df = 1; 361)	363 0.393 0.390 0.010 (df = 360) 116.725*** (df = 2; 360)	363 0.352 0.350 0.010 (df = 361) 195.707*** (df = 1; 361)	363 0.308 0.306 0.010 (df = 361) 160.807*** (df = 1; 361)

Note:

 * p<0.1; ** p<0.05; *** p<0.01

Table VMonthly

			Dependent variable:		
			SV_{t+1}		
	(1)	(2)	(3)	(4)	(5)
AC	0.016^{***} (0.001)		0.005*** (0.001)		
AV		0.432^{***} (0.016)	0.386*** (0.019)		
AC * AV				0.767*** (0.028)	
SV					0.612^{***} (0.024)
Constant	-0.002^{***} (0.0003)	-0.0003* (0.0002)	-0.001^{***} (0.0003)	0.001*** (0.0001)	0.001***
Observations R ² Adjusted R ² Residual Std. Error F Statistic Note:	1,085 0.173 0.173 0.005 (df = 1083) 227.171*** (df = 1; 1083)	1,085 0.393 0.393 0.004 (df = 1083) 702.324*** (df = 1; 1083)	1,085 0.406 0.405 0.004 (df = 1082) 370.196*** (df = 2; 1082)	1,085 0.411 0.410 0.004 (df = 1083) 754.567*** (df = 1; 1083)	1,085 0.375 0.374 0.004 (df = 1083) 648.537*** (df = 1; 1083) *p<0.1; **p<0.05; ***p<0.01

 ${\bf Table\ VIR} {\bf eplication\ -\ Next\ Ret}$

			Dependent variable:		
			RET_{t+1}		
	(1)	(2)	(3)	(4)	(5)
AC	0.213^{***} (0.069)		0.248*** (0.072)		
AV		-0.117 (0.347)	-0.520 (0.357)		
AC * AV				1.356 (0.870)	
ΛS					1.454 (1.025)
Constant	-0.037^{**} (0.017)	0.014 (0.010)	-0.034^{**} (0.017)	0.004	0.005 (0.008)
Observations R ² Adjusted R ² Residual Std. Error F Statistic	176 0.053 0.047 0.082 (df = 174) 9.649*** (df = 1; 174)	176 0.001 -0.005 0.084 (df = 174) 0.113 (df = 1; 174)	176 0.064 0.053 0.081 (df = 173) 5.918*** (df = 2; 173)	176 0.014 0.008 0.083 (df = 174) 2.431 (df = 1; 174) *p<0.1:	176 0.011 0.006 174) 0.083 (df = 174) 1.174) 2.013 (df = 1; 174) *>><0.15 ***>><0.015 ***>><0.011

Table VIIQuarterly

			Dependent variable:		
			RET_{t+1}		
	(1)	(2)	(3)	(4)	(5)
AC	0.109** (0.042)		0.170^{***} (0.046)		
AV		-0.371 (0.233)	-0.777^{***} (0.254)		
AC * AV				-0.198 (0.444)	
ΛS					-0.130 (0.524)
Constant	-0.012 (0.012)	0.025*** (0.007)	-0.012 (0.012)	0.018***	0.018***
Observations R ² Adjusted R ² Residual Std. Error F Statistic	331 0.020 0.017 0.085 (df = 329) 6.640** (df = 1; 329)	331 0.008 0.005 0.086 (df = 329) 2.519 (df = 1; 329)	331 0.047 0.041 0.084 (df = 328) 8.064*** (df = 2; 328)	331 0.001 -0.002 0.086 (df = 329) 0.199 (df = 1; 329) *p<0.1;	331 0.0002 -0.003 329) 0.086 (df = 329) ; 329) 0.062 (df = 1; 329) *p<0.1; **p<0.05; ***p<0.01

Table VIIIMonthly

			Dependent variable:		
	ŝ	3	RET_{t+1}	3	1
	(1)	(2)	(3)	(4)	(5)
AC	0.004 (0.012)		0.024^* (0.014)		
AV		-0.484^{**} (0.223)	-0.706*** (0.259)		
AC * AV				-0.771^{**} (0.389)	
AS					-0.604^* (0.325)
Constant	0.004	0.008***	0.003	0.007***	0.006*** (0.002)
Observations R ² Adjusted R ² Residual Std. Error F Statistic Note:	1,085 0.0001 -0.001 0.054 (df = 1083) 0.125 (df = 1; 1083)	1,085 0.004 0.003 0.054 (df = 1083) 4.687** (df = 1; 1083)	1,085 0.007 0.005 0.054 (df = 1082) 3.774** (df = 2,1082)	1,085 0.004 0.003 0.054 (df = 1083) 3.940** (df = 1; 1083) *p<0.	1,085 0.003 0.002 3) 0.054 (df = 1983) 083) 3.461* (df = 1; 1083) *p<0.1; **p<0.05; ***p<0.01

Table IX

	Sample	$R2_{oos}$	MSE-F	ENC-NEW	ENC-HLN
SV_{t+1}	1963Q2:2007Q1	11.912**	12.846***	17.937**	0.779** *
SV_{t+1}	Quarterly	35.041** *	147.267***	163.112**	0.911** *
SV_{t+1}	Monthly	37.858**	496.516***	582.268**	0.872** *
RET_{t+1}	1963Q2:2007Q1	-7.311	-6.472	0.302	0.043
RET_{t+1}	Quarterly	-0.358	-0.975	0.898**	0.324
RET_{t+1}	Monthly	0.636	5.220***	3.706**	1*
variable	Sample	R_{oos}^2	MSE-F	ENC-NEW	ENC-HLN
SV_{t+1}	1963Q2:2007Q1	15.135**	16.942***	12.563**	1**
SV_{t+1}	Quarterly	8.769**	26.239***	29.585**	0.898** *
SV_{t+1}	Monthly	2.793**	23.417***	109.745**	0.56**
RET_{t+1}	1963Q2:2007Q1	15.307	17.170***	15.152**	1
RET_{t+1}	Quarterly	0.746	2.052**	1.866**	1
RET_{t+1}	Monthly	0.178	1.454*	0.9**	1