Rotaract Club of Xiamen University Malaysia

Rotary Club of Kuala Lumpur Dynamics

Rotary Club of Tun Razak Exchange

SDC Hackathon

Technical Tools Declaration

Hosted by Xiamen University Malaysia (XMUM) AI Club

Submission Deadline: [Insert date]

Instructions: Declare every API, cloud service, AI tool, dataset, model, and sponsor resource your team used to build the project. Complete every section; where a category does not apply, tick "No" or write "None" – do not leave it blank. Submit as a single PDF document named "SDC2026_TeamName_TechDeclaration.pdf" together with your project submission. Undeclared third-party resources discovered at judging may affect your score or eligibility.

Instagram: @sdc_xmumhack ***Email:*** sdc.xmumhack@gmail.com

DRAFT - team details, declarations, platform evidence and signature pending

1. TEAM AND PROJECT OVERVIEW

Team Name

Awaiting registered team name

Project / Solution Name

Orbyte DecisionOS

Name (Leader)

Awaiting team leader confirmation

Email & Phone (Leader)

Awaiting leader email and phone

University Affiliation(s)

Awaiting university affiliation(s)

Live Prototype URL

Local only; public prototype link pending

Code Repository URL (public / access granted to judges)

Remote repository link pending

2. ARCHITECTURE & TECHNOLOGY STACK

2.1. System Architecture Overview

Describe how the components declared in this document connect end-to-end (e.g., user interface → backend → AI model/API → database → cloud hosting). Attach a system block diagram as an appendix if available.

[Maximum 200 words]

The Next.js interface sends same-origin API requests to FastAPI. A documented mock Orbyte-style connector retrieves synthetic business inventory and quotations from SQLite through SQLAlchemy. Deterministic Python rules calculate stock coverage, quote totals and delivery-risk comparisons. An owner approves or rejects a stored decision snapshot. Approval, a synthetic purchase-order draft and audit records commit atomically; idempotency prevents duplicate drafts for the same decision.

MiroFish is optional and isolated behind an original HTTP adapter. Persistent simulation requests are claimed by a separate local worker, which records source identifiers, status, errors and genuine completed reports only. Its upstream environment is installed locally at a pinned commit. No genuine simulation or paid provider call has been completed; credentials and budget are pending.

The running prototype uses local SQLite and explicitly simulated roles. Replit configuration is prepared but has not been verified in an authenticated project. No public deployment is claimed. Appendix A shows the component boundary.

DRAFT - team details, declarations, platform evidence and signature pending

2. ARCHITECTURE & TECHNOLOGY STACK

2.2. Languages, Frameworks & Libraries

List the main programming languages, frameworks, and third-party libraries that your team did not create. Open-source use is permitted provided it is declared and properly licensed/attributed.

Name & Version	Purpose in Project	License
Python 3.12 / SQLite	Backend runtime / local storage	PSF / public domain
Next.js 16.4.2; React + React DOM 19.3.1	Connected UI	MIT
TypeScript 5.9.3; Tailwind 4.3.3	Types / styling	Apache-2.0 / MIT
FastAPI 0.135.1; Pydantic 2.12.5; SQLAlchemy 2.0.48	API / validation / persistence	MIT
Uvicorn 0.41.0; HTTPX 0.28.1; dotenv 1.2.2	Server / HTTP adapter / environment	BSD-3-Clause
Other tools and MiroFish	See Appendix B and lockfiles	As listed in Appendix B

DRAFT - team details, declarations, platform evidence and signature pending

3. APIs & CLOUD SERVICES

3.1. External APIs

List every external API your solution calls (GenAI, maps, payments, messaging, data feeds, etc.). Do not include API keys or secrets in this document.

API and Provider	Purpose in Project	Access Tier (free / paid / sponsor-provided)
None in active app	Deterministic procurement runs locally	Not applicable
LLM API / Zep Cloud (planned)	Optional MiroFish; no calls completed	Provider, tier and budget pending
Google Drive / GitHub connectors	Development research and source/template retrieval via Codex	Connected account; no app runtime dependency
None	Not applicable	Not applicable
None	Not applicable	Not applicable
None	Not applicable	Not applicable
None	Not applicable	Not applicable

DRAFT - team details, declarations, platform evidence and signature pending

3. APIs & CLOUD SERVICES

3.2. Cloud Platforms & Deployment

List every cloud service used for hosting, storage, databases, authentication, or compute, and indicate how the prototype is deployed.

Service & Provider	Purpose in Project	Plan / Region
Local macOS	Current app and SQLite runtime	Local; no cloud region
Replit (pending)	Prepared import; not yet used in authenticated workspace	Plan / region unconfirmed
GitHub (pending remote)	Local Git history exists; remote not created	Connected account jeramibot
RunPod	No GPU workload executed	Not applicable
LLM / Zep Cloud	Not activated; live simulation pending	No usage claim
None	Not applicable	Not applicable
None	Not applicable	Not applicable

DRAFT - team details, declarations, platform evidence and signature pending

4. AI TOOLS, MODELS & DATASETS

4.1. AI Models Used in the Solution

List every AI model embedded in or called by your application, including pre-trained, fine-tuned, and self-trained models.

Model & Version	Source / Provider	Usage (pre-trained / fine-tuned / self-trained)	License / Terms
None active	No trained/deployed application model	Not applicable	Not applicable
MiroFish scenario model	Provider/model selection pending	LLM account pending	Review selected provider terms
None	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable

DRAFT - team details, declarations, platform evidence and signature pending

4. AI TOOLS, MODELS & DATASETS

4.2. Datasets

List all datasets used for training, fine-tuning, evaluation, or in the running application. State clearly if a dataset contains personal or sensitive data.

Dataset Name	Source / URL	Type (public / private / self-collected / synthetic)	License	Personal Data? (Y/N)
Cafe seed	Project seed.py	Synthetic	Apache-2.0	N
Test fixtures	Project tests	Synthetic	Apache-2.0	N
Scenario inputs	Project scenarios.py	Synthetic	Apache-2.0	N
None	Not applicable	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable	Not applicable
None	Not applicable	Not applicable	Not applicable	Not applicable

DRAFT - team details, declarations, platform evidence and signature pending

4. AI TOOLS, MODELS & DATASETS

4.3. AI-Assisted Development Tools

Tools used to help write code, design, content, or documentation (e.g., chat assistants, code completion tools, image generators). Declaring these tools does not reduce your score; undeclared use may.

Did your team use any generative-AI tool to help create code, design, text, or other project material?

☐ Yes ☐ No

If yes, list them below:

Tool & Version	Used For	Extent of Use (minor / moderate / major)
OpenAI Codex	Code, debugging, tests, design and submission text	Major
Model version	Confirm exact model from team session records	Not asserted here
Whisper base.en / faster-whisper	Local CPU transcripts of supplied workshop videos for rules review; not app runtime	Research support
None	Not applicable	Not applicable

DRAFT - team details, declarations, platform evidence and signature pending

4. AI TOOLS, MODELS & DATASETS

Briefly describe how your team reviewed, tested, and took responsibility for AI-generated output:

[Maximum 100 words]

Codex assisted extensively with implementation, tests, debugging and documentation. Executed checks include 33 backend tests, three component tests, TypeScript checks and a production build. Native-browser checks covered approval, rejection, persistence and mobile navigation. Playwright startup is blocked locally. Registered-team review, adaptation and understanding have not yet been confirmed. Before signing, members must inspect the code, reproduce the journey, review assumptions and licence obligations, and record their changes. AI-generated output must not be treated as reviewed merely because automated tests passed.

5. SPONSOR-PROVIDED RESOURCES

Declare any official SDC sponsor-provided GenAI API, cloud credits, tools, mentoring, or data that your team used.

Did your project use any official SDC sponsor-provided resource?

☐ Yes ☐ No

If yes, list them below:

Sponsor	Resource (API / credits / platform / data)	How It Was Used in the Project
None evidenced yet	No sponsor resource usage confirmed	Awaiting team confirmation
Replit (planned)	Configuration prepared; login and actual use pending	Proof required after use
RunPod	No GPU workload	Not applicable
Orbyte	Challenge context; mock connector only	No official API use

DRAFT - team details, declarations, platform evidence and signature pending

5. SPONSOR-PROVIDED RESOURCES

Was the sponsor resource essential to the core functionality of the prototype, or could it be replaced? Explain briefly:

[Maximum 100 words]

No actual sponsor-resource use is yet evidenced. Replit configuration is prepared to meet the event's platform requirement; authenticated use is pending. The application can run locally on Python and Node.js, so the hosting implementation is replaceable, while event compliance still requires genuine Replit use. RunPod is not used because no GPU workload has been executed. The mock connector does not require access to Orbyte production APIs.

6. SECURITY, PRIVACY & RESPONSIBLE USE

6.1. Data Handling & Privacy

What user or personal data does your application collect, store, or send to third-party services (including AI APIs)? How is it protected, and how long is it kept? State "No user data is collected" if applicable.

[Maximum 150 words]

The application is intended only for invented business, supplier and user records. It stores synthetic inventory, quotations, decision reasons, approvals, draft orders and audit events in local SQLite. Free-text fields can accept typed text, so testers must not enter personal or confidential information. The current operational app sends no business data to an external AI provider. Enabling MiroFish would send the declared synthetic scenario through the separate service to approved LLM/Zep providers.

Secrets are excluded from Git and never exposed in the frontend. Local data remains until the operator deliberately resets it; no automatic retention schedule exists. Demo roles are not authentication. Public or real-data use requires real identity, access controls, retention and privacy review. Team contact details in the submission are separate from application data.

DRAFT - team details, declarations, platform evidence and signature pending

6. SECURITY, PRIVACY & RESPONSIBLE USE

6.2. Known Limitations & Risks

Identify the main technical limitations of your AI components (e.g., hallucination, bias, rate limits, dependency on a single provider) and any mitigation you have implemented.

[Maximum 150 words]

MiroFish has not completed a genuine run, so live compatibility, latency and cost are unverified. Social-agent narratives can be biased, incomplete or mistaken and are not calibrated forecasts. Missing report sections stay empty; failed runs produce an explicit error. Deterministic arithmetic is independent of AI. Requests have time limits and cancellation is best effort; upstream graph/report work can continue. Paid use remains disabled pending approval.

The operational prototype uses selectable demo roles and local SQLite, with no production authentication, migrations or external purchasing. Delivery and consumption are estimates. Playwright is blocked before local Chromium startup; other test and native-browser results are reported separately. SME validation and Replit evidence remain pending.

DRAFT - team details, declarations, platform evidence and signature pending

7. COMPLIANCE & READINESS

Tick all boxes that apply before submitting.

- ☐ All APIs, cloud services, AI tools, models, and datasets used in the project are declared in this document.
- ☐ All third-party code, datasets, and models are used in accordance with their licenses, and attribution is provided where required.
- ☐ No API keys, passwords, or other credentials are exposed in the code repository, prototype, or this document.
- ☐ Any use of generative-AI tools for development has been disclosed and reviewed by the team.
- ☐ Any use of official SDC sponsor resources has been declared in Section 5.
- ☐ The prototype described here is accessible to judges through the links provided in Section 1.
- ☐ All fields in this template have been completed within the word limits stated.

Awaiting team review, complete project links and leader signature. Readiness boxes are intentionally not marked as confirmed.

DRAFT - team details, declarations, platform evidence and signature pending

8. DECLARATION

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model, and sponsor resource used in the project has been declared.

[Signature]

[Date]

Awaiting team review, complete project links and leader signature. Readiness boxes are intentionally not marked as confirmed.

DRAFT - team details, declarations, platform evidence and signature pending

Appendix A: system architecture

Synthetic operational workflow; optional simulation remains disabled.



Our mock Orbyte-style connector supplies business-scoped synthetic inventory and quotes. No official Orbyte API is claimed.

Approval, purchase-order draft and audit records commit together. No real order, payment or inventory receipt occurs.

Replit configuration is prepared; authenticated project use and genuine evidence remain pending.

Appendix B: dependency notices

Python 3.12 / SQLite	PSF / public domain
Next.js 16.4.2 / React 19.3.1 / React DOM 19.3.1	MIT
TypeScript 5.9.3 / Playwright 1.64.1	Apache-2.0
Tailwind CSS / PostCSS plugin 4.3.3	MIT
Lucide React 0.468.0	ISC
FastAPI 0.135.1 / Pydantic 2.12.5 / SQLAlchemy 2.0.48	MIT
Uvicorn 0.41.0 / HTTPX 0.28.1 / python-dotenv 1.2.2	BSD-3-Clause
Pytest 9.0.2 / Vitest 5.0.5 / jsdom 30.1.3	MIT
Testing Library React 16.3.3 / jest-dom 7.0.1	MIT
pytest-asyncio 1.3.0	Apache-2.0
MiroFish 7657031 (separate optional service)	AGPL-3.0

Versions and licences above were checked against installed package metadata and the pinned upstream licence. Full transitive dependency versions are retained in the lockfiles. MiroFish source is not bundled with the Apache-2.0 application. Preserve upstream notices and review AGPL obligations before external deployment.

Development assistance: OpenAI Codex (major use). Whisper base.en via faster-whisper transcribed workshop videos locally for rules review. ReportLab/PyPDF and the Codex presentation runtime generated documents. These research/authoring tools are not application services.