







Q – QUARTERMASTER

WEB SERVICES FOR EVERY OCCASION

Q-BRANCH

IT'S NOT PERFECTED YET.

Q

WING MING CHAN'S CASCADE WEB SERVICES IN PHP

GREAT.

NOW WHAT?

MARKDOWN

daringfireball.net/projects/markdown/
(specifically Parsedown)

This is bold
This Is Italic
This is a header
[And a link] ([http://...](#))

Markdown basics

TERMINAL



**WHY NOT USE THE
WYSIWYG?**

BLOCKMAKER


MARKDOWN TO WYSIWYG BLOCKS

Takes plain text
Markdown document

Converts to HTML

Breaks up content at
<hr>

Creates WYSIWYG block
with <h1> as block name



Admission Intro

At Christopher Newport you'll learn the answers to two very important questions:

- *What am I good at? and What do I love to do?
- * Whatever your passions lead you to study — from engineering to philosophy, from music to accounting — the liberal arts and sciences are the foundation of your academic endeavors. Here we don't teach you to do something; we prepare you to do anything.

THE COMMAND

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```

THE COMMAND

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```



Folder

THE COMMAND

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```



Use PHP

THE COMMAND

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```



The PHP File

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```



The folder in the
"content" site

THE COMMAND

IN TERMINAL

```
blockMaker$ php index.php Admission test.txt
```



Markdown file

```
<?php
```

```
$Parsedown = new Parsedown();
```

```
$folderName = $argv[1];
```

```
$html = $Parsedown->
```

```
    text($folderParameter);
```

```
$rows = preg_split(//<br>,</pre>
```

```
    $html, -1, PREG_SPLIT_OFFSET_CAPTURE
```

```
    | PREG_SPLIT_DELIM_CAPTURE |
```

```
    PREG_SPLIT_NO_EMPTY);
```

```
<?php
```

```
$Parsedown = new Parsedown();
```

```
$folderName = $argv[1];
```

```
$html = $Parsedown->
```

```
    text($folderParameter);
```

```
$rows = preg_split( '/<hr\\/>/',  
                    $html, -1, PREG_SPLIT_OFFSET_CAPTURE  
                    | PREG_SPLIT_DELIM_CAPTURE |  
                    PREG_SPLIT_NO_EMPTY);
```

```
<?php
$Parsedown = new Parsedown();
$folderName = $argv[1];
$html = $Parsedown->
    text($folderParameter);
$rows = preg_split('/<hr \\/>/',
    $html, -1, preg_split_offset_capture
| PREG_SPLIT_DELIM_CAPTURE |
PREG_SPLIT_NO_EMPTY);
```

Convert Markdown to HTML

```
<?php
```

```
$Parsedown = new Parsedown();
```

```
$folderName = $argv[1];
```

Split at the `<hr />` tag

```
$html = $Parsedown->
```

```
    text($folderParameter);
```

```
$rows = preg_split('/<hr \/>/',
```

```
    $html, -1, preg_split_offset_capture
```

```
    | PREG_SPLIT_DELIM_CAPTURE |
```

```
PREG_SPLIT_NO_EMPTY);
```



```
foreach($rows as $row) {  
    preg_match( '/^<h[1-4]>(.*?)<\/h[1-4]>$/m',  
$row, $title);  
  
    $blockTitle = preg_replace( '/[^\w]/', '',  
$title[1]);
```

```
$data_definition = $cascade->getAsset(  
    a\DataDefinition::TYPE
```

Find the first header tag.

```
$block_folder = $cascade->getAsset(  
    a\Folder::TYPE
```

Make that the block title

```
$baseFolder->getId(), $siteName );
```

```
foreach($rows as $row) {
```

```
    preg_match('/^<h[1-4]>(.*?)<\h[1-4]>$/m',  
$row, $title);  
  
    $blockTitle = preg_replace('/[^\w]/', '',  
$title[1]);
```

```
    $data_definition = $cascade->getAsset(  
        a\DataDefinition::TYPE,  
        'widgets/widget', '__main' );  
  
    $block_folder = $cascade->getAsset(  
        a\Folder::TYPE,  
        $baseFolder->getId(), $siteName );
```

```
$cascade->  
createDataDefinitionBlock(  
    $block_folder, $blockTitle,  
    $data_definition )->  
    setText( 'type', 'Generic' )->  
    setText( 'content', $row )->  
    edit();  
}
```

INPUT

Admission Intro

At Christopher Newport you'll learn the answers to two very important questions: *What am I good at? and What do I love to do?* Whatever your passions lead you to study — from engineering to philosophy, from music to accounting — the liberal arts and sciences are the foundation of your academic endeavors. Here we don't teach you to do something; we prepare you to do anything.

OUTPUT

Content


At Christopher Newport you'll learn the answers to two very important questions: **What am I good at? and What do I love to do?** Whatever your passions lead you to study — from engineering to leadership, from music to accounting — the liberal arts and sciences are the foundation of your academic endeavors. Here we don't teach you to do something; we prepare you to do anything.



LEARNMAKER

CSV TO “LEARN MORE” LINK BLOCK

- Formatted CSV is parsed
- Block is created
- Links are built based on whether internal or external



THE CSV FILE

Link Type (I/E)	Internal Site Name	Internal Link Path	Internal Type (P/F)	Internal Anchor	External URL	Link text - Custom
I	Admin - Visit	directions/index	P			Directions to Campus

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↵
```



[_content/Folder ID] [block name]

Folder

TEXT

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↵
```



[_content/Folder ID] [block name]

Use PHP

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↵
```



[_content/Folder ID] [block name]

The PHP File

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↵
```



[_content/Folder ID] [block name]

Run flag

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↩
```



[_content/Folder ID] [block name]

CSV File

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↩
```

```
[_content/Folder ID] [block name]
```



The folder

TEXT

IN TERMINAL

```
learnmaker$ php index.php -run learn.csv ↩
```

```
[_content/Folder ID] [block name]
```



The block name

**THIS ONE IS A LITTLE
MORE COMPLEX...**

FULL SOURCE CODE IS AVAILABLE

**SOME IMPORTANT
THINGS...**

FIRST LINK

```
echo 'Should be setting the link fields...' . PHP_EOL;

echo $externalURL . PHP_EOL;

$linkType = 'External';

echo $linkType . PHP_EOL;

$learnMoreBlock->

setText(

    'link;0;link-type',

    $linkType )->

setLinkable(

    'link;0;internal',

    NULL )->

setText(

    'link;0;external',

    $externalURL )->

setText(

    'link;0;link-text-chooser',

    'Custom Text' )->

setText(

    'link;0;custom',

    $linkText )->

edit(); // Commit!

$siblings++;
```

SECOND + LINKS

```
echo $externalURL . PHP_EOL;

$linkType = 'External';

echo $linkType . PHP_EOL;

$learnMoreBlock->appendSibling( 'link;0' )->

setText(

    'link;' . $siblings . ';link-type',

    $linkType )->

setLinkable(

    'link;' . $siblings . ';internal',

    NULL )->

setText(

    'link;' . $siblings . ';external',

    $externalURL )->

setText(

    'link;' . $siblings . ';link-text-chooser',

    'Custom Text' )->

setText(

    'link;' . $siblings . ';custom',

    $linkText )->

edit(); // Commit!

$siblings++;
```

FIRST LINK

```
echo 'Should be setting the link fields...' . PHP_EOL;

echo $externalURL . PHP_EOL;

$linkType = 'External';

echo $linkType . PHP_EOL;

$learnMoreBlock->
setText(
    'link;0;link-type',
    $linkType )->
setLinkable(
    'link;0;internal',
    NULL )->
setText(
    'link;0;external',
    $externalURL )->
setText(
    'link;0;link-text-chooser',
    'Custom Text' )->
setText(
    'link;0;custom',
    $linkText )->
edit(); // Commit!

$siblings++;
```

SECOND + LINKS

```
echo $externalURL . PHP_EOL;

$linkType = 'External';

echo $linkType . PHP_EOL;

$learnMoreBlock->appendSibling( 'link;0' )->
setText(
    'link;' . $siblings . ';link-type',
    $linkType )->
setLinkable(
    'link;' . $siblings . ';internal',
    NULL )->
setText(
    'link;' . $siblings . ';external',
    $externalURL )->
setText(
    'link;' . $siblings . ';link-text-chooser',
    'Custom Text' )->
setText(
    'link;' . $siblings . ';custom',
    $linkText )->
edit(); // Commit!

$siblings++;
```

**YOU HAVE TO COUNT
THE SIBLINGS.**



FACULTYMAKER

BUILDS FACULTY PROFILE PAGES

- Pulls data from Digital Measures
- Parses data into Data Definition Block
- Adds faculty photo Data Definition Block
- Creates Folder and Page
- Adds both Data Definition Block to page



**I'M AFRAID I'M A
COMPLICATED WOMAN.**

Vesper Lynd

THINGS TO NOTE

- Faculty update their profile data in Digital Measures, using Markdown
- Data is pulled as part of a scheduled task
- Publish happens as part of a scheduled publish set
- Faculty photos are identified by a hash of their ID number
 - No ID numbers published
 - Collisions are avoided

HIGHLIGHTS

- New profiles are created automatically
- Automatically updated profiles
- Customizable department metadata
- Unlimited degrees
- Bios
- Teaching and Research focuses
- Faculty update their data
- Consistent presentation, consistent degrees, consistent titles

THE FUTURE

- Addition of publications and presentations
- Automated removal





**THANK YOU, BUT THIS TIME I
HAVE THE GADGETS AND I
KNOW HOW TO USE THEM.**

JAMES BOND



**REMEMBER, IF IT HADN'T
BEEN FOR Q BRANCH, YOU'D
HAVE BEEN DEAD LONG AGO.**

Q

@JEREDB

GITHUB.COM/JEREDB/CUC17