

Portal Routing, Sign-Up Flow & Hub Redesign Requirements

Phase 1 · Version 2.0 · June 03, 2026
Prepared by: B2B Product Management
Owner: Jerel Smith, Senior Product Manager — B2B Hub

Document Type	Business Requirements Document (BRD)
Epic	PMO-5000 — B2B Hub Modernization & CMS Initiative
Sub-Initiative	Portal Routing · Sign-Up Flow Transition · Hub UX Redesign (Figma by Jay Linder)
Phase	Phase 1 (April – June 2026)
Status	Draft — Pending Stakeholder Review
Version	2.0 — supersedes v1.1 (routing only)
Approvers	Ariel Goldman (B2B Business Lead), Manny Steigman (Senior Stakeholder)
Primary Owner	Jerel Smith — Senior PM, B2B Hub
Engineering POC	Shia Bernstein (B2B Technical Lead), Brendan Bagley (Backend PM)
UX Designer	Jay Linder — Hub redesign, core / contract / segment pages
Change Process	DES (Data Entry System) or Jira ticket submitted to WebOps
Key Change v2.0	Added: Sign-Up Flow transition, Fast Track / Sprint post-launch process, Hub redesign (Figma)

1. Purpose & Scope

This document defines requirements for the B2B Hub Modernization program (PMO-5000), covering three interconnected areas: (1) **Portal Routing Configuration** — how the system determines which portal a B2B customer is directed to; (2) **Sign-Up Flow Transition** — the migration from a segment-led browsing experience to a sign-up-led qualification flow, and how that flow evolves post-launch; and (3) **Hub UX Redesign** — modernization of the core hub, contract, and segment pages based on Figma designs by Jay Linder.

- Portal routing rules directly affect which purchasing portal a customer lands on. Misconfiguration can result in customers accessing incorrect pricing tiers, ineligible contract portals, or complete routing failure. All routing changes must follow the defined change management process (DES or WebOps Jira ticket).

1.1 In-Scope

- **Sign-Up Flow Transition** — removal of the segment-led browsing funnel as the primary acquisition path; Sign-Up Tray (Flow 2) as the confirmed entry point
- **Post-Launch Sign-Up Flow Updates** — Fast Track and Sprint process governance for iterating on the sign-up flow after go-live
- **Hub UX Redesign** — modernized core hub page, contract pages, and all 12 segment pages based on Jay Linder Figma designs
- Portal routing data model — Segment × Contract × State mapping
- Lookup priority logic (4-tier cascade: exact state+segment → state → national segment → global fallback)
- Change management process: DES entries and WebOps Jira ticket workflow
- Audit and traceability requirements for routing changes
- Validation rules and error handling for routing configuration
- Integration contract between routing data store and the B2B Hub front-end
- Routing test utility for post-change validation
- Roles and permissions for all routing and content workflows

1.2 Out of Scope

- **CMS admin UI for portal mapping** — removed; delegated permanently to DES/WebOps
- Portal parameter management (owned by Sam Herman / Portal Management Tool)
- New portal creation — handled in the Portal Management Tool workflow
- Authenticated/logged-in portal dashboard experience (Phase 2)
- Automated domain-based routing / PMO-5000 domain sniffing (separate initiative)
- Punchout portal configuration (Steven Galla's domain — scope TBD)
- Tiered admin / sub-user management within portals (Phase 2)

2. Background & Current State

2.1 The Segment-Led Experience — Current State

The current B2B Hub presents customers with a segment-browsing model: users arrive at the hub, scan 12 organization segment cards (Federal, Higher Ed, K-12, etc.), navigate into their segment page, and eventually find a sign-up CTA. This model was designed as an information architecture rather than a conversion funnel.

Identified problems with the segment-led model:

- **Sign-up friction** — users must complete a multi-step segment funnel before reaching a sign-up option
- **Segment confusion** — many customers don't know which of the 12 segments applies to them
- **Lost leads** — customers who don't recognize their segment abandon without signing up
- **Hard-coded routing** — state-to-contract-to-portal logic requires developer tickets to change (2–8 week lead time)
- **No qualification data capture** — the segment-browsing model collects no contact info before customers leave

2.2 Sign-Up Tray (Flow 2) — Confirmed Winner

Following stakeholder review, the Sign-Up Tray (Flow 2) was selected as the confirmed sign-up entry pattern. The Hub Qualification Flow (3-step segment funnel) was rejected and removed from the prototype. The Sign-Up Tray approach presents sign-up as the primary action on hub entry, with segment pages retained as secondary discovery content — not the primary acquisition path.

- ✓ Stakeholder decision (Ariel Goldman): Sign-Up Tray is the confirmed acquisition entry point. Segment pages remain for discovery and SEO value but are no longer the required path to sign-up. The showSignUpTray and signUpPath states are promoted to App root.

2.3 Why CMS Routing Control Was Removed

An earlier CMS prototype included a PortalMappingsEditor allowing admins to configure routing rules through the admin panel. This was reviewed and rejected:

- **Risk profile:** Portal routing errors are high-impact and affect revenue, contract compliance, and customer access
- **Change velocity:** Routing changes are low-frequency but high-consequence — they do not benefit from CMS self-service
- **Audit requirements:** Contract and government-segment portals require traceability better served by a ticketing workflow
- **Separation of concerns:** Content editors should not have pathways to routing infrastructure that can misdirect all customers on a contract

3. Sign-Up Flow Transition

- ★ **New in v2.0.** This section defines the transition from the segment-led customer experience to the sign-up-led flow, and the governance process for updating the sign-up flow after launch.

3.1 From Segment-Led to Sign-Up-Led: The Transition Model

The transition reframes the hub's primary job from 'help customers find their segment' to 'get qualified customers into a portal.' Segment pages continue to serve SEO, discovery, and contract-specific detail — but sign-up is no longer gated behind segment browsing.

Dimension	Before (Segment-Led)	After (Sign-Up-Led)
Primary entry action	Browse 12 segment cards	Sign Up CTA on hub landing
Qualification method	Customer self-selects segment	Sign-Up Tray: org type + state + contact info
Portal routing trigger	Segment page → contract page → sign-up URL	Sign-Up Tray → routing API → portal
Contact capture timing	Post-segment-browse (many abandon first)	Upfront in Sign-Up Tray step 1
Segment pages role	Primary acquisition path	Discovery, SEO, and contract detail
State/segment routing	Hard-coded per segment page	Dynamic via routing service (Segment × Contract × State)
Failed D&B; handling	Generic error, no structured next step	Structured denial flow with contact persistence

3.2 Sign-Up Tray Flow — Requirements

The Sign-Up Tray (modal drawer) is the confirmed sign-up entry point. It must be accessible from the hub landing page, all segment pages, and all contract pages — without requiring the customer to complete any segment navigation first.

ID	Requirement	Description
SF-01	Trigger	A persistent Sign Up CTA must appear on the hub hero, segment page hero, and contract pages. Clicking any CTA opens the Sign-Up Tray overlay without navigating away from the current page.
SF-02	Step 1 — Org Type	Tray presents org type selection (maps to B2B segment). Customer selects their organization type. This drives segment deduction and downstream portal routing.
SF-03	Step 2 — Contact Info	Tray collects: first name, last name, business email, organization name, business phone, state. State field is required — it drives state-specific portal resolution.
SF-04	Routing Resolution	On submission, the system calls the routing API with: contract_id (from entry point context), segment (from org type selection), state (from contact form). Returns portal_id.

ID	Requirement	Description
SF-05	Multi-Route Denial	If the customer is ineligible for the requested contract in their state/segment, the system evaluates fallback routes before surfacing a denial. Denial must include a structured 'Contact a Specialist' CTA.
SF-06	Contact Data Persistence	Contact form data (name, email, org, phone, state) must be persisted on denial flows. B2B sales team must be able to retrieve denied applicants for outreach. This is a backend requirement (Brendan Bagley).
SF-07	Role Multi-Select	The contact form must include a role/job function field with multi-select capability. This field was previously removed and must be restored.
SF-08	SignupPath Routing	signupPath state (promoted to App root) must support routing to contract-specific sign-up URLs when the customer enters the tray from a contract page, vs. generic routing from hub landing.
SF-09	Accessibility	Tray must be fully keyboard-navigable. Focus must be trapped within the tray when open. Escape key closes the tray. WCAG 2.1 AA minimum.
SF-10	GA4 Instrumentation	All tray interactions must fire GA4 events: tray_open, org_type_selected, contact_form_started, contact_form_submitted, routing_resolved, routing_denied. Ensighten tag rules required.

3.3 Segment Pages — Retained Role Post-Transition

Segment pages are retained in the redesigned hub but their role changes. They are no longer the primary acquisition path — they serve discovery, SEO, and contract-specific detail for customers who want to explore before committing to sign-up.

- Each segment page must feature a prominent Sign-Up CTA that opens the Sign-Up Tray (not navigates to a separate sign-up page)
- Segment pages must display the relevant cooperative contracts for that segment
- Segment pages must be CMS-editable: headline, intro copy, benefits, featured contract, hero image
- The segment selection on the Sign-Up Tray must be pre-populated when tray is opened from a segment page
- Segment pages are retained for all 12 segments; no segments are deprecated in Phase 1

3.4 Post-Launch Sign-Up Flow Update Process

- **New in v2.0.** After launch, sign-up flow changes will not go through the standard CMS content update process. They require either a Fast Track approval or a full Sprint, depending on the nature of the change.

3.4.1 Fast Track Process

The Fast Track process is used for low-risk, copy-level changes to the Sign-Up Tray that do not alter routing logic, field structure, or GA4 instrumentation. These changes can be delivered outside the sprint cadence with a compressed approval cycle.

Eligible for Fast Track:

- Copy changes to tray labels, button text, helper text, or step headings
- Error message copy updates (D&B; denial messages, routing error messages)
- Changes to the 'Contact a Specialist' fallback copy or phone number
- Reordering or renaming org type options (no adds/removes without Sprint)
- Updating the 'step X of Y' indicator labels

#	Actor	Action
1	Requestor (B2B PM / Ops)	Drafts change in a Jira ticket with before/after copy. Marks as Fast Track.
2	Ariel Goldman	Reviews and approves copy change. Comment approval in Jira required.
3	WebOps / Dev	Implements change. No QA sprint required. Smoke test by requestor in staging.
4	Requestor	Verifies live. Closes ticket. Notes any GA4 impact (label changes may affect event tracking).

3.4.2 Sprint Process

The Sprint process is required for any sign-up flow change that touches routing logic, adds or removes form fields, alters GA4 event schemas, changes step structure, or has dependencies on backend services (routing API, contact persistence, DES).

Requires Sprint:

- Adding or removing org type options (affects segment deduction and routing)
- Adding or removing form fields (affects contact data schema and D&B; input)
- Changes to routing resolution logic or fallback behavior
- Changes to denial flow structure or multi-route evaluation order
- GA4 event schema changes (new events, renamed properties)
- Changes to the signUpPath or showSignUpTray state logic
- New entry points for the Sign-Up Tray (new pages or contexts)
- A/B test implementation on tray copy or structure

#	Actor	Action
1	B2B PM (Jerel Smith)	Creates Jira story with full acceptance criteria. Identifies routing, GA4, and backend dependencies.
2	Ariel Goldman	Reviews and approves story scope before sprint grooming.
3	Manny Steigman	Required approver for any change that affects customer-facing routing or portal assignment logic.
4	Engineering (Shia / WebOps)	Story enters sprint backlog. Estimated and groomed with Brendan Bagley for backend dependencies.
5	QA	Full regression test of sign-up tray. Routing test utility used to validate portal resolution.
6	GA4 / Analytics	GA4 event schema validated in staging. Ensign rules updated if applicable.
7	Requestor	UAT sign-off. Manny Steigman final approval before production deploy if routing affected.

4. Hub UX Redesign — Figma by Jay Linder

- ★ **New in v2.0.** This section defines requirements for the modernization of the core hub landing page, cooperative contract pages, and all segment pages, based on Figma designs produced by Jay Linder. Design source: Jay Linder Figma file (link to be added by PM). All implementation must reference the Figma as the design authority.

4.1 Design Principles

The redesign follows the B&H; Design System and the following principles established in the Figma:

- **Sign-up first:** The primary CTA on every page is sign-up. Segment browsing is secondary.
- **Montserrat for display, Open Sans for body:** Typography hierarchy from the B&H; Design System. No deviations.
- **Scarlet (#990000) as primary brand, Bond Blue (#007AB8) for interactive elements:** Color usage per design tokens.
- **Left-aligned, content-first layouts:** No centered hero text blocks. Short headers in title case, longer in sentence case.
- **CMS-editable fields:** Every customer-visible text field, image, and CTA must be editable via CMS without a dev ticket.
- **Mobile-responsive:** All redesigned pages must be responsive at 375px, 768px, and 1280px breakpoints.
- **WCAG 2.1 AA:** Preferred 7:1 contrast ratio. Minimum 4.5:1. All interactive elements keyboard-accessible.

4.2 Core Hub Landing Page

The hub landing page is the primary entry point for all B2B customers. The redesign replaces the current segment-card grid with a conversion-optimized layout.

ID	Component	Requirements
HUB-01	Hero Section	Full-width hero with headline, subheadline, and primary Sign Up CTA. Hero image/background CMS-controlled. Headline max 60 chars. CTA opens Sign-Up Tray.
HUB-02	Value Proposition Strip	3–4 benefit icons below hero. Copy CMS-editable. Icons from B&H; Design System or CMS-uploadable SVG.
HUB-03	Segment Navigation	Segment cards retained as a secondary discovery section. Cards link to individual segment pages. Card copy and icons CMS-editable.
HUB-04	Featured Contract	Highlighted cooperative contract block (configurable in CMS). Includes contract logo, blurb, benefit bullets, Sign Up CTA, and Learn More CTA.
HUB-05	Other Contracts Strip	Horizontal logo strip for non-featured contracts. Order and inclusion CMS-controlled via contract picker.
HUB-06	Footer	B2B-specific footer: B2B contact phone number(s), email, channel routing. Removes all B2C footer content. Footer copy CMS-editable per Jay Linder spec.

ID	Component	Requirements
HUB-07	Fallback Help Text	Phone number and 'Can't find what you need?' copy visible on hub page. CMS-editable. Removes '5-minute contract approval' — replaced with 'Registration approval/review'.
HUB-08	SEO Fields	CMS-editable: meta title, meta description, OG title, OG description, canonical URL, robots directives.

4.3 Cooperative Contract Pages

Each cooperative contract has a dedicated page. The redesign standardizes the contract page template based on Jay Linder's Figma. All contract pages are CMS-driven from the contract entity.

ID	Component	Requirements
CP-01	Contract Hero	Contract logo (CMS-controlled, all site logos must be CMS-managed per Ariel Goldman governing rule), contract name, and subheadline. Background color or image CMS-configurable.
CP-02	Contract Blurb	2–3 sentence description of the contract. CMS-editable. Character limit per Jay Linder spec (to be confirmed in design review).
CP-03	Benefit Bullets	3–5 benefit bullets. Each bullet CMS-editable. Displayed with Cool Green checkmark icon per design system.
CP-04	Sign Up CTA	Primary CTA opens Sign-Up Tray with signupPath pre-set to this contract. CTA label CMS-editable.
CP-05	Contract Info CTA	Secondary CTA linking to contract documentation or external cooperative URL. URL and label CMS-editable.
CP-06	Logo Strip	If applicable: strip showing sub-brands or partner logos associated with the contract. Logos CMS-uploadable.
CP-07	Portal by State/Segment	Display-only table showing available portals by state/segment (sourced from routing config). Read-only on page; not editable via CMS — changes go through DES/WebOps process.
CP-08	SEO Fields	Per-contract CMS-editable SEO fields: meta title, description, OG, canonical, robots.
CP-09	PEPPM Removal	PEPPM is fully removed from contract pages, logos, contractPages config, otherContractIds, and display filters. No PEPPM references should appear in any contract page output.

4.4 Segment Pages

All 12 segment pages are redesigned using a standardized Figma template. The segment page's role shifts from primary acquisition to discovery and depth. Sign-up is always one click away via the Sign-Up Tray, with the org type pre-populated from the segment context.

ID	Component	Requirements
SP-01	Hero Banner	Full-width segment hero with headline, subheadline, and Sign Up CTA. Hero image CMS-uploadable per segment. CTA opens tray with org type pre-set.

ID	Component	Requirements
SP-02	Intro Copy	Segment-specific intro paragraph and sub-intro. Both CMS-editable. Max line width 75 chars per design system.
SP-03	Value Proposition	Sign-up banner title and body copy. CMS-editable. Highlights segment-specific purchasing benefits.
SP-04	Featured Contract	Featured cooperative contract for this segment. Configurable per segment in CMS (contract picker). Shows logo, blurb, benefits, Sign Up CTA, Learn More CTA.
SP-05	Benefits List	3–5 segment-specific benefit bullets. CMS-editable (one per line). Displayed with green checkmarks.
SP-06	Contract Reference	List of applicable cooperative contracts for this segment. Driven by contract-to-segment mappings in routing config.
SP-07	Phone / Contact	Segment-specific B2B phone number. CMS-editable. Replaces generic B2C contact info.
SP-08	Sign-Up URL	CMS-editable fallback sign-up URL for this segment. Used as direct link in email campaigns where tray is not available.
SP-09	SEO Fields	Per-segment CMS-editable: meta title, description, OG title, OG description, canonical URL, robots directives.
SP-10	All 12 Segments	All segments covered: Federal, Higher Ed, State/Local, K-12, Diversity, SMB, Corporate, Faith, Creative/Production & Post, Systems Integrator, Healthcare, Non-Profit.

4.5 Design Handoff Requirements

- Jay Linder must provide a final, annotated Figma file with character limits, spacing specs, and component state variations before development sprint begins
- All copy in Figma is placeholder — final copy to be provided by Ariel Goldman and approved by Manny Steigman before implementation
- Footer design from Jay Linder must specify B2B contact phone numbers, email, and channel routing copy — replacing all B2C content
- Character limits per field must be documented in Figma and reflected in CMS field validation
- Mobile breakpoints (375px, 768px, 1280px) must be included in the Figma for all redesigned pages
- Jay Linder designs must be reviewed by Ariel Goldman before being handed to engineering

5. Portal Routing Data Model

5.1 Core Entity: Portal Mapping Rule

A portal mapping rule defines the Portal Management Tool portal ID to use when a customer matches a specific combination of contract, segment, and state.

Field	Type	Description
rule_id	UUID	System-generated PK. Immutable after creation.
contract_id	VARCHAR(64)	Cooperative contract key (omnia, ei, tips, buyboard, equalis, mhec).
segment	VARCHAR(64)	Segment key or "" (wildcard = any segment). All 12 segments supported.
state	CHAR(2)	Two-letter US state code or "" (wildcard = all states / national).
portal_id	VARCHAR(16)	Portal Management Tool portal ID. Must be a valid, active portal.
label	VARCHAR(128)	Human-readable label for ops/audit (e.g. "Omnia CA State Gov").
active	BOOLEAN	Inactive rules are skipped during lookup. Use to disable without deleting.
effective_from	TIMESTAMP	UTC. Supports scheduled routing changes.
effective_until	TIMESTAMP	UTC. NULL = no expiry.
created_by	VARCHAR(64)	DES user ID or Jira ticket reference.
created_at	TIMESTAMP	UTC creation timestamp.
updated_by	VARCHAR(64)	Identity of last modifier.
updated_at	TIMESTAMP	UTC last-modified timestamp.
jira_ticket	VARCHAR(32)	WebOps Jira ticket ID (e.g. WEBOPS-1042). Required for traceability.
notes	TEXT	Optional free-text operational context.

5.2 Segments Reference (All 12)

Segment Key	Display Name	Description
federal	Federal	U.S. Federal Government agencies
higher-ed	Higher Education	Colleges, universities, community colleges
state-local	State/Local Government	State agencies, municipalities, counties
k12	K-12 Education	Public and private K-12 schools and districts
diversity	Diversity Suppliers	Certified diverse business enterprises
smb	Small-Medium Business	Non-government commercial small/mid businesses
corporate	Corporate	Large commercial/enterprise accounts

Segment Key	Display Name	Description
faith	Faith Organizations	Religious and faith-based organizations
creative	Creative/Production & Post	Media production studios and post houses
systems-integrator	Systems Integrator	IT integrators and resellers
healthcare	Healthcare	Hospitals, clinics, healthcare systems
nonprofit	Non-Profit	501(c)(3) and similar nonprofit organizations
"" (empty)	(Wildcard)	Matches any segment — used as a fallback rule

5.3 Contracts Reference

Contract Key	Display Name	Notes
omnia	Omnia Partners	Cooperative purchasing for public sector
ei	E&I; Cooperative	Higher education cooperative
tips	TIPS-USA	National cooperative purchasing
buyboard	BuyBoard	Texas-based cooperative
equalis	Equalis Group	Public sector cooperative
mhec	MHEC	Higher education consortium — regional

- PEPPM is fully removed. It must not appear in the contracts reference, portal mappings, logo strips, or any contract page output.

6. Lookup Priority Logic

When the hub needs to resolve a portal for a given customer, it evaluates the routing table using a 4-tier priority cascade. The first matching rule wins. This logic is driven by the routing service API — not embedded in front-end code.

Priority	Match Type	Example	When to Use
1 (Highest)	Exact State + Exact Segment	state='CA', segment='k12'	Most specific. Use for state-specific portal variants by segment.
2	Exact State + Any Segment	state='CA', segment=""	State-level override for all segments. Use when all segments in a state share one portal.
3	All States + Exact Segment	state="", segment='k12'	National default for a segment. Use when a segment always uses one portal nationwide.
4 (Lowest)	Global Fallback	state="", segment=""	Required catch-all. Every active contract must have exactly one global fallback.
— (Error)	No Match	N/A	Surface RoutingConfigurationError. Do not silently fail. Front-end must handle gracefully.

- ✓ Every active contract must retain at least one global fallback rule (state="", segment=""). The DES and WebOps intake process must validate this constraint before applying any change. A change that would remove the last fallback is a BLOCK-level validation error (V-03).

7. Portal Routing Change Management

7.1 Pathway A — Data Entry System (DES)

#	Actor	Action
1	Requestor	Identifies routing change need (new state, portal ID update, segment eligibility change)
2	Requestor	Logs into DES → Portal Routing Configuration module → selects contract
3	DES	Displays current active rules for selected contract
4	Requestor	Creates new rule or modifies/deactivates existing rule
5	DES	Validates: portal ID active in Portal Management Tool; no duplicate rule; global fallback present
6	DES	Requires change justification; associates Jira ticket ID (recommended)
7	DES Approver	Four-eyes sign-off for government/cooperative segments
8	DES	Commits change → writes audit log → triggers cache invalidation
9	QA	Requestor verifies routing in staging/prod using routing test utility

7.2 Pathway B — WebOps Jira Ticket

#	Actor	Action
1	Requestor	Opens Jira ticket in WebOps project using Portal Routing Change request type
2	Requestor	Completes all required fields (see Section 7.3)
3	Ariel Goldman	Reviews and approves. Adds approval comment in Jira.
4	Manny Steigman	Required approver for government or cooperative contract routing changes
5	WebOps Engineer	Implements change via DES or direct data store update
6	WebOps Engineer	Records jira_ticket in routing rule audit log; links rule_id(s) in ticket
7	Requestor	Validates production routing. Closes ticket or raises follow-up.

7.3 Jira Ticket Required Fields

Field	Description	Requirement
Change Type	ADD / UPDATE / DEACTIVATE	Required
Contract ID	Contract key (omnia, ei, tips...)	Required
Segment	Segment key or 'All Segments'	Required
State	Two-letter code or 'All States'	Required

Field	Description	Requirement
Portal ID (New)	Portal Management Tool portal ID	Required for ADD/UPDATE
Portal ID (Previous)	Current portal ID (for traceability)	Required for UPDATE
Rule Label	Human-readable label for new rule	Required for ADD
Effective Date	UTC datetime. Default: immediately.	Optional
Business Justification	Why the change is needed	Required
Requestor	Name and email	Required
Approved By	Ariel Goldman or delegate	Required
Manny Steigman Approval	Required for gov/coop segments	Required for gov/coop
Staging Verified	Yes/No	Required
Rollback Plan	Recovery steps if prod routing fails	Required

8. Validation Rules

Rule ID	Name	Severity	Description
V-01	Portal ID Existence	BLOCK	portal_id must exist and be active in Portal Management Tool.
V-02	Duplicate Rule	BLOCK	No two active rules for the same contract may share the same (state, segment) pair.
V-03	Global Fallback Present	BLOCK	Every active contract must retain at least one global fallback. Removing the last fallback is blocked.
V-04	Contract Key Validity	BLOCK	contract_id must be a recognized contract key. Unknown keys are rejected.
V-05	Segment Key Validity	BLOCK	segment must be a recognized key or empty string. Unknown keys are rejected.
V-06	State Code Validity	BLOCK	state must be a valid two-letter US state code or empty string.
V-07	Effective Date Logic	BLOCK	effective_until must be after effective_from if set. Zero or negative windows are rejected.
V-08	Four-Eyes Approval	WARN	Government/cooperative segment changes require second-approver sign-off in DES.
V-09	Jira Ticket Reference	WARN	jira_ticket is strongly recommended. Warning emitted if empty, but does not block.
V-10	Cascade Orphan Check	WARN	Warn if deactivating the last state-specific rule for a contract (customers fall to national fallback).

9. Audit & Traceability

AUD-01: Immutable Audit Log

Every INSERT, UPDATE, or deactivation must be written to an immutable audit log. Log entries cannot be deleted or modified.

AUD-02: Audit Log Fields

Each entry captures: rule_id, contract_id, segment, state, portal_id (before/after), change_type, operator_id, timestamp (UTC), jira_ticket, change_justification.

AUD-03: Retention

Audit log entries retained minimum 3 years.

AUD-04: Read Access

B2B PM, B2B Business Lead, and WebOps leads must have read access. No change invisible to these roles.

AUD-05: Diff View

DES and WebOps tooling must display before/after diff before committing any change.

AUD-06: Routing Snapshot

System must support exporting current routing table as timestamped CSV or JSON snapshot.

10. Integration Requirements

10.1 Front-End / Hub Integration

- The front-end `resolvePortalMapping()` function must be replaced by an API call — routing rules must not be embedded in front-end code
- Routing API must return resolved `portal_id` and label within 200ms at p95
- Front-end must handle `RoutingConfigurationError` gracefully — fallback message + 'Contact a Specialist' CTA. No white-screen.
- Routing results cached per session only. Must not persist across sessions or users.
- Routing API must be versioned: `/v1/routing/resolve`
- Sign-Up Tray must pass `contract_id` (from entry point context), `segment` (from org type), and `state` (from contact form) to routing API

10.2 Portal Management Tool Integration

Portal Management Tool remains read-only in Phase 1. Routing service validates portal IDs at rule-creation time. At runtime, routing service returns `portal_id` only — Portal Management Tool is invoked separately by the existing portal parameter resolution layer.

10.3 Routing Test Utility

A routing test utility accessible to B2B PM and WebOps must accept `contract_id`, `segment`, and `state` as inputs and return: resolved `portal_id`, matching rule detail, and priority level used. Essential for post-change validation and Fast Track change verification.

10.4 Contact Data Persistence (Backend — Brendan Bagley)

Contact form data submitted through the Sign-Up Tray must be persisted even on denial flows. This enables the B2B sales team to follow up with denied applicants. Persisted fields: first name, last name, business email, organization name, business phone, state, org type, denial reason, submission timestamp. Backend owner: Brendan Bagley.

11. Roles & Permissions

Name/Role	Title	Routing & Hub Permissions
Ariel Goldman	B2B Business Lead	VIEW routing/audit. REQUEST changes. APPROVE Jira tickets. APPROVE Figma designs. Cannot directly write routing rules.
Manny Steigman	Senior Stakeholder	Required approver for government/cooperative routing changes AND any customer-facing hub deploy.
Jerel Smith	Senior PM — B2B Hub	VIEW routing/audit. REQUEST changes. Owns requirements, process, and post-launch sprint governance.
Brendan Bagley	Backend PM	Co-owner of routing API and contact persistence backend. VIEW routing/audit. Sprint planning partner.
Jay Linder	UX Designer	Owns Figma designs for hub, contract, and segment pages. Design authority for Hub UX Redesign.
DES Routing Operator	Designated Ops Personnel	CREATE, UPDATE, DEACTIVATE routing rules via DES. Four-eyes required for gov/cooperative.
DES Routing Approver	Designated Approver	Second-approver in DES for government/cooperative segment changes.
WebOps Engineer	WebOps Team	Implement approved Jira routing tickets. DES or direct data store access.
Sam Herman	Portal Management Tool Owner	Consulted when new portal IDs needed. Not involved in routing rule management.
Josh Bernstein	PM Support	VIEW routing/audit. CMS submit-only role for content changes.
Shia Bernstein	B2B Technical Lead	Architecture authority. Consulted on routing service design and PMO-5000 routing scope.

12. Example Routing Rules

Illustrative routing table for Omnia Partners. Portal IDs are placeholders — actual values sourced from Portal Management Tool.

Contract	Segment	State	Portal ID	Label	Note
omnia	state-local	CA	901	Omnia CA State/Local	Priority 1 — exact state+segment
omnia	state-local	TX	902	Omnia TX State/Local	Priority 1 — exact state+segment
omnia	k12	CA	903	Omnia CA K-12	Priority 1 — exact state+segment
omnia	state-local		910	Omnia National State/Local	Priority 3 — national segment default

Contract	Segment	Status	Portal ID	Label	Note
omnia	k12		911	Omnia National K-12	Priority 3 — national segment default
omnia	higher-ed		912	Omnia National Higher Ed	Priority 3 — national segment default
omnia			900	Omnia Global Fallback	Priority 4 — global fallback (required)

13. Open Questions & Decisions Needed

ID	Topic	Question	Owner	Status
OQ-01	DES Routing Module	Does DES have a routing module, or does one need to be built?	Brendan Bagley / WebOps	Open
OQ-02	Four-Eyes Approver	Designated DES Routing Approver when Manny is unavailable?	Ariel Goldman / Manny	Open
OQ-03	Ephraim Scope	Ephraim expected to push back on routing scope. What is MVP routing service for Phase 1?	Jerel Smith / Shia	Pending
OQ-04	Existing Customer Routing	Apply new routing to new sign-ups only? Formal decision needed.	Jerel Smith / Ariel Goldman	Open
OQ-05	Staging Environment	Is staging available for post-change routing validation?	Shia Bernstein	Open
OQ-06	Cache Invalidation	TTL for routing config cache? Who triggers invalidation on DES commit?	Shia / WebOps	Open
OQ-07	Figma Design Lock	When is Jay Linder Figma finalized and ready for engineering handoff?	Jay Linder / Jerel Smith	Open
OQ-08	Copy Ownership	Who provides final copy for all redesigned hub/segment/contract pages?	Ariel Goldman	Open
OQ-09	Fast Track Scope	Are there other copy-level changes eligible for Fast Track beyond sign-up tray?	Jerel Smith / Ariel Goldman	Open
OQ-10	GA4 Measurement ID	GA4 Measurement ID not yet obtained. When available? Who owns Ensign rules?	Jerel Smith / Analytics	Open

14. Approvals

Sign-off required before implementation begins.

Name	Role	Team	Signature	Date
Ariel Goldman	B2B Business Lead	B2B Product	_____	_____
Manny Steigman	Senior Stakeholder	B2B Product	_____	_____
Jay Linder	UX Designer	Design	_____	_____
Shia Bernstein	B2B Technical Lead	Engineering	_____	_____
Brendan Bagley	Backend PM	Engineering	_____	_____
Jerel Smith	Senior PM — B2B Hub	Product	_____	_____

B&H; Photo Video Pro Audio — B2B Product Management · PMO-5000 · Portal Routing, Sign-Up Flow & Hub Redesign Requirements v2.0 · June 03, 2026 · Confidential