



0 50 100 150 200 0 50 100 150 200

SAMPLE_LENGTH


blenny snake



bluefish




boarfish shortspine




buckler dory




butterfish




capelin



clam ax-head




clam false quahog




0 50 100 150 200 0 50 100 150 200

SAMPLE_LENGTH


clam northern quahog / hard




clam ocean quahog




cod atlantic




crab atlantic rock




crab green




crab jonah



crab northern stone



crab red



0

50

100

150

200

0

50


100

150


200

SAMPLE_LENGTH


crab snow




crab spider uncl




crab toad




cunner




cusk




daubed shanny



dogfish spiny



eel american



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


fawn cusk-eel




flounder atlantic summer (fluke)




flounder atlantic windowpane (sand dab)




flounder atlantic witch (gray sole)




flounder fourspot




flounder gulf stream



flounder winter



flounder yellowtail



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


fourbeard rockling




grenadiers




grubby




gulf seasnail




gunnel rock




haddock



hagfish atlantic



hake atlantic red



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


hake longfin




hake silver (whiting)




hake spotted




hake white




halibut atlantic




halibut greenland



headlight fish



herring atlantic



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


herring blueback




inquiline snailfish




jack yellow




kelp snailfish




lanternfish uncl




lobster american



lophius gastrophysus



lumpfish



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


lumpsucker atlantic spiny




mackerel atlantic




menhaden atlantic




monkfish




moonfish atlantic




mussel blue sea



mussel horse



northern cyclocardia



0

50

100

150

200

0

50


100

150


200

SAMPLE_LENGTH


northern kingfish




octopus uncl




pearlsides




pipefish northern




plaice american (dab)




planehead filefish



pollock



pout atlantic soft



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


pout ocean




puffer northern




redfish acadian ocean perch




rosefish black bellied




sand dollar uncl




sand lance american



saury atlantic



scad bigeye



0

50

100

150

200

0

50


100

150


200

SAMPLE_LENGTH


scad mackerel




scad round




scads rough




scallop icelandic sea




scallop sea




sculpin hookear uncl



sculpin longhorn



sculpin moustache



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


sculpin shorthorn




scup




sea bass black



sea lamprey




sea raven




sea robin armored



sea urchins green



searobin northern



0

50

100

150

200

0

50


100

150


200

SAMPLE_LENGTH


seasnail atlantic




seasnail gelatinous




seasnail striped




shad american




shanny radiated




short bigeye



shrimp northern



silver anchovy



0

50

100

150

200

SAMPLE_LENGTH

0


50

100

150

200


silver rag



silverside atlantic




skate barndoor




skate clearnose




skate little



skate rosette



skate smooth



skate thorny



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


skate winter




smelt rainbow




snipe eel slender




spotted tinseltish




squid bobtail




squid long finned



squid short-finned



stickleback fourspine



0

50

100

150

200

SAMPLE_LENGTH

0


50

100


150

200


stickleback threespine




sturgeon atlantic




tomcod atlantic




torpedo atlantic




unidentified catch




waved astarte



whelk stimpsons



whelk ten-ridged



0

50

100

150

200

0




50

100

150

200

SAMPLE_LENGTH



SAMPLE_LENGTH