




Mission: Iconic Reef



Jeremiah Blondeau + Rob Harper

2025-05-12

Table of contents

1	The Data	3
2	Fish Species	3
3	Density	4
4	Occurrence	5
5	Length Frequency	6
5.1	French Grunt	6
5.2	Stoplight Parrotfish	7
5.3	Rainbow Parrotfish	8
5.4	3-Spot Damselfish	10
5.5	Porgy	11
5.6	Red Grouper	12

1 The Data

NCRMP fish surveys use the Reef Visual Census (RVC), stationary-point-count method modified from Bohnsack and Bannerot (Bohnsack and Bannerot 1986). Non-extractive visual surveys are conducted on shallow (<30 m), hard-bottom coral reef habitats. A stratified-random, one-stage survey design was used to select and sample within 50 m x 50 m grid cells (Smith et al. 2011). This dataset includes reef fish data collected from sample locations in the Florida Keys. For parity, the larger NCRMP dataset is restricted to strata types (i.e., depth and rugosity combinations) that occur within the M:IR areas (table 1).

Table 1: Table 1. Number of sites sampled.

Study Area	Strata Name	Strata Description	Sample Number
Outside	FK01	inshore reefs, all depths	15
Outside	FK02	mid-channel patch reefs, all depths	170
Outside	FK03	offshore patch, all depths	96
Outside	FK04	forereef, low rugosity, <12m	181
Outside	FK05	forereef, high rugosity, <12m	167
Inside	FK01	inshore reefs, all depths	12
Inside	FK02	mid-channel patch reefs, all depths	25
Inside	FK03	offshore patch, all depths	15
Inside	FK04	forereef, low rugosity, <12m	20
Inside	FK05	forereef, high rugosity, <12m	125

2 Fish Species


Six reef fish species were chosen to represent different trophic levels and functional roles.

Table 2: Table 2. Fish species. For analysis, both porgy species were combined.

Species Code	Common Name	Scientific Name
HAE FLAV	French Grunt	<i>Haemulon flavolineatum</i>
SPA VIRI	Stoplight Parrotfish	<i>Sparisoma viride</i>
SCA GUAC	Rainbow Parrotfish	<i>Scarus guacamaia</i>
STE PLAN	3-Spot Damselfish	<i>Stegastes planifrons</i>
CAL CALA	Porgy	<i>Calamus calamus</i>
CAL NODO	Porgy	<i>Calamus nodosus</i>
EPI MORI	Red Grouper	<i>Epinephelus morio</i>


3 Density

NCRMP's comprehensive sampling design provides a broad, population-level perspective on the status and trends of the reef fish community. In particular, trend data can provide insight into how species respond to events including regional management actions such as targeted coral restoration efforts within the M:IR sites. Density results are shown as the number of individuals per survey area $177 \text{ m}^2 \pm \text{SE}$.



4 Occurrence




Occurrence measures how often a species is detected in surveys, providing insight into its distribution within M:IR sites and outside of M:IR sites in the Florida Keys. Results show presence regardless of abundance, helping to identify widespread versus rare species. Survey occurrence results are shown within M:IR sites (inside) and in the Florida Keys (outside) \pm SE.




5 Length Frequency



Length compositions provide a detailed description of a selected fish's population structure. These highly informative figures can show the length at which a fish species recruits to the coral reef (i.e., young of year or from nursery habitat), length classes removed by the local fisheries, and the effectiveness of management actions



5.1 French Grunt









5.2 Stoplight Parrotfish









5.3 Rainbow Parrotfish









5.4 3-Spot Damselfish









5.5 Porgy





5.6 Red Grouper





- Bohnsack, James A., and Scott P. Bannerot. 1986. "A Stationary Visual Census Technique for Quantitatively Assessing Community Structure of Coral Reef Fishes." *NOAA Technical Report NMFS* (41).
- Smith, S. G., J. S. Ault, J. A. Bohnsack, D. E. Harper, J. Luo, and D. B. McClellan. 2011. "Multispecies Survey Design for Assessing Reef-Fish Stocks, Spatially Explicit Management Performance, and Ecosystem Condition." *Fisheries Research* 109 (1): 25–41. <https://doi.org/10.1016/j.fishres.2011.01.012>.