# The Equilibrium Mobile

A mobile is a type of kinetic sculpture constructed to take advantage of the principle of equilibrium. It consists of a number of rods, from which weighted objects or further rods hang. The objects hanging from the rods balance each other, so that the rods remain more or less horizontal. Each rod hangs from only one string, which gives it freedom to rotate about the string.

We consider mobiles where each rod is attached to its string exactly in the middle, as in the figure underneath. You are given such a configuration, but the weights on the ends are chosen incorrectly, so that the mobile is not in equilibrium. Since that's not aesthetically pleasing, you decide to change some of the weights.

What is the minimum number of weights that you must change in order to bring the mobile to equilibrium? You may substitute any weight by any (possibly non-integer) weight. For the mobile shown in the figure, equilibrium can be reached by changing the middle weight from 7 to 3, so only 1 weight needs to changed.

Input

The only line of the input contains the description of the structure of the mobile, which is a recursively defined expression of the form:

$$\langle expr \rangle ::= \langle weight \rangle \quad | \quad \texttt{"["} \langle expr \rangle \texttt{","} \langle expr \rangle \texttt{"]"}$$

with $\langle weight \rangle$ a positive integer smaller than 10^9 indicating a weight and $[\langle expr \rangle , \langle expr \rangle]$ indicating a rod with the two expressions at the ends of the rod.

The total number of rods in the chain from a weight to the top of the mobile will be at most D.

Output

Output a single line with the minimum number of weights that have to be changed.

Limits

There are 2 test groups, each of which is worth 50 points.

In every test group, all weights are positve and smaller than 10^9

- In the first test group: $D = 8$
- In the second test group: $D = 16$

Examples

Input	Output
`[[3,7],6]`	1

Input	Output
`40`	`0`

Input	Output
`[[2,3],[4,5]]`	3