A A D. Branch to a Section's code No.	ac. Accepte the code block, branch book to the calling function.
A A 2.2 Pass parameters as local values to	he fanction's code blook.
A A 2.8 Upon execution of a return datem	et, pass the resun value back to the calling function.
A A 2.6 Call to member functions that can	
A A 1.3 Accomment distances accomment A A 1.2 Conditional distances implement	If the resulting value of an expression to a variable, independently of what is the expression to the right of the assignment operator.
A A 13 soog externent implementation o	
A A 8.6 input burgut extrement Moor ma	hire levels of inactions in outside
A A 6.1. For arrays of basic types Scheger a	d foots, access to an access's elements.
A A 6.2. For arrays of objects, access to an	ray's riement's data members.
A & E.R. For objects, access to members of	MK Type.
A A 6.6. For objects, access to members of	
A A 5.1. Computing the value of an entire of	The second secon
A A 5.2 Suprection involving as array factor A A 5.3 Suprection involving as object fact	Wilder are Temperature repressed.
A B LE Eight Foods Theoretig all sughts fats	THERE IS SOME RESIDEN.
Nimark stade openishted latter	
Yunark grade unwrighted letter	
200% 2 2 1 Document Section 1 - Checkist of code	generation bencinglemented, along with mapping to text files.
500% 2 2 A 1.1 Using the (3-5) itembed list provided a	iove (see "implementation"), provide a checklist that identifies what code generation isens either implemented or not implemented in your assignment. For each isem, indicate what file/line number is texting it. (Document Sections)
200% 5 5 2 Document Section 2 - Design description	n/oxionale (Section 2-) and 2-0)
	cture of the salution and the noise of the individual components used in the applied solution. (Document Section 2 – I)
200% 3 3 A 2.2 bearigtion of the purpose of each set 200% 2 2 8 becament Section 8 - Description of the	artic checking place involved in the implementation. For each phase, mapping of sensantic actions to AST nodes, along with a description of the effect/usie of each sensantic action (document Section 2-1).
	ob/filtrating/backingues used in the analysis/implementation. Description of other tools that might have been used. Justification of why the chosen tools were selected
200% 1 1 A 3.1 All tools used in the analysis/implement 200% 1 1 A 3.2 audification for all tools.	200 AT 170 VE
100% 20 20 4 Correct implementation of a code gen	
	treet fluit.
200% C.S C.S A 6.2 S.2 Allocate memory for arrays of Base 200% C.S C.S A 6.8 S.8 Allocate memory for objects.	2016
500% 0.5 0.5 A 6.8 S.R Allocate memory for objects.	·
	n.
500% 1 1 A 4.5 2.1 Branch to a function's code block,	woulde the code block, branch back to the calling function.
200% 1 1 A 4.6 2.2 Pass parameters as local values to	At pastic a manipul links. If you that is about a manipul links. If the country a manipul links are the presentation in the presentation of the country and the presentation of the country and the country and the presentation of the country and the c
200% 1 1 A 4.7 J.S Upon execution of a return distant	NC, place the influsion value back to the calling function.
100% 1 1 A 4.8 2.4 CHIS-member function that can	or their signers and inventors.
con 1.5 1.5 A Last Languere Languere	at the financing values at expression of a variable, independently or what is the expression to other gist or other angles in other specifies up of the control of the cont
100% 1 1 A 4.50 k.2 Conditional distances: implemental 100% 1 A 4.11 k.8 coop extrement: implementation of	An and Additional Vision Control of the Control of
1995 7 3 A 412 La montionne manuer Monting	Na laboration in Francis
200% 2 2 A 6.12 8.6 thout-burger statement. Moor ma 200% 1 1 A 6.12 6.1 For arrays of basic types (integer a	d fact, acces to an array's resinent.
100% 1 1 A 6.54 6.2. For arrays of objects, access to see 100% 1 1 A 6.15 6.8. For objects, access to members of	roy's element's drop members.
200% 1 1 A 4.15 6.k For objects, access to members of	lack types.
200% 1 1 A 4.26 6.6 For objects, access to members of	ray or object types.
2 2 A 4.17 S.1. Computing the value of an entire of	mples expression.
200% 1 1 A 6.18 S.Z. Expression involving an array factor	Wilder are the minute experience.
1000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I mental as substantia.
1995 1 1 4 5 5 Floring assessment code includer comm	servitor availar to risula identify industrial availanced and number of superior of superior of
100% 1	retaid excusión.
500% 15 15 6 feet cases - completeness of testing (ill 500% 0.75 0.75 A 6.1 1.1 Allocate memory for back types (ill	addition to the provided files
 500% 0.75 0.75 A 6.1 5.1 Allocate memory for back types (s	tago; fiasi).
100% 0.2% 0.3% A 6.2 1.2 Allocate memory for aways of back	SpHL
200% 0.375 0.375 A 6.4 1.6 Allocate memory for arrays of object.	11.
100s A.S. A.S. A. 69 to Call to manhar functions that can	III, jaas vii irrivir viin saaria ja
100% 1.125 1.125 A 6.9 8.1 Accomment extrement accomment	to the object data entities. If he resident data entities to a variable, independently of what is the expression to the right of the assignment operation.
200% 0.75 0.75 A 6.20 8.2 Conditional distancest implements	Son of a branching mechanism.
200% 0.75 0.75 A 6.50 8.2 Conditional statement implementation of 500% 0.75 A 6.51 8.3 cop statementation of 500% 0	a branching mechanism.
 500% 0.75 0.75 A 6.54 6.2 For arrays of objects, access to an 500% 0.75 0.75 A 6.25 6.3 For objects, access to members of	ray's element's data members.
500% 0.75 0.75 A 6.15 4.8 For objects, access to members of	and other
200% 0.75 0.75 A 6.26 6.6. For objects, access to members of 200% 1.5 1.5 A 6.17 6.1. Computing the value of an entire of	ring or object types.
200% 0.75 0.75 A 6.18 6.2 Supression involving an array factor	aparty-mon.
200% 1 1 A 7.3 The program never crashes or throws a	
	enginishi, or companish taoli, an used approprietriy

Marker instructions:

Kinner values only in the red cells: Everything else is calculated automatically.

In Column B, enter either A, B, C, or F for each marking element

Einter notes in column A. These notes will be then automatically uploaded on modelle as feedback to the studen

People State of the Section of the S

Designer instructions

When you add lines, add them only in the middle of the area, or else the calculation is going to be wron

| The content of the