
# ASP.NET MVC for Absolute Beginners Your Secret Decoder Ring

Jeremy Clark www.jeremybytes.com @jeremybytes

## Model-View-Controller (MVC)

- Model
  - The data (and often business logic)
- View
  - What the user sees: buttons, text boxes, data output
- Controller
  - Based on request (and parameters), determines which view to use, gets data from the model, and gives it to view



- The default route pattern is [Controller Name] / [Action Name] / [ID (optional parameter)].
  - https://localhost:5001/catalog/list/17
  - Controller = "catalog"
  - Action = "list"
  - ID = "17"

The route often also contains default or optional values

- Controllers are located in the "Controllers" folder.
  - project/Controllers/HomeController.cs
  - project/Controllers/MazeControllers.cs

- Controllers are named with the suffix "Controller".
  - HomeController, MazeController

- An Action is a method with the same name in the Controller class.
  - The "Index" action on the "Home" controller is the Index() method on the "HomeController" class

- An Action returns an IActionResult
  - This can be a view, file, string content, etc.

- Views are in the "Views" folder with sub-folders based on the Controller name.
  - project/Views/Home/Index.cshtml
  - project/Views/Home/Privacy.cshtml
- Views can also be in the "Shared" sub-folder.
  - project/Views/Shared/Error.cshtml
- Views are named after the corresponding Action in the Controller.

• In .cshtml files (razor views), the "@" means "there's some C# code coming!"

- @Html.TextBoxFor(m => m.Size)
- @RenderBody()

#### Resources

### Code Samples & Resources

https://github.com/jeremybytes/mvc-conventions-aspnet-50

#### Thank You!

## Jeremy Clark

- http://www.jeremybytes.com
- jeremy@jeremybytes.com
- @jeremybytes