Actuator & Sécurité


Protéger les endpoints Actuator

spring security peut sécuriser nos endpoints


```
<dependency>
<groupId>org.springframework.boot</groupId>
<artifactId>spring-boot-starter-security</artifactId>
</dependency>
```

 /health et /info resteront disponibles (on peut les désactiver si nécessaire)

http://localhost:80080/actuator/beans




Login : user password → voir console




Accès autorisé!

```
(i) localhost:8080/actuator/beans
                                                                 Raw
▼ "contexts": {
   ▼ "application": {
      ▼ "beans": {
         "endpointCachingOperationInvokerAdvisor": {
               "aliases": [],
               "scope": "singleton",
               "type": "org.springframework.boot.actuate.endpoint.invoker.c
               ingOperationInvokerAdvisor",
               "resource": "class path resource
               [org/springframework/boot/actuate/autoconfigure/endpoint/End
               Configuration.class]",
             ▼ "dependencies": [
                  "environment"
          "defaultServletHandlerMapping": {
               "aliases": [],
               "scope": "singleton",
               "type": "org.springframework.web.servlet.HandlerMapping",
               "resource": "class path resource
               [org/springframework/boot/autoconfigure/web/servlet/WebMvcAu
               ration$EnableWebMvcConfiguration.class]",
               "dependencies": []
          ▼ "metricsRestTemplateCustomizer": {
               "aliases": [],
               "scope": "singleton",
               "type": "org.springframework.boot.actuate.metrics.web.client
```

/health et /info et sécurité





```
Please sign in x | localhost:8080/actuator/health x localhost:8080/actuator/info x +

C localhost:8080/actuator/info

[ "app": {
    "name": "super App",
    "description": "une application d�velop�e par un super codeur",
    "version": "1.0.0"
    }
}
```

Déactiver /healt et /info

application.properties

```
info.app.name= super App
info.app.description=une application dévelopée par un super codeur
info.app.version=1.0.0

# Utiliser une wildcard "*" pour exposer tous les endpoints Actuator.
# vous pouvez exposer certains dendpoints seulement en les listant
# séparés par une virgule.
# management.endpoints.web.exposure.include=*

# Exclude individual endpoints with a comma delimited list management.endpoints.web.exposure.exclude=health,info
```


/health et /info désactivés



Whitelabel Error Page

This application has no explicit mapping for /error, so you are seeing this as a fallback.

Thu Oct 22 15:10:45 CEST 2020
There was an unexpected error (type=Not Found, status=404).
No message available



Whitelabel Error Page

This application has no explicit mapping for /error, so you are seeing this as a fallback.

Thu Oct 22 15:11:55 CEST 2020
There was an unexpected error (type=Not Found, status=404).
No message available