

Cours du 3 décembre - Introduction

В

Build responsive, mobile-first projects on the web with the world's most popular front-end component library.

1 2 3 4 5 6 7 8 9 10 11 12 **BOOTSTRAP 4 GRID SYSTEM**

```
B
```

One of three One of three columns Columns Columns

<div class="container">


<div class="row">

</div>

1 of 3 2 of 3 (wider) 3 of 3

<div class="container">

```
<div class="row">
   <div class="col-5">
       1 of 3
       <div class="container">
           <div class="row">
               <div class="col">
                   1 of 2
               <div class="col">
                   2 of 2
   <div class="col-6">
       2 of 3 (wider)
   <div class="col-1">
       3 of 3
```





```
<div class="row">
   <div class="col-6 col-sm-4">
      .col-6 .col-sm-4
   </div>
   <div class="col-6 col-sm-4">
      .col-6 .col-sm-4
   </div>
   <div class="w-100 d-none d-md-block"></div>
   <div class="col-6 col-sm-4">
      .col-6 .col-sm-4
  </div>
   <div class="col-6 col-sm-4">
      .col-6 .col-sm-4
  </div>
</div>
```

.col-6 .col-sm-4	.col-6 .col-sm-4	.col-6 .col-sm-4
.col-6 .col-sm-4		

.col-6 .col-sm-4	.col-6 .col-sm-4
.col-6 .col-sm-4	.col-6 .col-sm-4




	Extra small < 576px	Small ≥ 576px	Medium ≥ 768px	Large ≥ 992px	Extra large ≥ 1200px
Largeur max du conteneur (.container)	None (auto)	540px	720px	960px	1140px
Largeur max du conteneur (.container-fluid)			100%		
Classes	.col-	.col-sm-	.col-md-	.col-lg-	.col-xl-
# de colonnes			12		




Système de grille - Alignement

```
B
```



Système de grille - Alignement

```
<div class="container">
   <div class="row justify-content-start">
      <div class="col-4">
        One of two columns
     <div class="col-4">
        One of two columns
   <div class="row justify-content-center">
     <div class="col-4">
        One of two columns
      <div class="col-4">
        One of two columns
   <div class="row justify-content-end">
      <div class="col-4">
        One of two columns
     <div class="col-4">
        One of two columns
```






Système de grille – marges

```
B
```

```
<div class="row">
   <div class="col-md-4">
      .col-md-4
  </div>
   <div class="col-md-4 offset-md-4">
      .col-md-4 .offset-md-4
   </div>
</div>
<div class="row">
   <div class="col-md-3 offset-md-3">
      .col-md-3 .offset-md-3
  </div>
   <div class="col-md-3 offset-md-3">
      .col-md-3 .offset-md-3
  </div>
</div>
```






Timeshift 165

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce mattis, felis id ullamcorper consectetur, nunc mauris tincidunt mauris, egestas conque purus nunc non nibh. Etiam tincidunt, massa eget ullamcorper volutpat, neque arcu venenatis ligula, a consequat purus est vitae mi.





Créer son propre « component » d'après Bootstrap

Guidelines



- 2. Les components doivent être construit avec une classe de base et étendu avec des classe de surcharge
- 3. Privilégier le HTML & CSS au JS
- 4. Utiliser au maximum ce qui existe déjà
- 5. Ne pas être trop rigide dans les sélecteurs (éviter les sélecteurs de type et d'enfants direct par exemple)

