### **CSSE1001**

# 28/05/2009

## Assignment 3 - TumblrServ - Installation Document

#### **Development Environment:**

OS: Mac OS X 10.5.6 (Intel) IDE: TextMate / Coda Python Version:

Python 2.5.1 (r251:54863, Jan 13 2009, 10:26:13) [GCC 4.0.1 (Apple Inc. build 5465)] on darwin

### **Prerequisite Libraries:**

The following third party libraries are required to run TumblrServ:

- CherryPy
- ClientForm
- PyYaml
- PyJson

All of the above libraries can be installed using easy\_install (with the exception of PyJson which is already included in the distribution):

easy\_install CherryPy ClientForm PyYaml

#### **Basic Configuration**

The program requires some basic configuration to unlock full functionality. The file cherrypy . conf in the data folder needs to have the absolute path of the tumblrserv.py folder set:

```
tools.staticdir.root = "/path/to/tumblrserv"
```

The server also needs data before it can be run. This can be produced using the --pull-data command line switch on tumblrserv.py:

```
python tumblrserv.py --pull-data ilikewatermelon
```

After completing these steps, simply run:

```
python tumblrserv.py
```

and the server should boot up at <a href="http://localhost:8000">http://localhost:8000</a> (assuming the port configuration has not been changed).

Theme files can be edited on the fly (while the server is running) but a configuration change requires that the server be restarted.